OHIO SCHOOLS COUNCIL SCHOOL BUS PURCHASING PROGRAM 2019-20 OCTOBER VENDOR QUOTE

Appendix B Transits

Bid price as specified without options as per Federal and State of Ohio Department of Education minimum school bus specifications under 4501-5 (inclusive) OR with the current safety regulations of the Department of Education adopted by and with the advice and consent of the director of public safety pursuant to sect Revised Code and all other pertinent provisions of law. The body/chassis supplier shall provide and attach a complete body/chassis specification sheet itemizin manufacturer brand names of the State of Ohio Department of Education minimum school bus body/chassis that will be supplied at this base bid. Must meet o standards.

By signing this specification, you guarantee that the equipment being bid meets all state specifications

Cardinal Bus Sales & Service, Inc. **Vendor** **800-743-4287** **Phone Number**

Tony Rumer **Contact Person**

****Vendor List base price****
(Includes freight)

District cuts are with their Commit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher
TOTAL WITH OPTIONS				96,755			
Bus Make	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	
Bus Model	T3FE 2903	T3FE 2903	T3FE 3508	T3FE 3508	T3FE 3800	T3FE 4004	
Base Bid Price	83,660	83,860	85,743	85,943	87,054	89,240	
Maximum Vehicle Length Bumper to Bumper (inches)	353	353	430	430	458	486	
Maximum Vehicle Width Including Mirrors (inches)	116	116	116	116	116	116	
Maximum Vehicle Width Excluding Mirrors (inches)	96	96	96	96	96	96	
GVWR	29350	29350	31350	31350	31350	33000	
Maximum Vehicle Height Overall at GVWR Including Hatch (inches)	124	124	124	124	124	124	
Maximum Height of First Step (inches)	16	16	16	16	16	16	
Wheelbase (inches)	141	141	190	190	218	232	
Delivery Days	130	130	130	130	130	130	
Special discounts	None	None	None	None	None	None	

BIDS DUE TO OHIO SCHOOLS COUNCIL BY FRIDAY, OCTOBER 18, 2019 AT 10:00 AM, EST.

OHIO SCHOOLS COUNCIL SCHOOL BUS PURCHASING PROGRAM 2019-20 OCTOBER VENDOR QUOTE

Appendix B Transits

Important Notice : On all items below vendor must mark standard (Std), list additional price to base bid, list duplicated or mark

	Bus Size (Transit)		47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher
1	ENGINES AND TRANSMISSIONS AVAILABLE								
2	Cummins B6.7 200HP 520 lb-ft torque/Allison 2500PTS	SCR	Std	Std	Std	Std	Std	-930	
3	Cummins B6.7 200HP 520 lb-ft torque/Eaton Procision	SCR	N/A	N/A	N/A	N/A	N/A	N/A	
4	Cummins B6.7 220HP 600 lb-ft torque/Allison 2500PTS	SCR	930	930	930	930	930	Std	
5	Cummins B6.7 220HP 600 lb-ft torque/Eaton Procision	SCR	N/A	N/A	N/A	N/A	N/A	N/A	
6	Cummins B6.7 240HP 560 lb-ft torque/Allison 2500PTS	SCR	970	970	970	970	970	40	
7	Cummins B6.7 240HP 560 lb-ft torque/Allison 3000PTS	SCR	N/A	N/A	N/A	N/A	N/A	N/A	
8	Cummins B6.7 240HP 560 lb-ft torque/Eaton Procision	SCR	N/A	N/A	N/A	N/A	N/A	N/A	
9	Cummins B6.7 250HP 660 lb-ft torque/Allison 2500PTS	SCR	2130	2130	2130	2130	2130	1200	
10	Cummins B6.7 250HP 660 lb-ft torque/Allison 3000PTS	SCR	N/A	N/A	6328	6328	6328	5398	
11	Cummins B6.7 250HP 660 lb-ft torque/Eaton Procision	SCR	N/A	N/A	N/A	N/A	N/A	N/A	
12	Cummins B6.7 260HP 660 lb-ft torque/Allison 2500PTS	SCR	2500	2500	2500	2500	2500	1570	
13	Cummins B6.7 260HP 660 lb-ft torque/Allison 3000PTS	SCR	N/A	N/A	6693	6693	6693	5763	
14	Cummins B6.7 260HP 660 lb-ft torque/Eaton Procision	SCR	N/A	N/A	N/A	N/A	N/A	N/A	
15	Cummins B6.7 280HP 660 lb-ft torque/Allison 2500PTS	SCR	N/A	N/A	3850	3850	3850	2920	
16	Cummins B6.7 280HP 660 lb-ft torque/Allison 3000PTS	SCR	N/A	N/A	8050	8050	8050	7120	
17	Cummins B6.7 300HP 660 lb-ft torque/Allison 2500PTS	SCR	N/A	N/A	N/A	N/A	N/A	N/A	
18	Cummins B6.7 300HP 660 lb-ft torque/Allison 3000PTS	SCR	N/A	N/A	N/A	N/A	N/A	N/A	
19	Cummins L9 260HP 720 lb-ft torque/Allison 3000 PTS		N/A	N/A	N/A	N/A	N/A	N/A	
20	Cummins L9 270HP 800 lb-ft torque/Allison 3000 PTS		N/A	N/A	N/A	N/A	N/A	N/A	
21	Cummins L9 300HP 860 lb-ft torque/Allison 3000 PTS		N/A	N/A	N/A	N/A	N/A	N/A	
22	Cummins ISB6.7 G CNG Engine		N/A	N/A	N/A	N/A	N/A	N/A	
23	Detroit DD8 7.7L 6cyl 260HP 660 lb/ft torque Allison 2500PTS		N/A	N/A	N/A	N/A	N/A	N/A	
24	Detroit DD8 7.7L 6cyl 260HP 720 lb/ft torque Allison 2500PTS		N/A	N/A	N/A	N/A	N/A	N/A	
25	Detroit DD8 7.7L 6cyl 280HP 800 lb/ft torque Allison 2500PTS		N/A	N/A	N/A	N/A	N/A	N/A	
26	Detroit DD8 7.7L 6cyl 300HP 860 lb/ft torque Allison 2500PTS		N/A	N/A	N/A	N/A	N/A	N/A	

BIDS DUE TO OHIO SCHOOLS COUNCIL BY FRIDAY, OCTOBER 18, 2019 AT 10:00 AM, EST.

27	Detroit DD8 7.7L 6cyl 260HP 720 lb/ft torque Allison 3000PTS	N/A	N/A	N/A	N/A	N/A	N/A	
28	Detroit DD8 7.7L 6cyl 280HP 800 lb/ft torque Allison 3000PTS	N/A	N/A	N/A	N/A	N/A	N/A	
29	Detroit DD8 7.7L 6cyl 300HP 860 lb/ft torque Allison 3000PTS	N/A	N/A	N/A	N/A	N/A	N/A	
30	Virtual technician-Detriot connect access 5 years	N/A	N/A	N/A	N/A	N/A	N/A	
31	Antifreeze, Extended Life	102	102	102	102	102	102	
32	Water filter extended life	200	200	200	200	200	200	
33	Exhaust Brake	60	60	60	60	60	60	
34	Heated fuel water separator	Std	Std	Std	Std	Std	Std	
35	Heated fuel water separator remote mounted	N/A	N/A	N/A	N/A	N/A	N/A	
36	Overcrank starter	N/A	N/A	N/A	N/A	N/A	N/A	
37	Quick warm up option	Std	Std	Std	Std	Std	Std	
38	Transmission push button quadrant for Allison 3000 PTS	Std	Std	Std	Std	Std	Std	
39	Transynd transmission fluid	Std	Std	Std	Std	Std	Std	
40	Speed Retarder System	N/A	N/A	N/A	N/A	N/A	N/A	
41	Factory set governed speed at 70 mph. (for interstate travel)	1	1	1	1	1	1	
42	Other:							
43								
44								
45	**AIR DRYER**							
46	Bendix AD-IP	Std	Std	Std	Std	Std	Std	
47	Bendix AD-9	195	195	195	195	195	195	
48	Bendix DV-2	63	63	63	63	63	63	
49	Moisture ejector auto	90	90	90	90	90	90	
50	Moisture ejector manual (pull chain)	110	110	110	110	110	110	
51	Mount air dryer outside of frame rail	N/A	N/A	N/A	N/A	N/A	N/A	
52	Moisture ejector auto, all tanks	190	190	190	190	190	190	
53	Other:							
54								
55								
56								
57	**ALTERNATOR/COMPRESSOR**							
58	Larger alternator 185 amps Leece Neville	N/A	N/A	N/A	N/A	N/A	N/A	
59	Larger alternator 200 amps Leece Neville	N/A	N/A	N/A	N/A	N/A	N/A	
60	Larger alternator 210 amps Leece Neville	-100	-100	-100	-100	-100	-100	

61	Larger alternator 240 amps Leece Neville	Std	Std	Std	Std	Std	Std	
62	Larger alternator 270 amps Leece Neville	575	575	575	575	575	575	
63	Larger alternator 320 amps Leece Neville	750	750	750	750	750	750	
64	Larger alternator 325 amps Leece Neville	N/A	N/A	N/A	N/A	N/A	N/A	
65	Delco Remy 200 AMP Alternator with 2 year warranty	N/A	N/A	N/A	N/A	N/A	N/A	
66	Circuit breakers where available	Std	Std	Std	Std	Std	Std	
67	Larger air compressor 18.0 cfm	Std	Std	Std	Std	Std	Std	
68	Minimum 3 separate reservoirs 3600 cu. In. min.	Std	Std	Std	Std	Std	Std	
69	Larger alternator 200 amps Bosch	N/A	N/A	N/A	N/A	N/A	N/A	
70	Other:							
71								
72								
73	**AXLES/BRAKES/SUSPENSION**							
74	30-30 Long stroke chamber and heavy duty spring brake	Std	Std	Std	Std	Std	Std	
75	ABS with Traction Control	N/A	346	346	346	346	346	
76	Air Brakes - front. 16.5x5	N/A	N/A	N/A	N/A	N/A	N/A	
77	Air Brakes - front. 16.5x6	Std	Std	Std	Std	Std	Std	
78	Air Brakes - rear. 16.5x7	Std	Std	Std	Std	Std	Std	
79	Air Brakes - rear. 16.5x8 5/8	N/A	N/A	540	540	540	540	
80	Brake drums mounted outboard only	Std	Std	Std	Std	Std	Std	
81	Air Disc Brakes	1740	1740	1740	1740	1740	1740	
82	Hydraulic Brakes. State size:	N/A	N/A	N/A	N/A	N/A	N/A	
83	Platinum Shield Shoe Lining, Protects Against Rust Jacking	N/A	N/A	N/A	N/A	N/A	N/A	
84	Automatic slack adjusters, Haldex	268	268	268	268	268	268	
85	Automatic slack adjusters, Meritor	Std	Std	Std	Std	Std	Std	
86	Differential lock or positraction	N/A	N/A	N/A	N/A	N/A	N/A	
87	Dust shields, front and rear	40	40	40	40	40	40	
88	E-Z Grip parking brake cover	Std	Std	Std	Std	Std	Std	
89	Front heavy duty shocks	Std	Std	Std	Std	Std	Std	
90	Rear heavy duty shocks	Std	Std	Std	Std	Std	Std	
91	Interlock Brake System. State Brand:	800	800	800	800	800	800	
92	Leveling Valve - front single	Std	Std	Std	Std	Std	Std	
93	Leveling Valve - rear single	Std	Std	Std	Std	Std	Std	
94	Oil lubricated wheelbearings front	Std	Std	Std	Std	Std	Std	

95	Stemco seals front	N/A	N/A	N/A	N/A	N/A	N/A	
96	Stemco seals rear	N/A	N/A	N/A	N/A	N/A	N/A	
97	Synthetic HUD ILO oil	146	146	146	146	146	146	
98	Front axle 13,200 LBS	Std	Std	Std	Std	Std	Std	
99	Front axle 14,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	
100	Front axle 14,600 LBS	150	150	150	150	150	150	
101	Rear axle 19,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	
102	Rear axle 20,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	
103	Rear axle 21,000 LBS	Std	Std	Std	Std	Std	Std	
104	Rear axle 23,000 LBS	N/A	N/A	540	540	540	540	
105	Front air suspension 14,600 LBS	800	800	800	800	800	800	
106	Front spring suspenstion 13,200 LBS	Std	Std	Std	Std	Std	Std	
107	Front spring suspenstion 14,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	
108	Front spring suspenstion 14,600 LBS	250	250	250	250	250	250	
109	Rear air suspension 20,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	
110	Rear air suspension 21,000 LBS	1065	1065	1065	1065	1065	1065	
111	Rear air suspension 23,000 LBS	1155	1155	1155	1155	1155	1155	
112	Rear spring suspension 19,000 LBS	N/A	N/A	Std	Std	Std	N/A	
113	Rear spring suspension 21,000 LBS	N/A	N/A	138	138	138	Std	
114	Rear spring suspension 23,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	
115	Must have Grease Zirks in U-joints on Driveshaft, must be Greaseable	N/A	N/A	N/A	N/A	N/A	N/A	
116	Other:							
117	Rear spring suspension 17,000 LBS	Std	Std	N/A	N/A	N/A	N/A	
118								
119								
120								
121								
122								
123								
124	**BATTERIES/BLOCK HEATERS**							
125	1-12 volt 8D. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A	
126	2-12 volt 31 S. List CCA: 1400	Std	Std	Std	Std	Std	Std	
127	2-12 volt 31 S. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A	
128	2-12 volt 8D. List CCA: 2800	215	215	215	215	215	215	

129	3-12 volt 31 S. List CCA: 2100	120	120	120	120	120	120	
130	3-12 volt 31 S. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A	
131	Heavy Duty Battery Box on HD Sliders	Std	Std	Std	Std	Std	Std	
132	Heavy Duty Battery Box W/ Roller Tray	315	315	315	315	315	315	
133	Key lock battery box	Std	Std	Std	Std	Std	Std	
134	Loom battery cables	15	15	15	15	15	15	
135	Master electric cutoff switch	118	118	118	118	118	118	
136	No Rust Composite Battery Box	N/A	N/A	N/A	N/A	N/A	N/A	
137	Stainless battery tray	110	110	110	110	110	110	
138	Block heater plug front mounted plug	Std	Std	Std	Std	Std	Std	
139	Block heater plug rear mounted plug	150	150	150	150	150	150	
140	Engine block heater 750 watts	Std	Std	Std	Std	Std	Std	
141	Engine block heater 1250 watts	N/A	N/A	N/A	N/A	N/A	N/A	
142	Espar Diesel Heater E-Guardian 42K BTU	2800	2800	2800	2800	2800	2800	
143	Espar Diesel Heater E-Guardian 17K BTU	1120	1120	1120	1120	1120	1120	
144	Webasto Diesel Heater Scholastic Series 45K BTU	1950	1950	1950	1950	1950	1950	
145	Webasto Diesel Heater TLS 17K BTU	1050	1050	1050	1050	1050	1050	
146	Diesel heater manual on/off switch. State brand and Model:	150	150	150	150	150	150	
147	Diesel heater 7 day timer. State brand and Model:	Std	Std	Std	Std	Std	Std	
148	Mount Webasto Controller/Timer in Driver's Area	100	100	100	100	100	100	
149	Battery Box Plastic Cover KIT	50	50	50	50	50	50	
150	Other:							
151								
152								
153								
154	**BODY STRUCTURE/PAINT**							
155	Body Tie Downs: "Texas U-Bolt"	35	35	35	35	35	35	
156	Body Tie Downs: Double bolted	N/A	N/A	N/A	N/A	N/A	N/A	
157	Drip moulding formed in roof panels over windows	Std	Std	Std	Std	Std	Std	
158	Drip Moulding/Rain Deflector Full Body Length	N/A	N/A	N/A	N/A	N/A	N/A	
159	Heavy duty front tow hooks frame mounted	Std	Std	Std	Std	Std	Std	
160	Heavy duty rear tow hooks frame mounted	Std	Std	Std	Std	Std	Std	
161	Roof-White	195	195	195	195	195	195	
162	Stainless steel Screws for fenders/body, ext. mirrors, cross gate & stop arm	150	150	150	150	150	150	

163	Other:							
164								
165								
166								
167								
168								
169	**CAMERAS**							
170	24/7 320 GB DHD sensors and panic button installed	1660	1660	1660	1660	1660	1660	
171	24/7 64 GB SDHC sensors and panic button installed	1275	1275	1275	1275	1275	1275	
172	24/7 additional camera X 3 = 1080 SEE BELOW	360	360	360	1080	360	360	
173		125	125	125	125	125	125	
174	24/7 Stop arm camera	600	600	600	600	600	600	
175	24/7 Dome camera	375	375	375	375	375	375	
176	REI 500 GB DHD sensors and panic button installed	1750	1750	1750	1750	1750	1750	
177	REI 320 GB DHD sensors and panic button installed	N/A	N/A	N/A	N/A	N/A	N/A	
178	REI 64 GB SDHC sensors and panic button installed	1430	1430	1430	1430	1430	1430	
179	REI additional camera	350	350	350	350	350	350	
180	REI Wi-Fi bridge	300	300	300	300	300	300	
181	REI GPS	155	155	155	155	155	155	
182	REI Stop arm camera	625	625	625	625	625	625	
183	Angel Trax video system, 7 camera (3 outside, 4 inside), Hybrid guest with VSM	4700	4700	4700	4700	4700	4700	
184	Seon 1 Camera System	1900	1900	1900	1900	1900	1900	
185	Seon 2 Camera System	2300	2300	2300	2300	2300	2300	
186	Seon 3 Camera System	2650	2650	2650	2650	2650	2650	
187	Seon 4 Camera System	3000	3000	3000	3000	3000	3000	
188	REI Color digital 4 camera, infrared event marker, hard drive in lock box in driver's area	2600	2600	2600	2600	2600	2600	
189	Other: CAMERAS MOUNTED FT/REAR HEADER MID,							
190	BEHIND DRIVERS SEAT FACING STEP WELL							
191								
192	**WINDOW/ROOF HATCH/POWER VENTILATORS**							
193	Face mounted emergency window instructions decals on windows - external mounted on window	40	40	40	40	40	40	
194	List quantity of roof hatches included per size of unit:	Two	Two	Two	Two	Two	Two	

BIDS DUE TO OHIO SCHOOLS COUNCIL BY FRIDAY, OCTOBER 18, 2019 AT 10:00 AM, EST.

195	Roof Escape Hatch Lo Profile. List Brand: Safe Fleet	100	100	100	100	100	100	
196	Roof Escape Hatch Power Ventilated. List Brand: Safe Fleet	560	560	560	560	560	560	
197	Roof Escape Hatch standard. List Brand: Safe Fleet	Std	Std	Std	Std	Std	Std	
198	Additional roof hatch	300	300	300	300	300	300	
199	Power Ventilator. State Brand:	N/A	N/A	N/A	N/A	N/A	N/A	
200	Pushout Emergency Window - horizontal hinged	N/A	N/A	N/A	N/A	N/A	N/A	
201	Pushout Emergency Window - vertical hinged	Std	Std	Std	Std	Std	Std	
202	Rear window air dam	580	580	580	580	580	580	
203	Other:							
204								
205								
206								
207								
208	**DOORS/LOCKS**							
209	Air-operated heavy duty, outward opening entrance door, full view glass, greaseable hinges	225	225	225	225	225	225	
210	Deluxe manual heavy duty, outward opening entrance door, full view glass, greaseable hinges	N/A	N/A	N/A	N/A	N/A	N/A	
211	Electric heavy duty, outward opening entrance door, full view glass, greaseable hinges	Std	Std	Std	Std	Std	Std	
212	Paint Entrance Door Yellow	N/A	N/A	N/A	N/A	N/A	N/A	
213	Vandal lock entrance door, manual lock	51	51	51	51	51	51	
214	Vandal lock entrance door, electric lock	N/A	N/A	N/A	N/A	N/A	N/A	
215	Vandal Lock rear door with Interlock	150	150	150	150	150	150	
216	Vandal lock rear emergency window with interlock	155	155	155	155	155	155	
217	Vandal lock lift door with interlock	20	20	20	20	20	20	
218	Rear door with concealed hinges (Must have Zerk Fittings)	N/A	N/A	N/A	N/A	N/A	N/A	
219	Rear door with greaseable door hinges (Must have Zerk Fittings)	Std	Std	Std	Std	Std	Std	
220	Header pad mounted above rear door	Std	Std	Std	Std	Std	Std	
221	Header pad mounted above entrance door	Std	Std	Std	Std	Std	Std	
222	Upholstered header pad mounted above rear door	N/A	N/A	N/A	N/A	N/A	N/A	
223	Upholstered header pad mounted above entrance door	N/A	N/A	N/A	N/A	N/A	N/A	
224	Other:							
225								
226								

227								
228	**FLOOR/STEPWELL**							
229	5/8" 5-ply type CD exterior grade	64	64	64	64	64	64	
230	5/8" Marine grade plywood	125	125	125	125	125	125	
231	5/8" Treated plywood	Std	Std	Std	Std	Std	Std	
232	Aluminum floor trim (aisle, other)	Std	Std	Std	Std	Std	Std	
233	Stainless steel floor trim (aisle, other)	500	500	500	500	500	500	
234	Plastic or vinyl floor trim	N/A	N/A	N/A	N/A	N/A	N/A	
235	Floor coloring Black	Std	Std	Std	Std	Std	Std	
236	Floor coloring Brown	N/A	N/A	N/A	N/A	N/A	N/A	
237	Floor coloring Gray	240	240	240	240	240	240	
238	Floor coloring Green	N/A	N/A	N/A	N/A	N/A	N/A	
239	Floor coloring Light Blue	N/A	N/A	N/A	N/A	N/A	N/A	
240	Floor coloring Tan	241	241	241	241	241	241	
241	One piece floor covering	N/A	N/A	N/A	N/A	N/A	N/A	
242	One piece floor covering - GRAY	N/A	N/A	N/A	N/A	N/A	N/A	
243	Studded texture step treads metal backed	220	220	220	220	220	220	
244	Studded texture step treads non-metal backed	280	280	280	280	280	280	
245	Insulated step well (for sound abatement)	Std	Std	Std	Std	Std	Std	
246	Stainless steel stepwell (State steel gauge):	425	425	425	425	425	425	
247	One Piece Polyethalene composite stepwell	N/A	N/A	N/A	N/A	N/A	N/A	
248	Steel preformed with Proflex	N/A	N/A	N/A	N/A	N/A	N/A	
249	Koroseal entire floor	N/A	N/A	N/A	N/A	N/A	N/A	
250	Koroseal floor trim	N/A	N/A	N/A	N/A	N/A	N/A	
251	Koroseal pebble tread	N/A	N/A	N/A	N/A	N/A	N/A	
252	Fold-out step power activated	N/A	N/A	N/A	N/A	N/A	N/A	
253	Fold-out step manually operated	N/A	N/A	N/A	N/A	N/A	N/A	
254	Other:							
255								
256								
257								
258	**FUEL TANKS**							
259	12 Gallon DEF tank with locking door	N/A	N/A	N/A	N/A	N/A	N/A	
260	15 Gallon DEF tank with locking door	Std	Std	Std	Std	Std	Std	

261	Between frame rail, diesel 60 gallon	Std	Std	Std	Std	Std	Std	
262	Between frame rail, diesel 100 gallon	N/A	N/A	N/A	290	290	290	
263	Fuel door lock	Std	Std	Std	Std	Std	Std	
264	Fuel door right side access	Std	Std	Std	Std	Std	Std	
265	Tough coat fuel tank	N/A	N/A	N/A	N/A	N/A	N/A	
266	Between frame rail, diesel 65 gallon	N/A	N/A	N/A	N/A	N/A	N/A	
267	Between frame rail, diesel 105 gallon	N/A	N/A	N/A	N/A	N/A	N/A	
268	Other:							
269								
270								
271								
272	**GAUGES/BREAKERS/CONTROLS**							
273	12 Volt accessory plug	Std	Std	Std	Std	Std	Std	
274	Alarm- Backup with 107 dB(A)	N/A	N/A	N/A	N/A	N/A	N/A	
275	Alarm- Backup with 112 dB(A)	Std	Std	Std	Std	Std	Std	
276	Ampere gauge to match alternator output	Std	Std	Std	Std	Std	Std	
277	Engine hour meter	Std	Std	Std	Std	Std	Std	
278	Transmission oil temperature gauge	Std	Std	Std	Std	Std	Std	
279	Optional Gauge Package. Please specify:	N/A	N/A	N/A	N/A	N/A	N/A	
280	Circuit breakers where available, auto reset	Std	Std	Std	Std	Std	Std	
281	Circuit Breakers where available, manual reset	Std	Std	Std	Std	Std	Std	
282	Clock	Std	Std	Std	Std	Std	Std	
283	Cruise control	Std	Std	Std	Std	Std	Std	
284	Headlight on, key off, alarm	Std	Std	Std	Std	Std	Std	
285	Idle time circuit turned on	Std	Std	Std	Std	Std	Std	
286	Two Spare Circuits - 14 gauge wire	8	8	8	8	8	8	
287	Door switch on left panel (not on steering wheel)	N/A	N/A	N/A	N/A	N/A	N/A	
288	Other:							
289								
290								
291								
292	**HEATER, ADDITIONAL LARGER/ AIR CONDITIONING**							
293	Air conditioning – Underbody condenser, 120,000 BTU or greater	8400	8400	8400	8400	8400	8400	
294	Air conditioning – Rooftop condenser, 120,000 BTU or greater	9800	9800	9800	9800	9800	9800	

295	List Standard Heater BTU units cost:							
296	List Standard Right Front BTU:	Std	Std	Std	Std	Std	Std	
297	List Standard Left Front BTU:	Std	Std	Std	Std	Std	Std	
298	List Standard Midship BTU:	Std	Std	Std	Std	Std	Std	
299	List Standard Rear BTU:	Std	Std	Std	Std	Std	Std	
300	List Optional Heater BTU units cost:							
301	List Optional Midship BTU:	135	135	135	135	135	135	
302	List Optional Rear BTU:	150	150	150	150	150	150	
303	List Optional Right Rear Wall Mounted BTU:	105	105	105	105	105	105	
304	List Optional Right Rear Wall Mounted BTU:	264	264	264	264	264	264	
305	List Optional Left Rear Wall Mounted BTU:	436	436	436	436	436	436	
306	List Optional Left Rear Wall Mounted BTU:	N/A	N/A	N/A	N/A	N/A	N/A	
307	Radiant heating at floor line, twin copper pipe system	N/A	N/A	N/A	N/A	N/A	N/A	
308	Additional kick guards for all passenger area heaters	150	150	150	150	150	150	
309	List cost if driver heater kickguard is additional:	20	20	20	20	20	20	
310	Heater circulating pump. State Brand:	190	190	190	190	190	190	
311	Heater pump switch illuminated when on	Std	Std	Std	Std	Std	Std	
312	Heater cut-off ball valve all shut offs	Std	Std	Std	Std	Std	Std	
313	Passenger heater frame mounted, not floor mounted	N/A	N/A	N/A	N/A	N/A	N/A	
314	All heaters have replaceable filters	Std	Std	Std	Std	Std	Std	
315	Install rear left and right heaters - 84,500btu each - verticle mount in protective metal cage.	N/A	N/A	N/A	N/A	N/A	N/A	
316	Front, interior, A/C blower in front bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	
317	Front, interior, A/C blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	
318	Rear AC blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	
319	Other:							
320								
321								
322								
323								
324	**INTERIOR COLOR**							
325	Astro White	Std	Std	Std	Std	Std	Std	
326	Beige	N/A	N/A	N/A	N/A	N/A	N/A	
327	Gray	N/A	N/A	N/A	N/A	N/A	N/A	

BIDS DUE TO OHIO SCHOOLS COUNCIL BY FRIDAY, OCTOBER 18, 2019 AT 10:00 AM, EST.

328	Sea Foam Green	N/A	N/A	N/A	N/A	N/A	N/A	
329	Spring White	N/A	N/A	N/A	N/A	N/A	N/A	
330	Other:							
331								
332								
333								
334								
335	**INTERIOR PANELS**							
336	Aluminized interior panels	Std	Std	Std	Std	Std	Std	
337	Galvanized Coated Interior Panels	N/A	N/A	N/A	N/A	N/A	N/A	
338	Lower Side Interior Panels are Embossed Steel and Clear Coated	N/A	N/A	N/A	N/A	N/A	N/A	
339	Modesty/kick panel behind driver's seat	20	20	20	20	20	20	
340	Other:							
341								
342								
343								
344	**LIGHTS, EXTERIOR**							
345	Additional side exterior directional lamps, below window and behind rear wheels	35	35	35	35	35	35	
346	Engine compartment light. State candle power:	150	150	150	150	150	150	
347	Exterior entrance light activated by opening of door	28	28	28	28	28	28	
348	Exterior light check system pre-trip inspection	N/A	N/A	N/A	N/A	N/A	N/A	
349	Fog lamps	120	120	120	120	120	120	
350	Incandescent Backup lights, 7"	Std	Std	Std	Std	Std	Std	
351	LED Backup lights, 7"	132	132	132	132	132	132	
352	LED Backup lights, state size:	110	110	110	110	110	110	
353	LED Side backup lights	190	190	190	190	190	190	
354	LED Backup light mounted behind rear axle, high intensity	220	220	220	220	220	220	
355	LED Brake lights, state size:	23	23	23	23	23	23	
356	LED Exterior Entrance Door Light	38	38	38	38	38	38	
357	LED Marker/Clearance lights	Std	Std	Std	Std	Std	Std	
358	LED package (state package components):	N/A	N/A	N/A	N/A	N/A	N/A	
359	LED Stepwell Light	60	60	60	60	60	60	
360	LED Tail lights, state size:	22	22	22	22	22	22	

361	LED Turn signal, front 7"	23	23	23	23	23	23	
362	LED Turn signal, rear, state size:	22	22	22	22	22	22	
363	LED Turn signal, side mounted, front	27	27	27	27	27	27	
364	LED Turn signal, side mounted, front and rear	87	87	87	87	87	87	
365	LED Warning lights	400	400	400	400	400	400	
366	LED Warning lights, strobing	410	410	410	410	410	410	
367	LED Warning lights, Soundoff	Line 365	Line 365	Line 365	Line 365	Line 365	Line 365	
368	Lighted School Bus sign front and rear	N/A	N/A	N/A	N/A	N/A	N/A	
369	Recessed Exterior Lighting for water prevention damage	N/A	N/A	N/A	N/A	N/A	N/A	
370	Strobe light high profile	110	110	110	110	110	110	
371	Strobe light low profile inside power supply. State brand:	N/A	N/A	N/A	N/A	N/A	N/A	
372	Strobe light low profile outside power supply	120	120	120	120	120	120	
373	Tree guard on strobe lamp assembly	30	30	30	30	30	30	
374	Warning light sun visors	Std	Std	Std	Std	Std	Std	
375	Weldon supplemental warning lights above bumpers	750	750	750	750	750	750	
376	4"LED stop and tail lights w/license plate light	Line 360	Line 360	Line 360	Line 360	Line 360	Line 360	
377	New Ohio Approved Option Red/Amber Supplemental Warning Lights on Grill Mount	850	850	850	850	850	850	
378	New Ohio Approved Option Red/Amber Supplemental Warning Lights on Bumper Level Mount	851	851	851	851	851	851	
379	Supplemental Warning Lights	Line 377/378	Line 377/378	Line 377/378	Line 377/378	Line 377/378	Line 377/378	
380	Other:							
381								
382								
383	**LIGHTS, INTERIOR/SWITCHES**							
384	A/C system silent switch	Std	Std	Std	Std	Std	Std	
385	Additional dome light over driver's seat with separate switch	Std	Std	Std	Std	Std	Std	
386	Dome lamps shall be separately switched with three total switches: one for the driver's dome; one for the front half of the dome lights; and one for the rear half of the dome lights.	60	60	60	60	60	60	
387	Dome lights two rows	Std	Std	Std	Std	Std	Std	
388	Dome lights, LED	300	300	300	300	300	300	
389	Dome Lights: Minimum of 10 total dome lights in the passenger compartment	35	35	35	35	35	35	
390	Door switch / Ambers on steering wheel	N/A	N/A	N/A	N/A	N/A	N/A	

391	Door switch on left panel (not on steering wheel)	N/A	N/A	N/A	N/A	N/A	N/A	
392	Warning light switch on left panel	N/A	N/A	N/A	N/A	N/A	N/A	
393	Install 6 chrome work lights - wall mounted under chair rail, Install switch in driver panel. 6 lights min.	300	300	300	300	300	300	
394	Lamp monitor 16 lamp	143	143	143	143	143	143	
395	Lamp monitor 8 lamp	N/A	N/A	N/A	N/A	N/A	N/A	
396	LED capable Monitor. State Brand:	143	143	143	143	143	143	
397	LED Red lights mounted in ceiling at all emergency windows and exits, controlled by headlight switch	165	165	165	165	165	165	
398	Luggage compartment lights, switch controlled at driver compartment	180	180	180	180	180	180	
399	Red lights mounted in ceiling at all emergency windows and exits, controlled by headlight switch	165	165	165	165	165	165	
400	Warning lamp system, 8 way flashing, Weldon	N/A	N/A	N/A	N/A	N/A	N/A	
401	Warning light switch on left panel	N/A	N/A	N/A	N/A	N/A	N/A	
402	Other:							
403								
404								
405								
406								
407	**MANUALS/SOFTWARE**							
408	ABS software	On line	On line	On line	On line	On line	On line	
409	Engine software	650	650	650	650	650	650	
410	Transmission software	800	800	800	800	800	800	
411	All Parts/Service manuals in bound paper format	65	65	65	65	65	65	
412	All Parts/Service manuals in CD format	Std	Std	Std	Std	Std	Std	
413	Diamond Logic Builder Software, license, updates and annual renewal	N/A	N/A	N/A	N/A	N/A	N/A	
414	Laptop computer with all necessary licensing, hardware and software to properly diagnose engines, transmissions, ABS and all related electronic components. The computer should contain enough memory and storage capacity to run all programs including parts catalogs and maintenance and repair programs specific to the vehicles quoted. Eight (8) hours of training on this computer for the mechanics. One thousand dollars ($1,000.00) will be held back from payment until completion of mechanic's training.	N/A	N/A	N/A	N/A	N/A	N/A	
415	Nexiq Adapter: USB port connection	N/A	N/A	N/A	N/A	N/A	N/A	
416	Other:							

BIDS DUE TO OHIO SCHOOLS COUNCIL BY FRIDAY, OCTOBER 18, 2019 AT 10:00 AM, EST.

417								
418								
419								
420								
421	**MIRRORS, INTERIOR**							
422	Mounted over rear emergency door, 10"x16" minimum	N/A	N/A	N/A	N/A	N/A	N/A	
423	Mounted over rear emergency door, 12"x18" minimum	85	85	85	85	85	85	
424	Mounted over rear emergency door, 18"x24" minimum	N/A	N/A	N/A	N/A	N/A	N/A	
425	Prizm mirror mounted inside on rear door	N/A	N/A	N/A	N/A	N/A	N/A	
426	Front 6" x 30" non-glare in lieu of standard	5	5	5	5	5	5	
427	Front 8" x 30" in lieu of standard	N/A	N/A	N/A	N/A	N/A	N/A	
428	Front, 10"x30" in lieu of standard	18	18	18	18	18	18	
429	Front, 10"x30" non-glare in lieu of standard	22	22	22	22	22	22	
430	Sun visor 6x30	Std	Std	Std	Std	Std	Std	
431	Right-side sun visor, minimum six inches by sixteen inches in size.	N/A	N/A	N/A	N/A	N/A	N/A	
432	Backup camera integrated into 6x30 rear view mirror	494	494	494	494	494	494	
433	Backup camera integrated into 10x30 rear view mirror	N/A	N/A	N/A	N/A	N/A	N/A	
434	Other:							
435								
436								
437	**MIRRORS, EXTERIOR**							
438	All exterior stainless steel mirror brackets with bright finish.	55	55	55	55	55	55	
439	Double nickel mirrors	N/A	N/A	N/A	N/A	N/A	N/A	
440	Extended passenger side mirror brackets for double nickel	N/A	N/A	N/A	N/A	N/A	N/A	
441	Mirrorlight mirror	N/A	N/A	N/A	N/A	N/A	N/A	
442	Mirrorlight remote control mirror	N/A	N/A	N/A	N/A	N/A	N/A	
443	Mirrorlite Crossview	N/A	N/A	N/A	N/A	N/A	N/A	
444	Rosco Crossview mirror	Std	Std	Std	Std	Std	Std	
445	Rosco heated mirrors	Std	Std	Std	Std	Std	Std	
446	Rosco heated remote control mirrors	Std	Std	Std	Std	Std	Std	
447	Rosco ES mirror heads	30	30	30	30	30	30	
448	Self-canceling mirror defrost switch	Std	Std	Std	Std	Std	Std	
449	Other:							
450								

451								
452								
453	**PUBLIC ADDRESS/RADIOS/GPS**							
454	Additional speakers inside – 2	N/A	N/A	N/A	N/A	N/A	N/A	
455	Additional speakers inside – 4	Std	Std	Std	Std	Std	Std	
456	Additional speakers inside – 6	N/A	N/A	N/A	N/A	N/A	N/A	
457	Additional speakers inside – 8	N/A	N/A	N/A	N/A	N/A	N/A	
458	AM/FM/CD Radio with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	
459	AM/FM/CD/PA Radio with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	
460	AM/FM/CD/USB/MP3 with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	
461	AM/FM/CD/USB/MP3/PA with four speakers	10	10	10	10	10	10	
462	AM/FM/PA Radio with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	
463	AM/FM/USB/MP3 with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	
464	AM/FM/USB/MP3/PA with four speakers	Std	Std	Std	Std	Std	Std	
465	Outside speaker	30	30	30	30	30	30	
466	Outside speaker mounted under hood	Line 478	Line 478	Line 478	Line 478	Line 478	Line 478	
467	Public address system only. List # of speakers:	-120	-120	-120	-120	-120	-120	
468	Two-way radio, Motorola CDM750 or equal, with lockable mount and antennae (not mounted in bus)	N/A	N/A	N/A	N/A	N/A	N/A	
469	GPS System. State Brand:	N/A	N/A	N/A	N/A	N/A	N/A	
470	WiFi assist. State brand:	N/A	N/A	N/A	N/A	N/A	N/A	
471	Two-Way Radio Pre-Wired for Unit and Antennae on Roof	N/A	N/A	N/A	N/A	N/A	N/A	
472	GPS wiring Harness ready	N/A	N/A	N/A	N/A	N/A	N/A	
473	Other:							
474								
475								
476								
477	**RADIATOR**							
478	Air Controlled Automatic radiator shutters	600	600	600	600	600	600	
479	Electric fan clutch	Std	Std	Std	Std	Std	Std	
480	Fan drive hyd pump and motor with fixed speed and residual torque for disengaging fan speed	N/A	N/A	N/A	N/A	N/A	N/A	
481	Metal bolted tanks	N/A	N/A	N/A	N/A	N/A	N/A	
482	Viscous controlled fan	N/A	N/A	N/A	N/A	N/A	N/A	
483	Winterfront	80	80	80	80	80	80	

484	Other:							
485								
486								
487								
488								
489	**REFLECTIVE MARKINGS / LETTERING**							
490	"Stay Back 10 Feet" in four inch white-silver material may be applied and centered to the front and rear bumpers. Letters shall be italicized and be of the Helvetica type style and Rear bumper may be marked diagonally forty-five degrees with two inch wide strips of yellow grade five material two inches apart. Must be ordered with "School Bus" lettering above.	N/A	N/A	N/A	N/A	N/A	N/A	
491	6-1/2" stripe at beltline for school district I.D.	220	220	220	220	220	220	
492	Rear bumper diagonally marked forty-five degrees with two inch wide strips of yellow grade five material two inches apart	N/A	N/A	N/A	N/A	N/A	N/A	
493	Reflective tape complete package	N/A	N/A	N/A	N/A	N/A	N/A	
494	Other:							
495								
496								
497	**RUSTPROOFING/RUST PROTECTION**							
498	Rustproofing to be a commercial grade. Spray aerosol can type rustproofing not acceptable	Line 502	Line 502	Line 502	Line 502	Line 502	Line 502	
499	List your additional rust prevention package above factory installed. Name product:	N/A	N/A	N/A	N/A	N/A	N/A	
500	Asphalt-based undercoating	Std	Std	Std	Std	Std	Std	
501	Wax-based undercoating	260	260	260	260	260	260	
502	Corrosion protection underdody: List product: Ziebart	700	700	700	700	700	700	
503	Bumpers rust protection. List product: Blue Bird Armor	280	280	280	280	280	280	
504	Fuel Tank rust protection. List product: T-Wax	160	160	160	160	160	160	
505	Exterior Body rust protection. List product:	N/A	N/A	N/A	N/A	N/A	N/A	
506	Stepwell rust protection. List product: Stainless steel	425	425	425	425	425	425	
507	Paint adhesion and rust protection - 5 years, unlimited miles	N/A	N/A	N/A	N/A	N/A	N/A	
508	Interior of all panels, where insulation is located, shall be rustproofed	N/A	N/A	N/A	N/A	N/A	N/A	
509	Undercoating. List product:	N/A	N/A	N/A	N/A	N/A	N/A	
510	No Rust One Piece Stepwell	N/A	N/A	N/A	N/A	N/A	N/A	
511	No Rust Battery Box	N/A	N/A	N/A	N/A	N/A	N/A	

512	Other:							
513								
514								
515								
516	**SEAT BELTS/SEATS/FOAM**							
517	25" knee clearance	Std	Std	Std	Std	Std	Std	
518	39" Right front seat	Std	Std	Std	Std	Std	Std	
519	30" Right front seat	100	100	100	100	100	100	
520	Seat, 39" Interchangeable seat backs, (specialized school bus seats that can be converted from standard seats to three point seat belts or to Integrated Child Restraint Seats (ICS) without removing the seats from the bus and modifying the bus floor for needed reinforcements by replacing the complete backs. Seat frames shall meet applicable FMVSS requirements and seat frames shall be capable for installation of type 2 belts and ICS restraint seating) list make:	Line 541	Line 541	Line 541	Line 541	Line 541	Line 541	
521	Cost for one seat three seat belts installed color coded	53	53	53	53	53	53	
522	Cost for one seat two seat belts installed color coded	N/A	N/A	N/A	N/A	N/A	N/A	
523	Cost per seat to make seat belt ready	Line 541	Line 541	Line 541	Line 541	Line 541	Line 541	
524	Cost to make all seats, seat belt ready	880	1015	1285	1420	1555	1690	
525	Districts: Specify if last seat is "full" or "half" for 71 and 77 passengers	Full Std	Full Std	Full Std	Full Std	Full Std	Full Std	
526	Number or letter seats above windows	60	60	60	60	60	60	
527	Padded Interior side rails	156	156	156	156	156	156	
528	Seat color Brown	1	1	1	1	1	1	
529	Seat color Dark Blue	N/A	N/A	N/A	N/A	N/A	N/A	
530	Seat color Gray	1	1	1	1	1	1	
531	Seat color Green	N/A	N/A	N/A	N/A	N/A	N/A	
532	Seat color Maroon	1	1	1	1	1	1	
533	Seat color Medium Blue	1	1	1	1	1	1	
534	Seats 1/2" plywood seat bottoms	138	138	138	138	138	138	
535	Seats 3/8" plywood seat bottoms	Std	Std	Std	Std	Std	Std	
536	Seats passenger Kevlar upholstery	N/A	N/A	N/A	N/A	N/A	N/A	
537	Seats staggered (not placed directly across each other)	Std	Std	Std	Std	Std	Std	
538	Triad seat foam	Std	Std	Std	Std	Std	Std	
539	Interchangeable seat backs, IMMI/BTI seats	N/A	N/A	N/A	N/A	N/A	N/A	

540	Other:							
541	NextGen interchangeable seat back seat (price per row) FIRST TWO ROWS	135	135	135	270	135	135	
542								
543								
544								
545	**SEAT, DRIVER'S**							
546	Adjustable pedals, factory installed	785	785	785	785	785	785	
547	Tilt steering	Std	Std	Std	Std	Std	Std	
548	Tilt/Telescopic steering	Std	Std	Std	Std	Std	Std	
549	Pedestal seat non-heated vinyl National	Std	Std	Std	Std	Std	Std	
550	Pedestal seat non-heated vinyl Bostrom	N/A	N/A	N/A	N/A	N/A	N/A	
551	AIR RIDE NON HEATED SEAT VINYL BOSTROM	N/A	N/A	N/A	N/A	N/A	N/A	
552	Air ride seat heated cloth National	300	300	300	300	300	300	
553	Air ride seat non-heated cloth National	170	170	170	170	170	170	
554	Air ride seat heated cloth Bostrom	N/A	N/A	N/A	N/A	N/A	N/A	
555	Air ride seat non-heated cloth Bostrom	N/A	N/A	N/A	N/A	N/A	N/A	
556	Driver's seat armrests option. List price per side:	25	25	25	25	25	25	
557	Fabric driver's seat, non-flammable	22	22	22	22	22	22	
558	Driver's adjustable shoulder harness	Std	Std	Std	Std	Std	Std	
559	Driver's high visibility orange safety adjustable shoulder harness	1	1	1	1	1	1	
560	Front barrier cover with multiple pouches. State # of pouches: 5	65	65	65	65	65	65	
561	Front barrier cover with a single pouch	8	8	8	8	8	8	
562	Standard heated air suspension	275	275	275	275	275	275	
563	Standard heated hydraulic suspension	N/A	N/A	N/A	N/A	N/A	N/A	
564	Other:							
565								
566								
567								
568	**SIDE RAILS/PANELS**							
569	16 gauge smooth exterior panels	492	492	492	492	492	492	
570	Full length and acoustical headliner	Std	Std	Std	Std	Std	Std	
571	Black snow rail	Std	Std	Std	Std	Std	Std	
572	Rub rail above rear bumper	N/A	N/A	N/A	N/A	N/A	N/A	
573	Rub rails painted black full width	65	65	65	65	65	65	

574	Seal top of all rub rails	115	115	115	115	115	115	
575	Third rub rail. Shall be painted black or yellow.	Std	Std	Std	Std	Std	Std	
576	Rubber fender extensions rear, only	107	107	107	107	107	107	
577	Window line rubrail to extend around rear of bus	32	32	32	32	32	32	
578	20 gauge fluted side panels	Std	Std	Std	Std	Std	Std	
579	Other:							
580	Rubber fender extensions rear and front	206	206	206	206	206	206	
581								
582	**SILICONE RADIATOR/HEATER HOSES**							
583	Constant torque hose clamps	118	118	118	118	118	118	
584	Heater hoses, silicone	264	264	264	264	264	264	
585	Premium Rubber Hoses Unsealed in Lieu of Silicone Hoses	N/A	N/A	N/A	N/A	N/A	N/A	
586	Radiator hoses, silicone	114	114	114	114	114	114	
587	Other:							
588								
589								
590								
591								
592	**STOP ARM/CROSSING ARM**							
593	Air operated Stop Arm with LED lamps	Std	Std	Std	Std	Std	Std	
594	Air operated Stop Arm with LED strobe lamps	165	165	165	165	165	165	
595	Air operated Stop Arm with Standard lamps	65	65	65	65	65	65	
596	Air operated Stop Arm, Dual Signs	250	250	250	250	250	250	
597	Air operated Stop Arm, Dual Signs, LED Strobing	400	400	400	400	400	400	
598	Electric Stop Arm with LED lamps	75	75	75	75	75	75	
599	Electric Stop Arm with LED lamps, Transpec	210	210	210	210	210	210	
600	Electric Stop Arm with LED strobe lamps	105	105	105	105	105	105	
601	Electric Stop Arm with Standard lamps	1	1	1	1	1	1	
602	Electric Stop Arm, Dual Signs	395	395	395	395	395	395	
603	Electric Stop Arm, Dual Signs, LED Strobing	440	440	440	440	440	440	
604	Latch/magnet for crossing arm/gate	60	60	60	60	60	60	
605	Solid Fiberglass Air Crossing Gate Mounted on Front Bumper. State Brand:	310	310	310	310	310	310	
606	Solid Fiberglass Electric Crossing Gate Mounted on Front Bumper. State Brand:	345	345	345	345	345	345	

607	Other:							
608								
609								
610								
611								
612								
613	**STORAGE COMPARTMENTS, INTERIOR**							
614	Dash mounted glove box with door and lock	N/A	N/A	N/A	N/A	N/A	N/A	
615	Glove box, bulkhead without lock	N/A	N/A	N/A	N/A	N/A	N/A	
616	Storage compartment without lock next to driver	Std	Std	Std	Std	Std	Std	
617	Storage box with lock above driver's window	93	93	93	93	93	93	
618	Storage box without lock above driver's window	94	94	94	94	94	94	
619	Safety equipment compartment, above windshield	Std	Std	Std	Std	Std	Std	
620	Flares behind driver's seat	20	20	20	20	20	20	
621	Over windshield with a flush mounted camera box	N/A	N/A	N/A	N/A	N/A	N/A	
622	Other:							
623								
624								
625								
626								
627	**STORAGE COMPARTMENTS, EXTERIOR**							
628	Door assist cylinder, price per door	76	76	76	76	76	76	
629	Door locks per door	Std	Std	Std	Std	Std	Std	
630	Double left side. List size:	N/A	N/A	790	790	790	790	
631	Double right side. List size:	N/A	N/A	791	791	791	791	
632	Single left side. List size:	N/A	N/A	544	544	544	544	
633	Single right side. List size:	N/A	N/A	542	542	542	542	
634	Double Non metal compartment. List size:	N/A	N/A	N/A	N/A	N/A	N/A	
635	Pass-through compartment, four doors	N/A	N/A	N/A	N/A	N/A	N/A	
636	Other:							
637								
638								
639								
640	**STUDENT DETECTION SYSTEM**							

641	Child Reminder System. State brand:	99	99	99	99	99	99	
642	Child Reminder System unloading delay option. State brand:	N/A	N/A	N/A	N/A	N/A	N/A	
643	Other:							
644								
645								
646								
647								
648	**WARRANTIES, EXTENDED WARRANTIES**							
649	See Warranties Page, Appendix F, for pricing							
650								
651	**WHEELS, RIMS, TIRES**							
652	See Tires page, Appendix E, for pricing							
653								
654	**WINDOWS/WINDSHIELD**							
655	Cost of two additional emergency windows (total of 4 emergency windows on bus)	92	92	92	92	Std	Std	
656	Thermopane price per window. List which pieces are thermopane: side sash, driver window, doors, ect)	150	150	150	150	150	150	
657	Tinted Driver's Window. List tint:	Std	Std	Std	Std	Std	Std	
658	Tinted Entrance Door. List tint:	Std	Std	Std	Std	Std	Std	
659	Tinted Rear Window. List tint:	62	62	62	62	62	62	
660	Tinted side windows. List tint: YES	1	1	1	1	1	1	
661	Powdercoated Black Window Frames	130	130	130	130	130	130	
662	One gallon washer fluid reservoir	Std	Std	Std	Std	Std	Std	
663	One and one-half Gallon Washer fluid reservoir	N/A	N/A	N/A	N/A	N/A	N/A	
664	Six quart washer fluid reservoir	N/A	N/A	N/A	N/A	N/A	N/A	
665	Raised passenger window line	N/A	N/A	N/A	N/A	N/A	N/A	
666	Windshield four piece flat	N/A	N/A	N/A	N/A	N/A	N/A	
667	Windshield one piece	N/A	N/A	N/A	N/A	N/A	N/A	
668	Windshield three piece	N/A	N/A	N/A	N/A	N/A	N/A	
669	Windshield two piece curved	Std	Std	Std	Std	Std	Std	
670	Heated windshield wipers	N/A	N/A	N/A	N/A	N/A	N/A	
671	Heated washer fluid units	N/A	N/A	N/A	N/A	N/A	N/A	
672	Other:							
673								

674								
675								
676	**WIRING**							
677	NOTE TO DISTRICTS: You may want to consider pre-wiring for future installs							
678	As-Built Wiring Schematics	Std	Std	Std	Std	Std	Std	
679	Color-coded numbered wiring	Std	Std	Std	Std	Std	Std	
680	Multiplex wiring package. State wires included:	N/A	N/A	N/A	N/A	N/A	N/A	
681	Pre-Wire for 2-way radio. State harness location:	35	35	35	35	35	35	
682	Wireless access points for Wi-Fi capability	N/A	N/A	N/A	N/A	N/A	N/A	
683	Wiring for camera, only. State harness location:	N/A	N/A	N/A	N/A	N/A	N/A	
684	Wiring harness for GPS system, without GPS system. State harness location:	N/A	N/A	N/A	N/A	N/A	N/A	
685	Other:							
686								
687								
688								
689	**OTHER OPTIONS**							
690	Air horns	107	107	107	107	107	107	
691	Air horns, foot control	190	190	190	190	190	190	
692	All keys alike	7	7	7	7	7	7	
693	Chrome radiator grill	N/A	N/A	N/A	N/A	N/A	N/A	
694	Composite trash can compartment	45	45	45	45	45	45	
695	Cup holder	40	40	40	40	40	40	
696	Exhaust exit left-hand side ahead of rear wheels	45	45	45	45	45	45	
697	Exhaust exit under rear bumper, turned down	Std	Std	Std	Std	Std	Std	
698	Exhaust exit left-hand side ahead of rear wheels, stainless steel	65	65	65	65	65	65	
699	Exhaust exit under rear bumper, turned down, stainless steel	240	240	240	240	240	240	
700	Extra insulation firewall and roof bows	Std	Std	Std	Std	Std	Std	
701	LH arm rest on switch panel	Std	Std	Std	Std	Std	Std	
702	Mudflap, Full width at rear bumper in addition to standard flaps	N/A	N/A	N/A	N/A	N/A	N/A	
703	Mudflap, Full width to be mounted at rear bumper	N/A	N/A	N/A	N/A	N/A	N/A	
704	Mudflap, Full width at rear axle single flap	N/A	N/A	N/A	N/A	N/A	N/A	
705	Mudflaps, additional mudflaps to be mounted in front of rear wheels	30	30	30	30	30	30	
706	Mudflaps, front (pair)	Std	Std	Std	Std	Std	Std	

707	Pre-heater box to be located adjacent to battery box	464	464	464	464	464	464	
708	Second set of logos decals, rear mounted	85	85	85	85	85	85	
709	Tire Chains	1800	1800	1800	1800	1800	1800	
710	Mobileye collision avoidance	N/A	N/A	N/A	N/A	N/A	N/A	
711	Mobileye 360 Perimiter view camera system	N/A	N/A	N/A	N/A	N/A	N/A	
712	Tire Pressure monitoring system	N/A	N/A	N/A	N/A	N/A	N/A	
713	Smarttrac electronic stability control	N/A	N/A	N/A	N/A	N/A	N/A	
714	Certificate holder	N/A	N/A	N/A	N/A	N/A	N/A	
715	Clipboard holder	N/A	N/A	N/A	N/A	N/A	N/A	
716	Other:							
717	Bendix electronic stability control	Std	Std	Std	Std	Std	Std	
718								
719								
720								
721	**HANDICAPPED BODY OPTIONS**							
722	**DISTRICTS - YOU ARE TO SUBMIT a Floor Plan as to the seating and the placement of wheelchairs. Note location of Heater Boxes and Wheel Wells if the bus is not equipped with a flat floor. Show plan for amount of forward-Facing Wheelchairs, with an approximate capacity of remaining ambulatory students allowable for each size vehicle. Wheelchair lift location specified by the District. DISTRICTS MUST CONFIRM WITH VENDOR THEIR DESIGN SPECIFICATIONS PRIOR TO ORDERING BUS.**							
723	**VENDORS - FLOOR TRACK MUST BE "THROUGH BOLTED" WITH GRADE #5 BOLTS OR BETTER WITH REINFORCING OR WASHERS ON UNDERSIDE OF FLOOR PAN. SCREW TYPE FASTENERS NOT ACCEPTABLE.**							
724	**Lift Price should include a rear mounted lift with a 34" platform, lift door, lighting, interlocks and holddown for one position located across from the lift. ADA compliant lifts only.**							
725	Braun Lift. State model:	5500	5500	5500	5500	5500	5500	
726	Braun Lift 1000lb capacity. State model:	5700	5700	5700	5700	5700	5700	
727	Ricon Lift. State model:	N/A	N/A	N/A	N/A	N/A	N/A	
728	Ricon Lift 1000lb capacity. State model:	5900	5900	5900	5900	5900	5900	
729	Price difference for a front mounted lift	N/A	N/A	N/A	N/A	N/A	N/A	

730	Flat floor (includes low profile tires and rear air suspension Contact vendor for specifics.)	1300	1300	1300	1300	1600	1600	
731	Recessed floor track L-track for track seating per wheelchair position	600	600	600	600	600	600	
732	Recessed floor track L-track full length both sides and shoulder harness track above windows	4000	4000	5376	5376	5800	6216	
733	Recessed floor track covers	N/A	N/A	N/A	N/A	N/A	N/A	
734	Stainless steel fasteners to secure track to floor	N/A	N/A	N/A	N/A	N/A	N/A	
735	Sealed plywood floor track grooves prior to installation of floor track	N/A	N/A	N/A	N/A	N/A	N/A	
736	S.T.A.R.S. Floor mount hardware per wheel chair position	N/A	N/A	N/A	N/A	N/A	N/A	
737	30" Track mounted seat - Each	25	25	25	25	25	25	
738	36" Track mounted seat - Each	N/A	N/A	N/A	N/A	N/A	N/A	
739	39" Track mounted seat - Each	25	25	25	25	25	25	
740	4"x4" H/C decal on L/Front body and 8"x8" H/C decal on R/Rear with white backing	30	30	30	30	30	30	
741	Additional interior light and switch at lift area for lift door and light	Std	Std	Std	Std	Std	Std	
742	Interior ceiling lamp over lift area	Std	Std	Std	Std	Std	Std	
743	Interior ceiling lamp over lift area comes on automatically when door opens	1	1	1	1	1	1	
744	One work light per wheelchair securement area, wall-mounted under chair rail, under seats	100	100	100	100	100	100	
745	Exterior lamp mounted above lift door	N/A	N/A	N/A	N/A	N/A	N/A	
746	Other:							
747								
748								
749								
750								
751								
752								
753								
754	**WHEELCHAIR RESTRAINT COST PER CHAIR**							
755	Q-Straint QRT Max	300	300	300	300	300	300	
756	Q-Straint QRT Deluxe	310	310	310	310	310	310	
757	Q-Straint QRT 360	570	570	570	570	570	570	
758	Q-Straint Slide N Click	500	500	500	500	500	500	
759	Q-Straint. State model:	N/A	N/A	N/A	N/A	N/A	N/A	

760	Sure-Lok FE517-4	200	200	200	200	200	200	
761	Sure-Lok FF612S-4C-7	380	380	380	380	380	380	
762	Sure-Lok AL712S-4C-7	370	370	370	370	370	370	
763	Sure-Lok. State model	N/A	N/A	N/A	N/A	N/A	N/A	
764	Quick Straps, One pair (2)	25	25	25	25	25	25	
765	Restraint storage pouch	15	15	15	15	15	15	
766	Shoulder restraint retractable	N/A	N/A	N/A	N/A	N/A	N/A	
767	Other:							
768								
769								
770								
771	**C.E. WHITE SEATS**							
772	Cost of barrier for placing CR-30 in a first row seat	N/A	N/A	N/A	N/A	N/A	N/A	
773	Cost of barrier for placing CR-39 in a first row seat	N/A	N/A	N/A	N/A	N/A	N/A	
774	Cost of CR-30 seat, not installed	N/A	N/A	N/A	N/A	N/A	N/A	
775	Cost of CR-30 seat with seat belts, not installed	N/A	N/A	N/A	N/A	N/A	N/A	
776	Cost of CR-30 seat, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	
777	Cost of CR-30 seat with seat belts, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	
778	Cost of CR-39 seat, not installed	N/A	N/A	N/A	N/A	N/A	N/A	
779	Cost of CR-39 seat with seat belts, not installed	N/A	N/A	N/A	N/A	N/A	N/A	
780	Cost of CR-39 seat, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	
781	Cost of CR-39 seat with seat belts, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	
782	Cost of CR-30 seat cover	N/A	N/A	N/A	N/A	N/A	N/A	
783	Cost of CR-30 seat foam	N/A	N/A	N/A	N/A	N/A	N/A	
784	Cost of CR-39 seat cover	N/A	N/A	N/A	N/A	N/A	N/A	
785	Cost of CR-39 seat foam	N/A	N/A	N/A	N/A	N/A	N/A	
786	Cost of CR-30 seat installed, seat belt ready	N/A	N/A	N/A	N/A	N/A	N/A	
787	Cost of CR-39 seat installed, seat belt ready	N/A	N/A	N/A	N/A	N/A	N/A	
788	Other:							
789	Nextgen child restraint seat	484	484	484	484	484	484	
790	Nextgen 3 point seat	332	332	332	332	332	332	
791	***NEW:* APPROVED OPTION LIST FOR OHIO SCHOOL BUS**							

792	Fire suppression system: must be installed per the manufacturer's recommendations. Installation shall not interfere with the driver's ability to operate any OEM controls and shall be completely isolated from the vehicle's electrical system by means of a fuse or breaker. The suppressant delivery points may be installed in the engine compartment, battery box, and undercarriage of the vehicle. Mounting of the system shall be outside of the passenger compartment and have no effect on the vehicles structure to include welding or drilling into the main frame. The cylinder and gauges shall be contained in a metal protective box and marked on three sides in 2 inch red letters "Fire Suppression" on a white background. The system shall be isolated to prevent accidental discharge of the suppression contents. A monitor to show the status of the unit may be installed in the driver's area in such a way as to not interfere with the safe operation of the bus.	N/A	N/A	N/A	N/A	N/A	N/A	
793								
794								
795	**NON-SCHOOL BUS OPTIONS**							
796	Bus is built same as school bus but will not have 8-way light system, swing-out stop sign and will not be painted yellow. All lettering as required by State law for school buses will be omitted.	N/A	N/A	N/A	N/A	N/A	N/A	
797	Insullation all sides, roof shafts, front and rear panels and all roof bows	N/A	N/A	N/A	N/A	N/A	N/A	
798	Auxillary port in dash for cell phone	N/A	N/A	N/A	N/A	N/A	N/A	
799	Window sash all black. Exterior and between windows shall be painted black	N/A	N/A	N/A	N/A	N/A	N/A	
800	Front interior A/C blower in front bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	
801	Rear interior A/C blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	
802	A/C roof-mounted condenser; 120,000 BTUs or greater	N/A	N/A	N/A	N/A	N/A	N/A	
803	**COLOR OPTIONS**							
804	Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.	N/A	N/A	N/A	N/A	N/A	N/A	
805	**REFLECTIVE TAPE**							
806	Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.	N/A	N/A	N/A	N/A	N/A	N/A	
807	Other:							

808								
809								
810	**ANY OTHER ADDITIONAL OPTIONS (list below)**							
811	Railroad silent switch	Std	Std	Std	Std	Std	Std	
812	Panel located in floor to access fuel sending unit	Std	Std	Std	Std	Std	Std	
813	Spare wheel and tire mounted and shipped loose in bus	N/A	N/A	N/A	N/A	N/A	N/A	
814	Backup camera	Line 432	Line 432	Line 432	Line 432	Line 432	Line 432	
815	Rear reflective stripe decal on body (new version)	850	850	850	850	850	850	
816	Undercarriage safety student lighting	825	825	825	825	825	825	
817	Guardian Angel crossing light	440	440	440	440	440	440	
818	DRIVE TIRES IN REAR				YES			
819	CUMMINS 10 YEAR WARRANTY				700			
820	, OPTIONS TOTAL 10,812							
821	Note: Not all options are available together and the selection of one option may							
822	require another option. When conflicts arise the school will be contacted on							
823	how they would like to proceed before we accept the order.							
824	Axle size options are for the axle only other components will affect the actual axle							
825	rating as listed on the tag such as suspension, tires, brakes, and transmission.							
826	In keeping with its policy of continual product improvement, Blue Bird reserves							
827	the right to change specifications without notice and without incurring obligations.							
828	**Units meet all Federal and State schools bus specifications.**							
829	TOTAL				96,755	X2=	193,510	

ADVANCE OHIO

The Plain Dealer

LEGAL AFFIDAVIT

AD#: 0009061135

State of Ohio,) ss
County of Cuyahoga)

Sally Weist being duly sworn, deposes that he/she is principal clerk of Advance Ohio; that The Plain Dealer is a public newspaper published in the city of Cleveland, with general circulation in Cuyahoga, Ashtabula, Geauga, Lake, Lorain, Medina, Portage, Summit and Trumbull counties, and this notice is an accurate and true copy of this notice as printed in said newspaper, was printed and published in the regular edition and issue of said newspaper on the following date(s):

The Plain Dealer 03/08/2019

Sally Weist

Principal Clerk of the Publisher

Sworn to and subscribed before me this 18th day of April 2019

Rosemarie A Costo

Notary Public

NOTARIAL SEAL STATE OF OHIO

Rosemarie A. Costo
NOTARY PUBLIC - OHIO
Cuyahoga
MY COMMISSION EXPIRES 11/26/2023

LEGAL NOTICE

The Ohio Schools Council will receive sealed bus bids for approximately ninety-two (92) or more school buses (conventional and transit, lift and non-lift, 35 passenger to 84 passenger capacity) and vans (9 passenger capacity) on behalf of forty-three (43) or more School District Boards of Education who are members of the Ohio Schools Council (OSC), Trumbull County Educational Service Center or Unified Purchasing Cooperative (UPC), at the office of the OSC Executive Director, 6393 Oak Tree Blvd., #377, Independence, OH 44131 until 10:00 a.m. EST, Thursday, April 11, 2019 ("Bid Receipt Time and Date"). Bids will be publicly opened and recorded at the OSC office immediately after the "Bid Receipt Time and Date". No bid received after the "Bid Receipt Time and Date" shall be accepted. Bids shall be firm for sixty days (60) from date received. No bid shall be permitted to be withdrawn without the express approval of the OSC, except as provided under the Ohio Revised Code. Buses and vans must meet all safety regulations and current Ohio minimum standards for school bus construction as per the Department of Education adopted by and with the consent of the Director of Highway Safety pursuant to section 5511.01 of the Ohio Revised Code and all other pertinent provisions of law. The OSC, Trumbull County Educational Service Center, UPC and participating Boards of Education reserve the right to accept or reject any and all bids. Instructions to bidders and specifications are located and available for download on the website of the Ohio Schools Council at www.oscone.org under "legal notices," and are on file and may be obtained on or after March 11, 2019 at the office of the Ohio Schools Council, 6393 Oak Tree Blvd., #377, Independence, OH 44131, (216) 447-3100 ext. 6101.

Ohio Schools Council
William J. Zelei, Executive Director
d. march8,2019-9061135

LEGAL NOTICE

THE BLADE

541 N. Superior Street, Toledo, OH ,43660

Classified: 419-724-6500
Fax: 419-724-6438
General: 419-724-6000

AFFIDAVIT OF PUBLICATION
STATE OF OHIO, LUCAS COUNTY}SS.

OHIO SCHOOLS COUNCIL
Ad # 535835
Price: $269.04

Account: 104006
Width: 1 Depth: 5.347
Classification 10 - Legal Notices

PUB	START	STOP	TOTAL # OF INSERTS
The Blade	03/08/2019	03/08/2019	1
Digital	03/08/2019	03/08/2019	1

I, Lisa Bily being first duly sworn, make oath and say that I am an Advertising Clerk in the employ of The TOLEDO BLADE CO., the publishers of THE BLADE, that I personally know the facts herein stated, that said BLADE is a daily newspaper printed, and of general circulation in excess of 15,000, in said County, and in said State, and that the notice of which the below is a true copy of the text, was published in said Daily BLADE according to the above run schedule.

Subscribed in my presence and sworn to before me this 13th day of March, A.D. 2019

Connie Paul
Notary Public, State of Ohio

LEGAL NOTICE

The Ohio Schools Council will receive sealed bus bids for approximately ninety-two (92) or more school buses (conventional and transit, lift and non-lift, 35 passenger to 84 passenger capacity) and vans (9 passenger capacity) on behalf of forty-three (43) or more School District Boards of Education who are members of the Ohio Schools Council (OSC), Trumbull County Educational Service Center or United Purchasing Cooperative (UPC), at the office of the OSC Executive Director, 6393 Oak Tree Blvd., #377, Independence, Ohio 44131 until 10:00 a.m. EST, Thursday, April 11, 2019 ("Bid Receipt Time and Date"). Bids will be publicly opened and recorded at the OSC office immediately after the "Bid Receipt Time and Date". No bid received after the "Bid Receipt Time and Date" shall be accepted. Bids shall be firm for sixty days (60) from date received. No bid shall be permitted to be withdrawn without the express approval of the OSC, except as provided under the Ohio Revised Code.

Buses and vans must meet all safety regulations and current Ohio minimum standards for school bus construction as per the Department of Education adopted by and with the consent of the Director of Highway Safety pursuant to section 4511.01 of the Ohio Revised Code and all other pertinent provisions of law. The OSC, Trumbull County Educational Service Center, UPC and participating Boards of Education reserve the right to accept or reject any and all bids.

Instructions to bidders and specifications are located and available for download on the website of the Ohio Schools Council at www.osconline.org under "legal notices," and are on file and may be obtained on or after March 11, 2019 at the office of the Ohio Schools Council, 6393 Oak Tree Blvd., #377, Independence, Ohio 44131, (216) 447-3100 ext. 6101.

Ohio Schools Council
William J. Zelei, Executive Director
#535835

NOTARY PUBLIC STATE OF OHIO

CONNIE J. PAUL
Notary Public, State of Ohio
My Commission Expires 02-26-2022

LEGAL NOTICE