

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

Bid price as specified without options as per Federal and State of Ohio Department of Education minimum school bus specifications under 4501-5 (inclusive) ORC. All bids will comply with the current safety regulations of the Department of Education adopted by and with the advice and consent of the director of public safety pursuant to section 4511.76 of the Revised Code and all other pertinent provisions of law. The body/chassis supplier shall provide and attach a complete body/chassis specification sheet itemizing- including manufacturer brand names of the State of Ohio Department of Education minimum school bus body/chassis that will be supplied at this base bid. Must meet or exceed FMVSS/CMVSS standards.

By signing this specification, you guarantee that the equipment being bid meets all state specifications

Cardinal Bus Sales & Service, Inc. Vendor 419-225-5552 Phone Number

Tony Rumer Contact Person

****Vendor List base price****
(Includes freight)

District cuts are with their Commitments

Bus Size (Transit) X 2	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
84 PASS PULLER									
BUS 11 & 15									
Bus Make	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird		Blue Bird	
Bus Model	T3FE 2903	T3FE 2903	T3FE 3508	T3FE 3508	T3FE 3800	T3FE 4004		T3RE 4006	
Base Bid Price	85,613	85,713	87,834	87,934	89,046	91,224		101,435	
Maximum Vehicle Length Bumper to Bumper (inches)	353	353	430	430	458	486		490	
Maximum Vehicle Width Including Mirrors (inches)	116	116	116	116	116	116		116	
Maximum Vehicle Width Excluding Mirrors (inches)	96	96	96	96	96	96		96	
GVWR	29350	29350	31350	31350	31350	33000		33000	
Maximum Vehicle Height Overall at GVWR Including Hatch (inches)	124	124	124	124	124	124		124	
Maximum Height of First Step (inches)	16	16	16	16	16	16		16	
Wheelbase (inches)	141	141	190	190	218	232		273	
Delivery Days	130	130	130	130	130	130		130	
Special discounts	None	None	None	None	None	None		None	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

Bus Size (Transit) X 2 84 PASS PULLER			47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
Important Notice: On all items below vendor must mark standard (Std), list additional price to base bid, list duplicated or mark N/A.											
Bus Size (Transit)			47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
1	ENGINES AND TRANSMISSIONS AVAILABLE										
2	Cummins B6.7 200HP 520 lb-ft torque/Allison 2500PTS	SCR	Std	Std	Std	Std	Std	-930		N/A	
3	Cummins B6.7 200HP 520 lb-ft torque/Eaton Procision	SCR	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
4	Cummins B6.7 220HP 600 lb-ft torque/Allison 2500PTS	SCR	930	930	930	930	930	Std		N/A	
5	Cummins B6.7 220HP 600 lb-ft torque/Eaton Procision	SCR	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
6	Cummins B6.7 240HP 560 lb-ft torque/Allison 2500PTS	SCR	970	970	970	970	970	40		Std	
7	Cummins B6.7 240HP 560 lb-ft torque/Allison 3000PTS	SCR	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
8	Cummins B6.7 240HP 560 lb-ft torque/Eaton Procision	SCR	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
9	Cummins B6.7 250HP 660 lb-ft torque/Allison 2500PTS	SCR	2130	2130	2130	2130	2130	1200		1300	
10	Cummins B6.7 250HP 660 lb-ft torque/Allison 3000PTS	SCR	N/A	N/A	6328	6328	6328	5398		5585	
11	Cummins B6.7 250HP 660 lb-ft torque/Eaton Procision	SCR	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
12	Cummins B6.7 260HP 660 lb-ft torque/Allison 2500PTS	SCR	2500	2500	2500	2500	2500	1570		1700	
13	Cummins B6.7 260HP 660 lb-ft torque/Allison 3000PTS	SCR	N/A	N/A	6693	6693	6693	5763		5985	
14	Cummins B6.7 260HP 660 lb-ft torque/Eaton Procision	SCR	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
15	Cummins B6.7 280HP 660 lb-ft torque/Allison 2500PTS	SCR	N/A	N/A	3850	3850	3850	2920		3150	
16	Cummins B6.7 280HP 660 lb-ft torque/Allison 3000PTS	SCR	N/A	N/A	8050	8050	8050	7120		7435	
17	Cummins B6.7 300HP 660 lb-ft torque/Allison 2500PTS	SCR	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
18	Cummins B6.7 300HP 660 lb-ft torque/Allison 3000PTS	SCR	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
19	Cummins L9 260HP 720 lb-ft torque/Allison 3000 PTS		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
20	Cummins L9 270HP 800 lb-ft torque/Allison 3000 PTS		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
21	Cummins L9 300HP 860 lb-ft torque/Allison 3000 PTS		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
22	Cummins ISB6.7 G CNG Engine		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
23	Detroit DD8 7.7L 6cyl 260HP 660 lb/ft torque Allison 2500PTS		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
24	Detroit DD8 7.7L 6cyl 260HP 720 lb/ft torque Allison 2500PTS		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
25	Detroit DD8 7.7L 6cyl 280HP 800 lb/ft torque Allison 2500PTS		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
26	Detroit DD8 7.7L 6cyl 300HP 860 lb/ft torque Allison 2500PTS		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
27	Detroit DD8 7.7L 6cyl 260HP 720 lb/ft torque Allison 3000PTS		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
28	Detroit DD8 7.7L 6cyl 280HP 800 lb/ft torque Allison 3000PTS		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
29	Detroit DD8 7.7L 6cyl 300HP 860 lb/ft torque Allison 3000PTS		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
30	Virtual technician-Detriot connect access 5 years		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
31	Antifreeze, Extended Life		102	102	102	102	102	102		102	
32	Water filter extended life		200	200	200	200	200	200		200	
33	Exhaust Brake		60	60	60	60	60	60		60	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2	84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
34	Heated fuel water separator		Std	Std	Std	Std	Std	Std		Std	
35	Heated fuel water separator remote mounted		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
36	Overcrank starter		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
37	Quick warm up option		Std	Std	Std	Std	Std	Std		Std	
38	Transmission push button quadrant for Allison 3000 PTS		Std	Std	Std	Std	Std	Std		Std	
39	Transynd transmission fluid		Std	Std	Std	Std	Std	Std		Std	
40	Speed Retarder System		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
41	Factory set governed speed at 70 mph. (for interstate travel)		1	1	1	1	1	1		1	
42	Other:										
43											
44											
45	AIR DRYER										
46	Bendix AD-IP		Std	Std	Std	Std	Std	Std		Std	
47	Bendix AD-9		195	195	195	195	195	195		195	
48	Bendix DV-2		63	63	63	63	63	63		63	
49	Moisture ejector auto		90	90	90	90	90	90		Std	
50	Moisture ejector manual (pull chain)		110	110	110	110	110	110		110	
51	Mount air dryer outside of frame rail		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
52	Moisture ejector auto, all tanks		190	190	190	190	190	190		190	
53	Other:										
54											
55											
56											
57	ALTERNATOR/COMPRESSOR										
58	Larger alternator 185 amps Leece Neville		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
59	Larger alternator 200 amps Leece Neville		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
60	Larger alternator 210 amps Leece Neville		-100	-100	-100	-100	-100	-100		-100	
61	Larger alternator 240 amps Leece Neville		Std	Std	Std	Std	Std	Std		Std	
62	Larger alternator 270 amps Leece Neville		575	575	575	575	575	575		575	
63	Larger alternator 320 amps Leece Neville		750	750	750	750	750	750		750	
64	Larger alternator 325 amps Leece Neville		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
65	Delco Remy 200 AMP Alternator with 2 year warranty		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
66	Circuit breakers where available		Std	Std	Std	Std	Std	Std		Std	
67	Larger air compressor 18.0 cfm		Std	Std	Std	Std	Std	Std		Std	
68	Minimum 3 separate reservoirs 3600 cu. In. min.		Std	Std	Std	Std	Std	Std		Std	
69	Larger alternator 200 amps Bosch		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
70	Other:										

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
71										
72										
73	AXLES/BRAKES/SUSPENSION									
74	30-30 Long stroke chamber and heavy duty spring brake	Std	Std	Std	Std	Std	Std		Std	
75	ABS with Traction Control	Std	Std	Std	Std	Std	Std		Std	
76	Air Brakes - front. 16.5x5	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
77	Air Brakes - front. 16.5x6	Std	Std	Std	Std	Std	Std		Std	
78	Air Brakes - rear. 16.5x7	Std	Std	Std	Std	Std	Std		Std	
79	Air Brakes - rear. 16.5x8 5/8	N/A	N/A	540	540	540	540		540	
80	Brake drums mounted outboard only	Std	Std	Std	Std	Std	Std		Std	
81	Air Disc Brakes	1740	1740	1740	1740	1740	1740		1740	
82	Hydraulic Brakes. State size:	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
83	Platinum Shield Shoe Lining, Protects Against Rust Jacking	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
84	Automatic slack adjusters, Haldex	268	268	268	268	268	268		268	
85	Automatic slack adjusters, Meritor	Std	Std	Std	Std	Std	Std		Std	
86	Differential lock or positraction	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
87	Dust shields, front and rear	40	40	40	40	40	40		40	
88	E-Z Grip parking brake cover	Std	Std	Std	Std	Std	Std		Std	
89	Front heavy duty shocks	Std	Std	Std	Std	Std	Std		Std	
90	Rear heavy duty shocks	Std	Std	Std	Std	Std	Std		Std	
91	Interlock Brake System. State Brand: PED Lock	950	950	950	950	950	950		950	
92	Leveling Valve - front single	Std	Std	Std	Std	Std	Std		Std	
93	Leveling Valve - rear single	Std	Std	Std	Std	Std	Std		Std	
94	Oil lubricated wheelbearings front	Std	Std	Std	Std	Std	Std		Std	
95	Stemco seals front	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
96	Stemco seals rear	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
97	Synthetic HUD ILO oil	146	146	146	146	146	146		146	
98	Front axle 13,200 LBS	Std	Std	Std	Std	Std	Std		Std	
99	Front axle 14,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
100	Front axle 14,600 LBS	150	150	150	150	150	150		150	
101	Rear axle 19,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
102	Rear axle 20,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
103	Rear axle 21,000 LBS	Std	Std	Std	Std	Std	Std		N/A	
104	Rear axle 23,000 LBS	N/A	N/A	540	540	540	540		Std	
105	Front air suspension 14,600 LBS	800	800	800	800	800	800		800	
106	Front spring suspension 13,200 LBS	Std	Std	Std	Std	Std	Std		Std	
107	Front spring suspension 14,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A		N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
108	Front spring suspension 14,600 LBS	250	250	250	250	250	250		250	
109	Rear air suspension 20,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
110	Rear air suspension 21,000 LBS	1065	1065	1065	1065	1065	1065		N/A	
111	Rear air suspension 23,000 LBS	1155	1155	1155	1155	1155	1155		1155	
112	Rear spring suspension 19,000 LBS	N/A	N/A	Std	Std	Std	N/A		N/A	
113	Rear spring suspension 21,000 LBS	N/A	N/A	138	138	138	Std		N/A	
114	Rear spring suspension 23,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A		Std	
115	Must have Grease Zirks in U-joints on Driveshaft, must be Greaseable	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
116	Other:									
117										
118										
119										
120										
121										
122										
123										
124	BATTERIES/BLOCK HEATERS									
125	1-12 volt 8D. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
126	2-12 volt 31 S. List CCA:	Std	Std	Std	Std	Std	Std		N/A	
127	2-12 volt 31 S. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
128	2-12 volt 8D. List CCA:	215	215	215	215	215	215		215	
129	3-12 volt 31 S. List CCA:	120	120	120	120	120	120		Std	
130	3-12 volt 31 S. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
131	Heavy Duty Battery Box on HD Sliders	Std	Std	Std	Std	Std	Std		Std	
132	Heavy Duty Battery Box W/ Roller Tray	315	315	315	315	315	315		315	
133	Key lock battery box	Std	Std	Std	Std	Std	Std		Std	
134	Loom battery cables	15	15	15	15	15	15		15	
135	Master electric cutoff switch	118	118	118	118	118	118		118	
136	No Rust Composite Battery Box	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
137	Stainless battery tray	110	110	110	110	110	110		110	
138	Block heater plug front mounted plug	Std	Std	Std	Std	Std	Std		150	
139	Block heater plug rear mounted plug	150	150	150	150	150	150		Std	
140	Engine block heater 750 watts	Std	Std	Std	Std	Std	Std		Std	
141	Engine block heater 1250 watts	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
142	Espar Diesel Heater E-Guardian 42K BTU	2800	2800	2800	2800	2800	2800		2800	
143	Espar Diesel Heater E-Guardian 17K BTU	1120	1120	1120	1120	1120	1120		1120	
144	Webasto Diesel Heater Scholastic Series 45K BTU	1950	1950	1950	1950	1950	1950		1950	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
145	Webasto Diesel Heater TLS 17K BTU	1050	1050	1050	1050	1050	1050		1050	
146	Diesel heater manual on/off switch. State brand and Model:	150	150	150	150	150	150		150	
147	Diesel heater 7 day timer. State brand and Model:	Std	Std	Std	Std	Std	Std		Std	
148	Mount Webasto Controller/Timer in Driver's Area	100	100	100	100	100	100		100	
149	Battery Box Plastic Cover KIT	50	50	50	50	50	50		50	
150	Other:									
151										
152										
153										
154	BODY STRUCTURE/PAINT									
155	Body Tie Downs: "Texas U-Bolt"	35	35	35	35	35	35		35	
156	Body Tie Downs: Double bolted	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
157	Drip moulding formed in roof panels over windows	Std	Std	Std	Std	Std	Std		Std	
158	Drip Moulding/Rain Deflector Full Body Length	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
159	Heavy duty front tow hooks frame mounted	Std	Std	Std	Std	Std	Std		Std	
160	Heavy duty rear tow hooks frame mounted	Std	Std	Std	Std	Std	Std		Std	
161	Roof-White	195	195	195	195	195	195		195	
162	Stainless steel Screws for fenders/body, ext. mirrors, cross gate & stop arm	150	150	150	150	150	150		150	
163	Other:									
164										
165										
166										
167										
168										

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
169	CAMERAS									
170	24/7 320 GB DHD sensors and panic button installed	1660	1660	1660	1660	1660	1660		1660	
171	24/7 64 GB SDHC sensors and panic button installed	1275	1275	1275	1275	1275	1275		1275	
172	24/7 additional camera X 3 = \$1080	360	360	360	360	360	1080		360	
173	24/7 GPS	125	125	125	125	125	125		125	
174	24/7 Stop arm camera	600	600	600	600	600	600		600	
175	24/7 Dome camera	375	375	375	375	375	375		375	
176	REI 500 GB DHD sensors and panic button installed	1750	1750	1750	1750	1750	1750		1750	
177	REI 320 GB DHD sensors and panic button installed	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
178	REI 64 GB SDHC sensors and panic button installed	1430	1430	1430	1430	1430	1430		1430	
179	REI additional camera	350	350	350	350	350	350		350	
180	REI Wi-Fi bridge	300	300	300	300	300	300		300	
181	REI GPS	155	155	155	155	155	155		155	
182	REI Stop arm camera	625	625	625	625	625	625		625	
	Angel Trax video system, 7 camera (3 outside, 4 inside), Hybrid guest with									
183	VSM	4700	4700	4700	4700	4700	4700		4700	
184	Seon 1 Camera System	1900	1900	1900	1900	1900	1900		1900	
185	Seon 2 Camera System	2300	2300	2300	2300	2300	2300		2300	
186	Seon 3 Camera System	2650	2650	2650	2650	2650	2650		2650	
187	Seon 4 Camera System	3000	3000	3000	3000	3000	3000		3000	
	REI Color digital 4 camera, infrared event marker, hard drive in lock box in									
188	driver's area	2600	2600	2600	2600	2600	2600		2600	
189	Other:									
190										
191										
192	WINDOW/ROOF HATCH/POWER VENTILATORS									
	Face mounted emergency window instructions decals on windows - external									
193	mounted on window	40	40	40	40	40	40		40	
194	List quantity of roof hatches included per size of unit:	Two	Two	Two	Two	Two	Two		Two	
195	Roof Escape Hatch Lo Profile. List Brand:	100	100	100	100	100	100		100	
196	Roof Escape Hatch Power Ventilated. List Brand:	560	560	560	560	560	560		560	
197	Roof Escape Hatch standard. List Brand:	Std	Std	Std	Std	Std	Std		Std	
198	Additional roof hatch	300	300	300	300	300	300		300	
199	Power Ventilator. State Brand:	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
200	Pushout Emergency Window - horizontal hinged	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
201	Pushout Emergency Window - vertical hinged	Std	Std	Std	Std	Std	Std		Std	
202	Rear window air dam	N/A	N/A	N/A	N/A	N/A	N/A		N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2	84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
203	Other:										
204											
205											
206											
207											
208	DOORS/LOCKS										
209	Air-operated heavy duty, outward opening entrance door, full view glass, greaseable hinges		225	225	225	225	225	225		225	
210	Deluxe manual heavy duty, outward opening entrance door, full view glass, greaseable hinges		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
211	Electric heavy duty, outward opening entrance door, full view glass, greaseable hinges		Std	Std	Std	Std	Std	Std		Std	
212	Paint Entrance Door Yellow		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
213	Vandal lock entrance door, manual lock		51	51	51	51	51	51		51	
214	Vandal lock entrance door, electric lock		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
215	Vandal Lock rear door with Interlock		150	150	150	150	150	150		150	
216	Vandal lock rear emergency window with interlock		N/A	N/A	N/A	N/A	N/A	N/A		155	
217	Vandal lock lift door with interlock		20	20	20	20	20	20		20	
218	Rear door with concealed hinges (Must have Zerk Fittings)		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
219	Rear door with greaseable door hinges (Must have Zerk Fittings)		Std	Std	Std	Std	Std	Std		Std	
220	Header pad mounted above rear door		Std	Std	Std	Std	Std	Std		Std	
221	Header pad mounted above entrance door		Std	Std	Std	Std	Std	Std		Std	
222	Upholstered header pad mounted above rear door		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
223	Upholstered header pad mounted above entrance door		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
224	Other:										
225											
226											
227											
228	FLOOR/STEPWELL										
229	5/8" 5-ply type CD exterior grade		64	64	64	64	64	64		64	
230	5/8" Marine grade plywood		125	125	125	125	125	125		125	
231	5/8" Treated plywood		Std	Std	Std	Std	Std	Std		Std	
232	Aluminum floor trim (aisle, other)		Std	Std	Std	Std	Std	Std		Std	
233	Stainless steel floor trim (aisle, other)		500	500	500	500	500	500		500	
234	Plastic or vinyl floor trim		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
235	Floor coloring Black		Std	Std	Std	Std	Std	Std		Std	
236	Floor coloring Brown		N/A	N/A	N/A	N/A	N/A	N/A		N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
237	Floor coloring Gray	240	240	240	240	240	240		240	
238	Floor coloring Green	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
239	Floor coloring Light Blue	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
240	Floor coloring Tan	241	241	241	241	241	241		241	
241	One piece floor covering	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
242	One piece floor covering - GRAY	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
243	Studded texture step treads metal backed	220	220	220	220	220	220		220	
244	Studded texture step treads non-metal backed	280	280	280	280	280	280		280	
245	Insulated step well (for sound abatement)	Std	Std	Std	Std	Std	Std		340	
246	Stainless steel stepwell (State steel gauge):	425	425	425	425	425	425		425	
247	One Piece Polyethalene composite stepwell	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
248	Steel preformed with Proflex	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
249	Koroseal entire floor	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
250	Koroseal floor trim	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
251	Koroseal pebble tread	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
252	Fold-out step power activated	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
253	Fold-out step manually operated	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
254	Other:									
255										
256										
257										
258	FUEL TANKS									
259	12 Gallon DEF tank with locking door	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
260	15 Gallon DEF tank with locking door	Std	Std	Std	Std	Std	Std		Std	
261	Between frame rail, diesel 60 gallon	Std	Std	Std	Std	Std	Std		Std	
262	Between frame rail, diesel 100 gallon	N/A	N/A	N/A	290	290	290		290	
263	Fuel door lock	Std	Std	Std	Std	Std	Std		Std	
264	Fuel door right side access	Std	Std	Std	Std	Std	Std		Std	
265	Tough coat fuel tank	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
266	Between frame rail, diesel 65 gallon	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
267	Between frame rail, diesel 105 gallon	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
268	Other:									
269										
270										
271										
272	GAUGES/BREAKERS/CONTROLS									
273	12 Volt accessory plug	Std	Std	Std	Std	Std	Std		Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
274	Alarm- Backup with 107 dB(A)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
275	Alarm- Backup with 112 dB(A)	Std	Std	Std	Std	Std	Std		Std	
276	Ampere gauge to match alternator output	Std	Std	Std	Std	Std	Std		Std	
277	Engine hour meter	Std	Std	Std	Std	Std	Std		Std	
278	Transmission oil temperature gauge	Std	Std	Std	Std	Std	Std		Std	
279	Optional Gauge Package. Please specify:	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
280	Circuit breakers where available, auto reset	Std	Std	Std	Std	Std	Std		Std	
281	Circuit Breakers where available, manual reset	Std	Std	Std	Std	Std	Std		Std	
282	Clock	Std	Std	Std	Std	Std	Std		Std	
283	Cruise control	Std	Std	Std	Std	Std	Std		Std	
284	Headlight on, key off, alarm	Std	Std	Std	Std	Std	Std		Std	
285	Idle time circuit turned on	Std	Std	Std	Std	Std	Std		Std	
286	Two Spare Circuits - 14 gauge wire	8	8	8	8	8	8		8	
287	Door switch on left panel (not on steering wheel)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
288	Other:									
289										
290										
291										
292	HEATER, ADDITIONAL LARGER/ AIR CONDITIONING									
293	Air conditioning – Underbody condenser, 120,000 BTU or greater	8600	8600	8600	8600	8600	8600		8600	
294	Air conditioning – Rooftop condenser, 120,000 BTU or greater	10100	10100	10100	10100	10100	10100		10100	
295	List Standard Heater BTU units cost:									
296	List Standard Right Front BTU:	Std	Std	Std	Std	Std	Std		Std	
297	List Standard Left Front BTU:	Std	Std	Std	Std	Std	Std		Std	
298	List Standard Midship BTU:	Std	Std	Std	Std	Std	Std		Std	
299	List Standard Rear BTU:	Std	Std	Std	Std	Std	Std		Std	
300	List Optional Heater BTU units cost:									
301	List Optional Midship BTU:	135	135	135	135	135	135		135	
302	List Optional Rear BTU:	150	150	150	150	150	150		150	
303	List Optional Right Rear Wall Mounted BTU:	105	105	105	105	105	105		N/A	
304	List Optional Right Rear Wall Mounted BTU:	264	264	264	264	264	264		N/A	
305	List Optional Left Rear Wall Mounted BTU:	436	436	436	436	436	436		N/A	
306	List Optional Left Rear Wall Mounted BTU:	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
307	Radiant heating at floor line, twin copper pipe system	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
308	Additional kick guards for all passenger area heaters	150	150	150	150	150	150		150	
309	List cost if driver heater kickguard is additional:	20	20	20	20	20	20		20	
310	Heater circulating pump. State Brand:	190	190	190	190	190	190		190	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
311	Heater pump switch illuminated when on	Std	Std	Std	Std	Std	Std		Std	
312	Heater cut-off ball valve all shut offs	Std	Std	Std	Std	Std	Std		Std	
313	Passenger heater frame mounted, not floor mounted	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
314	All heaters have replaceable filters	Std	Std	Std	Std	Std	Std		Std	
315	Install rear left and right heaters - 84,500btu each - verticle mount in protective metal cage.	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
316	Front, interior, A/C blower in front bulkhead	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
317	Front, interior, A/C blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
318	Rear AC blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
319	Other:									
320										
321										
322										
323										
324	INTERIOR COLOR									
325	Astro White	Std	Std	Std	Std	Std	Std		Std	
326	Beige	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
327	Gray	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
328	Sea Foam Green	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
329	Spring White	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
330	Other:									
331										
332										
333										
334										
335	INTERIOR PANELS									
336	Aluminized interior panels	Std	Std	Std	Std	Std	Std		Std	
337	Galvanized Coated Interior Panels	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
338	Lower Side Interior Panels are Embossed Steel and Clear Coated	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
339	Modesty/kick panel behind driver's seat	20	20	20	20	20	20		20	
340	Other:									
341										
342										
343										
344	LIGHTS, EXTERIOR									
345	Additional side exterior directional lamps, below window and behind rear wheels	35	35	35	35	35	35		Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2	84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
346	Engine compartment light. State candle power:		150	150	150	150	150	150		150	
347	Exterior entrance light activated by opening of door		28	28	28	28	28	28		28	
348	Exterior light check system pre-trip inspection		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
349	Fog lamps		120	120	120	120	120	120		120	
350	Incandescent Backup lights, 7"		Std	Std	Std	Std	Std	Std		Std	
351	LED Backup lights, 7"		132	132	132	132	132	132		132	
352	LED Backup lights, state size:		110	110	110	110	110	110		110	
353	LED Side backup lights		190	190	190	190	190	190		190	
354	LED Backup light mounted behind rear axle, high intensity		220	220	220	220	220	220		220	
355	LED Brake lights, state size:		23	23	23	23	23	23		23	
356	LED Exterior Entrance Door Light		38	38	38	38	38	38		38	
357	LED Marker/Clearance lights		Std	Std	Std	Std	Std	Std		Std	
358	LED package (state package components):		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
359	LED Stepwell Light		60	60	60	60	60	60		60	
360	LED Tail lights, state size:		22	22	22	22	22	22		22	
361	LED Turn signal, front 7"		23	23	23	23	23	23		23	
362	LED Turn signal, rear, state size:		22	22	22	22	22	22		22	
363	LED Turn signal, side mounted, front		27	27	27	27	27	27		27	
364	LED Turn signal, side mounted, front and rear		87	87	87	87	87	87		87	
365	LED Warning lights		400	400	400	400	400	400		400	
366	LED Warning lights, strobing		410	410	410	410	410	410		410	
367	LED Warning lights, Soundoff		Line 365	Line 365	Line 365	Line 365	Line 365	Line 365		Line 365	
368	Lighted School Bus sign front and rear		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
369	Recessed Exterior Lighting for water prevention damage		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
370	Strobe light high profile		1	1	1	1	1	1		1	
371	Strobe light low profile inside power supply. State brand:		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
372	Strobe light low profile outside power supply		Std	Std	Std	Std	Std	Std		Std	
373	Tree guard on strobe lamp assembly		30	30	30	30	30	30		30	
374	Warning light sun visors		Std	Std	Std	Std	Std	Std		Std	
375	Weldon supplemental warning lights above bumpers		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
376	4"LED stop and tail lights w/license plate light		Line 360	Line 360	Line 360	Line 360	Line 360	Line 360		Line 360	
377	New Ohio Approved Option Red/Amber Supplemental Warning Lights on Grill Mount		850	850	850	850	850	850		850	
378	New Ohio Approved Option Red/Amber Supplemental Warning Lights on Bumper Level Mount		851	851	851	851	851	851		851	
379	Supplemental Warning Lights		Line 377/378	Line 377/378	Line 377/378	Line 377/378	Line 377/378	Line 377/378		Line 377/378	
380	Other:										

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2	84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
381											
382											
383	LIGHTS, INTERIOR/SWITCHES										
384	A/C system silent switch		Std	Std	Std	Std	Std	Std		Std	
385	Additional dome light over driver's seat with separate switch		Std	Std	Std	Std	Std	Std		Std	
386	Dome lamps shall be separately switched with three total switches: one for the driver's dome; one for the front half of the dome lights; and one for the rear half of the dome lights.		60	60	60	60	60	60		60	
387	Dome lights two rows		Std	Std	Std	Std	Std	Std		Std	
388	Dome lights, LED		300	300	300	300	300	300		300	
389	Dome Lights: Minimum of 10 total dome lights in the passenger compartment		35	35	35	35	35	35		35	
390	Door switch / Ambers on steering wheel		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
391	Door switch on left panel (not on steering wheel)		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
392	Warning light switch on left panel		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
393	Install 6 chrome work lights - wall mounted under chair rail, Install switch in driver panel. 6 lights min.		300	300	300	300	300	300		300	
394	Lamp monitor 16 lamp		143	143	143	143	143	143		143	
395	Lamp monitor 8 lamp		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
396	LED capable Monitor. State Brand:		143	143	143	143	143	143		143	
397	LED Red lights mounted in ceiling at all emergency windows and exits, controlled by headlight switch		165	165	165	165	165	165		165	
398	Luggage compartment lights, switch controlled at driver compartment		180	180	180	180	180	180		180	
399	Red lights mounted in ceiling at all emergency windows and exits, controlled by headlight switch		165	165	165	165	165	165		165	
400	Warning lamp system, 8 way flashing, Weldon		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
401	Warning light switch on left panel		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
402	Other:										
403											
404											
405											
406											
407	MANUALS/SOFTWARE										
408	ABS software		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
409	Engine software		650	650	650	650	650	650		650	
410	Transmission software		800	800	800	800	800	800		800	
411	All Parts/Service manuals in bound paper format		65	65	65	65	65	65		65	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
412	All Parts/Service manuals in CD format	Std	Std	Std	Std	Std	Std		Std	
413	Diamond Logic Builder Software, license, updates and annual renewal	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
414	Laptop computer with all necessary licensing, hardware and software to properly diagnose engines, transmissions, ABS and all related electronic components. The computer should contain enough memory and storage capacity to run all programs including parts catalogs and maintenance and repair programs specific to the vehicles quoted. Eight (8) hours of training on this computer for the mechanics. One thousand dollars (\$1,000.00) will be held back from payment until completion of mechanic's training.	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
415	Nexiq Adapter: USB port connection	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
416	Other:									
417										
418										
419										
420										
421	MIRRORS, INTERIOR									
422	Mounted over rear emergency door, 10"x16" minimum	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
423	Mounted over rear emergency door, 12"x18" minimum	85	85	85	85	85	85		85	
424	Mounted over rear emergency door, 18"x24" minimum	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
425	Prizm mirror mounted inside on rear door	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
426	Front 6" x 30" non-glare in lieu of standard	5	5	5	5	5	5		5	
427	Front 8" x 30" in lieu of standard	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
428	Front, 10"x30" in lieu of standard	18	18	18	18	18	18		18	
429	Front, 10"x30" non-glare in lieu of standard	22	22	22	22	22	22		22	
430	Sun visor 6x30	Std	Std	Std	Std	Std	Std		Std	
431	Right-side sun visor, minimum six inches by sixteen inches in size.	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
432	Backup camera integrated into 6x30 rear view mirror	494	494	494	494	494	494		494	
433	Backup camera integrated into 10x30 rear view mirror	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
434	Other:									
435										
436										
437	MIRRORS, EXTERIOR									
438	All exterior stainless steel mirror brackets with bright finish.	55	55	55	55	55	55		55	
439	Double nickel mirrors	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
440	Extended passenger side mirror brackets for double nickel	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
441	Mirrorlight mirror	N/A	N/A	N/A	N/A	N/A	N/A		N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2	84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
442	Mirrorlight remote control mirror		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
443	Mirrorlite Crossview		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
444	Rosco Crossview mirror		Std	Std	Std	Std	Std	Std		Std	
445	Rosco heated mirrors		Std	Std	Std	Std	Std	Std		Std	
446	Rosco heated remote control mirrors		Std	Std	Std	Std	Std	Std		Std	
447	Rosco ES mirror heads		30	30	30	30	30	30		30	
448	Self-canceling mirror defrost switch		Std	Std	Std	Std	Std	Std		Std	
449	Other:										
450											
451											
452											
453	PUBLIC ADDRESS/RADIOS/GPS										
454	Additional speakers inside – 2		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
455	Additional speakers inside – 4		Std	Std	Std	Std	Std	Std		Std	
456	Additional speakers inside – 6		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
457	Additional speakers inside – 8		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
458	AM/FM/CD Radio with four speakers		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
459	AM/FM/CD/PA Radio with four speakers		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
460	AM/FM/CD/USB/MP3 with four speakers		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
461	AM/FM/CD/USB/MP3/PA with four speakers		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
462	AM/FM/PA Radio with four speakers		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
463	AM/FM/USB/MP3 with four speakers		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
464	AM/FM/USB/MP3/PA with four speakers		Std	Std	Std	Std	Std	Std		Std	
465	Outside speaker		30	30	30	30	30	30		30	
466	Outside speaker mounted under hood		Line 465	Line 465	Line 465	Line 465	Line 465	Line 465		Line 465	
467	Public address system only. List # of speakers:		-120	-120	-120	-120	-120	-120		-120	
468	Two-way radio, Motorola CDM750 or equal, with lockable mount and antennae (not mounted in bus)		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
469	GPS System. State Brand:		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
470	WiFi assist. State brand:		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
471	Two-Way Radio Pre-Wired for Unit and Antennae on Roof		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
472	GPS wiring Harness ready		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
473	Other:										
474											
475											
476											

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
477	RADIATOR									
478	Air Controlled Automatic radiator shutters	600	600	600	600	600	600		N/A	
479	Electric fan clutch	Std	Std	Std	Std	Std	Std		Std	
480	Fan drive hyd pump and motor with fixed speed and residual torque for disengaging fan speed	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
481	Metal bolted tanks	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
482	Viscous controlled fan	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
483	Winterfront	80	80	80	80	80	80		N/A	
484	Other:									
485										
486										
487										
488										
489	REFLECTIVE MARKINGS / LETTERING									
490	"Stay Back 10 Feet" in four inch white-silver material may be applied and centered to the front and rear bumpers. Letters shall be italicized and be of the Helvetica type style and Rear bumper may be marked diagonally forty-five degrees with two inch wide strips of yellow grade five material two inches apart. Must be ordered with "School Bus" lettering above.	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
491	6-1/2" stripe at beltline for school district I.D.	220	220	220	220	220	220		220	
492	Rear bumper diagonally marked forty-five degrees with two inch wide strips of yellow grade five material two inches apart	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
493	Reflective tape complete package	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
494	Other:									
495										
496										

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2	84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
497	RUSTPROOFING/RUST PROTECTION										
498	Rustproofing to be a commercial grade. Spray aerosol can type rustproofing not acceptable		Line 502	Line 502	Line 502	Line 502	Line 502	Line 502		Line 502	
499	List your additional rust prevention package above factory installed. Name product: ZIEBART		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
500	Asphalt-based undercoating		Std	Std	Std	Std	Std	Std		Std	
501	Wax-based undercoating		260	260	260	260	260	260		260	
502	Corrosion protection underdody: List product:		700	700	700	700	700	700		700	
503	Bumpers rust protection. List product:		280	280	280	280	280	280		280	
504	Fuel Tank rust protection. List product: RHINO LINING		160	160	160	160	160	160		160	
505	Exterior Body rust protection. List product:		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
506	Stepwell rust protection. List product:		425	425	425	425	425	425		425	
507	Paint adhesion and rust protection - 5 years, unlimited miles		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
508	Interior of all panels, where insulation is located, shall be rustproofed		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
509	Undercoating. List product:		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
510	No Rust One Piece Stepwell		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
511	No Rust Battery Box		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
512	Other:										
513											
514											
515											
516	SEAT BELTS/SEATS/FOAM										
517	25" knee clearance		Std	Std	Std	Std	Std	Std		Std	
518	39" Right front seat		Std	Std	Std	Std	Std	Std		Std	
519	30" Right front seat		100	100	100	100	100	100		100	
520	Seat, 39" Interchangeable seat backs, (specialized school bus seats that can be converted from standard seats to three point seat belts or to Integrated Child Restraint Seats (ICS) without removing the seats from the bus and modifying the bus floor for needed reinforcements by replacing the complete backs. Seat frames shall meet applicable FMVSS requirements and seat frames shall be capable for installation of type 2 belts and ICS restraint seating) list make:Nextgen price per row FIRST 2 ROWS		135	135	135	135	135	270		135	
521	Cost for one seat three seat belts installed color coded		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
522	Cost for one seat two seat belts installed color coded		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
523	Cost per seat to make seat belt ready		Line 520	Line 520	Line 520	Line 520	Line 520	Line 520		N/A	
524	Cost to make all seats, seat belt ready		1080	1215	1485	1620	1755	1890		1890	
525	Districts: Specify if last seat is "full" or "half" for 71 and 77 passengers		Full Std	Full Std	Full Std	Full Std	Full Std	Full Std		Full Std	

Bus Bids due to OSC by Monday, November 2, 2020 at 10:00 am EST.

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
526	Number or letter seats above windows	60	60	60	60	60	60		60	
527	Padded Interior side rails	156	156	156	156	156	156		156	
528	Seat color Brown	1	1	1	1	1	1		1	
529	Seat color Dark Blue	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
530	Seat color Gray	1	1	1	1	1	1		1	
531	Seat color Green	Std	Std	Std	Std	Std	Std		Std	
532	Seat color Maroon	1	1	1	1	1	1		1	
533	Seat color Medium Blue	1	1	1	1	1	1		1	
534	Seats 1/2" plywood seat bottoms	138	138	138	138	138	138		138	
535	Seats 3/8" plywood seat bottoms	Std	Std	Std	Std	Std	Std		Std	
536	Seats passenger Kevlar upholstery	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
537	Seats staggered (not placed directly across each other)	Std	Std	Std	Std	Std	Std		Std	
538	Triad seat foam	Std	Std	Std	Std	Std	Std		Std	
539	Interchangeable seat backs, IMMI/BTI seats	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
540	Other:									
541	Three point seat belts price per row	710	710	710	710	710	710		710	
542										
543										
544										
545	SEAT, DRIVER'S									
546	Adjustable pedals, factory installed	785	785	785	785	785	785		785	
547	Tilt steering	Std	Std	Std	Std	Std	Std		Std	
548	Tilt/Telescopic steering	Std	Std	Std	Std	Std	Std		Std	
549	Pedestal seat non-heated vinyl National	Std	Std	Std	Std	Std	Std		Std	
550	Pedestal seat non-heated vinyl Bostrom	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
551	AIR RIDE NON HEATED SEAT VINYL BOSTROM	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
552	Air ride seat heated cloth National	300	300	300	300	300	300		300	
553	Air ride seat non-heated cloth National	170	170	170	170	170	170		170	
554	Air ride seat heated cloth Bostrom	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
555	Air ride seat non-heated cloth Bostrom	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
556	Driver's seat armrests option. List price per side:	25	25	25	25	25	25		25	
557	Fabric driver's seat, non-flammable	22	22	22	22	22	22		22	
558	Driver's adjustable shoulder harness	Std	Std	Std	Std	Std	Std		Std	
559	Driver's high visibility orange safety adjustable shoulder harness	1	1	1	1	1	1		1	
560	Front barrier cover with multiple pouches. State # of pouches: 5	65	65	65	65	65	65		65	
561	Front barrier cover with a single pouch	8	8	8	8	8	8		8	
562	Standard heated air suspension	275	275	275	275	275	275		275	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
563	Standard heated hydraulic suspension	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
564	Other:									
565										
566										
567										
568	SIDE RAILS/PANELS									
569	16 gauge smooth exterior panels	Std	Std	Std	Std	Std	Std		Std	
570	Full length and acoustical headliner	Std	Std	Std	Std	Std	Std		Std	
571	Black snow rail	Std	Std	Std	Std	Std	Std		Std	
572	Rub rail above rear bumper	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
573	Rub rails painted black full width	Std	Std	Std	Std	Std	Std		Std	
574	Seal top of all rub rails	115	115	115	115	115	115		115	
575	Third rub rail. Shall be painted black or yellow.	Std	Std	Std	Std	Std	Std		Std	
576	Rubber fender extensions rear, only	107	107	107	107	107	107		107	
577	Window line rubrail to extend around rear of bus	32	32	32	32	32	32		32	
578	20 gauge fluted side panels	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
579	Other:									
580	Rubber fender extensions rear and front	206	206	206	206	206	206		206	
581										
582	SILICONE RADIATOR/HEATER HOSES									
583	Constant torque hose clamps	118	118	118	118	118	118		118	
584	Heater hoses, silicone	Std	Std	Std	Std	Std	Std		Std	
585	Premium Rubber Hoses Unsealed in Lieu of Silicone Hoses	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
586	Radiator hoses, silicone	Std	Std	Std	Std	Std	Std		Std	
587	Other:									
588										
589										
590										
591										
592	STOP ARM/CROSSING ARM									
593	Air operated Stop Arm with LED lamps	Std	Std	Std	Std	Std	Std		Std	
594	Air operated Stop Arm with LED strobe lamps	165	165	165	165	165	165		165	
595	Air operated Stop Arm with Standard lamps	65	65	65	65	65	65		65	
596	Air operated Stop Arm, Dual Signs	250	250	250	250	250	250		250	
597	Air operated Stop Arm, Dual Signs, LED Strobing	400	400	400	400	400	400		400	
598	Electric Stop Arm with LED lamps	75	75	75	75	75	75		75	
599	Electric Stop Arm with LED lamps, Transpec	210	210	210	210	210	210		210	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2	84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
600	Electric Stop Arm with LED strobe lamps		105	105	105	105	105	105		105	
601	Electric Stop Arm with Standard lamps		1	1	1	1	1	1		1	
602	Electric Stop Arm, Dual Signs		395	395	395	395	395	395		395	
603	Electric Stop Arm, Dual Signs, LED Strobing		440	440	440	440	440	440		440	
604	Latch/magnet for crossing arm/gate		60	60	60	60	60	60		60	
605	Solid Fiberglass Air Crossing Gate Mounted on Front Bumper. State Brand:		310	310	310	310	310	310		310	
606	Solid Fiberglass Electric Crossing Gate Mounted on Front Bumper. State Brand:		345	345	345	345	345	345		345	
607	Other:										
608											
609											
610											
611											
612											
613	STORAGE COMPARTMENTS, INTERIOR										
614	Dash mounted glove box with door and lock		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
615	Glove box, bulkhead without lock		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
616	Storage compartment without lock next to driver		Std	Std	Std	Std	Std	Std		Std	
617	Storage box with lock above driver's window		93	93	93	93	93	93		93	
618	Storage box without lock above driver's window		94	94	94	94	94	94		94	
619	Safety equipment compartment, above windshield		Std	Std	Std	Std	Std	Std		Std	
620	Flares behind driver's seat		20	20	20	20	20	20		20	
621	Over windshield with a flush mounted camera box		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
622	Other:										
623											
624											
625											
626											
627	STORAGE COMPARTMENTS, EXTERIOR										
628	Door assist cylinder, price per door		76	76	76	76	76	76		76	
629	Door locks per door		W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std		W/Comp Std	
630	Double left side. List size:		N/A	N/A	790	790	790	790		837	
631	Double right side. List size:		N/A	N/A	791	791	791	791		836	
632	Single left side. List size:		N/A	N/A	544	544	544	544		564	
633	Single right side. List size:		N/A	N/A	542	542	542	542		562	
634	Double Non metal compartment. List size:		N/A	N/A	N/A	N/A	N/A	N/A		N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2	84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
635	Pass-through compartment, four doors		N/A	N/A	N/A	N/A	N/A	N/A		4200	
636	Other:										
637											
638											
639											
640	STUDENT DETECTION SYSTEM										
641	Child Reminder System. State brand: Doran		99	99	99	99	99	99		99	
642	Child Reminder System unloading delay option. State brand:		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
643	Other:										
644											
645											
646											
647											
648	WARRANTIES, EXTENDED WARRANTIES										
649	See Warranties Page, Appendix F, for pricing										
650											
651	WHEELS, RIMS, TIRES										
652	See Tires page, Appendix E, for pricing										
653											
654	WINDOWS/WINDSHIELD										
655	Cost of two additional emergency windows (total of 4 emergency windows on bus)		92	92	92	92	Std	Std		Std	
656	Thermopane price per window. List which pieces are thermopane: side sash, driver window, doors, ect)		150	150	150	150	150	150		150	
657	Tinted Driver's Window. List tint:		Std	Std	Std	Std	Std	Std		Std	
658	Tinted Entrance Door. List tint:		Std	Std	Std	Std	Std	Std		Std	
659	Tinted Rear Window. List tint:		62	62	62	62	62	62		62	
660	Tinted side windows. List tint:		1	1	1	1	1	1		1	
661	Powdercoated Black Window Frames		130	130	130	130	130	130		130	
662	One gallon washer fluid reservoir		Std	Std	Std	Std	Std	Std		Std	
663	One and one-half Gallon Washer fluid reservoir		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
664	Six quart washer fluid reservoir		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
665	Raised passenger window line		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
666	Windshield four piece flat		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
667	Windshield one piece		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
668	Windshield three piece		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
669	Windshield two piece curved		Std	Std	Std	Std	Std	Std		Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2	84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
670	Heated windshield wipers		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
671	Heated washer fluid units		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
672	Other:										
673											
674											
675											
676	WIRING										
677	NOTE TO DISTRICTS: You may want to consider pre-wiring for future installs										
678	As-Built Wiring Schematics		Std	Std	Std	Std	Std	Std		Std	
679	Color-coded numbered wiring		Std	Std	Std	Std	Std	Std		Std	
680	Multiplex wiring package. State wires included:		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
681	Pre-Wire for 2-way radio. State harness location:		35	35	35	35	35	35		35	
682	Wireless access points for Wi-Fi capability		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
683	Wiring for camera, only. State harness location:		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
684	Wiring harness for GPS system, without GPS system. State harness location:		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
685	Other:										
686											
687											
688											
689	OTHER OPTIONS										
690	Air horns		107	107	107	107	107	107		107	
691	Air horns, foot control		190	190	190	190	190	190		190	
692	All keys alike		7	7	7	7	7	7		7	
693	Chrome radiator grill		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
694	Composite trash can compartment		45	45	45	45	45	45		45	
695	Cup holder		40	40	40	40	40	40		40	
696	Exhaust exit left-hand side ahead of rear wheels		45	45	45	45	45	45		N/A	
697	Exhaust exit under rear bumper, turned down		Std	Std	Std	Std	Std	Std		Std	
698	Exhaust exit left-hand side ahead of rear wheels, stainless steel		65	65	65	65	65	65		N/A	
699	Exhaust exit under rear bumper, turned down, stainless steel		240	240	240	240	240	240		N/A	
700	Extra insulation firewall and roof bows		Std	Std	Std	Std	Std	Std		Std	
701	LH arm rest on switch panel		Std	Std	Std	Std	Std	Std		Std	
702	Mudflap, Full width at rear bumper in addition to standard flaps		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
703	Mudflap, Full width to be mounted at rear bumper		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
704	Mudflap, Full width at rear axle single flap		N/A	N/A	N/A	N/A	N/A	N/A		N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
705	Mudflaps, additional mudflaps to be mounted in front of rear wheels	30	30	30	30	30	30		30	
706	Mudflaps, front (pair)	Std	Std	Std	Std	Std	Std		Std	
707	Pre-heater box to be located adjacent to battery box	464	464	464	464	464	464		464	
708	Second set of logos decals, rear mounted	85	85	85	85	85	85		85	
709	Tire Chains	1800	1800	1800	1800	1800	1800		2000	
710	Mobileye collision avoidance	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
711	Mobileye 360 Perimeter view camera system	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
712	Tire Pressure monitoring system	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
713	Smarrtrac electronic stability control	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
714	Certificate holder	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
715	Clipboard holder	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
716	Other:									
717										
718										
719										
720										
721	HANDICAPPED BODY OPTIONS									
722	DISTRICTS - YOU ARE TO SUBMIT a Floor Plan as to the seating and the placement of wheelchairs. Note location of Heater Boxes and Wheel Wells if the bus is not equipped with a flat floor. Show plan for amount of forward-facing Wheelchairs, with an approximate capacity of remaining ambulatory students allowable for each size vehicle. Wheelchair lift location specified by the District. DISTRICTS MUST CONFIRM WITH VENDOR THEIR DESIGN SPECIFICATIONS PRIOR TO ORDERING BUS.									
723	VENDORS - FLOOR TRACK MUST BE "THROUGH BOLTED" WITH GRADE #5 BOLTS OR BETTER WITH REINFORCING OR WASHERS ON UNDERSIDE OF FLOOR PAN. SCREW TYPE FASTENERS NOT ACCEPTABLE.									
724	Lift Price should include a rear mounted lift with a 34" platform, lift door, lighting, interlocks and holddown for one position located across from the lift. ADA compliant lifts only.									
725	Braun Lift. State model:	6000	6000	6000	6000	6000	6000		N/A	
726	Braun Lift 1000lb capacity. State model:	6200	6200	6200	6200	6200	6200		N/A	
727	Ricon Lift. State model:	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
728	Ricon Lift 1000lb capacity. State model:	6400	6400	6400	6400	6400	6400		N/A	
729	Price difference for a front mounted lift	N/A	N/A	N/A	N/A	N/A	N/A		N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
730	Flat floor (includes low profile tires and rear air suspension Contact vendor for specifics.)	1300	1300	1300	1300	1600	1600		N/A	
731	Recessed floor track L-track for track seating <u>per wheelchair position</u>	600	600	600	600	600	600		N/A	
732	Recessed floor track L-track full length both sides and shoulder harness track above windows	4000	4000	5376	5376	5800	6216		N/A	
733	Recessed floor track covers	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
734	Stainless steel fasteners to secure track to floor	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
735	Sealed plywood floor track grooves prior to installation of floor track	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
736	S.T.A.R.S. Floor mount hardware per wheel chair position	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
737	30" Track mounted seat - Each	25	25	25	25	25	25		N/A	
738	36" Track mounted seat - Each	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
739	39" Track mounted seat - Each	25	25	25	25	25	25		N/A	
740	4"x4" H/C decal on L/Front body and 8"x8" H/C decal on R/Rear with white backing	30	30	30	30	30	30		N/A	
741	Additional interior light and switch at lift area for lift door and light	Std	Std	Std	Std	Std	Std		N/A	
742	Interior ceiling lamp over lift area	Std	Std	Std	Std	Std	Std		N/A	
743	Interior ceiling lamp over lift area comes on automatically when door opens	1	1	1	1	1	1		N/A	
744	One work light per wheelchair securement area, wall-mounted under chair rail, under seats	100	100	100	100	100	100		N/A	
745	Exterior lamp mounted above lift door	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
746	Other:									
747										
748										
749										
750										
751										
752										
753										
754	WHEELCHAIR RESTRAINT COST PER CHAIR									
755	Q-Straint QRT Max	300	300	300	300	300	300		N/A	
756	Q-Straint QRT Deluxe	310	310	310	310	310	310		N/A	
757	Q-Straint QRT 360	570	570	570	570	570	570		N/A	
758	Q-Straint Slide N Click	500	500	500	500	500	500		N/A	
759	Q-Straint. State model:	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
760	Sure-Lok FE517-4	200	200	200	200	200	200		N/A	
761	Sure-Lok FF612S-4C-7	380	380	380	380	380	380		N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2	84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
762	Sure-Lok AL712S-4C-7		370	370	370	370	370	370		N/A	
763	Sure-Lok. State model		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
764	Quick Straps, One pair (2)		25	25	25	25	25	25		N/A	
765	Restraint storage pouch		15	15	15	15	15	15		N/A	
766	Shoulder restraint retractable		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
767	Other:										
768											
769											
770											
771	C.E. WHITE SEATS										
772	Cost of barrier for placing CR-30 in a first row seat		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
773	Cost of barrier for placing CR-39 in a first row seat		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
774	Cost of CR-30 seat, not installed		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
775	Cost of CR-30 seat with seat belts, not installed		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
776	Cost of CR-30 seat, track mounted		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
777	Cost of CR-30 seat with seat belts, track mounted		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
778	Cost of CR-39 seat, not installed		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
779	Cost of CR-39 seat with seat belts, not installed		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
780	Cost of CR-39 seat, track mounted		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
781	Cost of CR-39 seat with seat belts, track mounted		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
782	Cost of CR-30 seat cover		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
783	Cost of CR-30 seat foam		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
784	Cost of CR-39 seat cover		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
785	Cost of CR-39 seat foam		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
786	Cost of CR-30 seat installed, seat belt ready		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
787	Cost of CR-39 seat installed, seat belt ready		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
788	Other:										
789	Nextgen child restraint seat		550	550	550	550	550	550		550	
790	CR 39 seat installed		600	600	600	600	600	600		600	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2 84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
791	NEW: APPROVED OPTION LIST FOR OHIO SCHOOL BUS									
	Fire suppression system: must be installed per the manufacturer's recommendations. Installation shall not interfere with the driver's ability to operate any OEM controls and shall be completely isolated from the vehicle's electrical system by means of a fuse or breaker. The suppressant delivery points may be installed in the engine compartment, battery box, and undercarriage of the vehicle. Mounting of the system shall be outside of the passenger compartment and have no effect on the vehicles structure to include welding or drilling into the main frame. The cylinder and gauges shall be contained in a metal protective box and marked on three sides in 2 inch red letters "Fire Suppression" on a white background. The system shall be isolated to prevent accidental discharge of the suppression contents. A monitor to show the status of the unit may be installed in the driver's area in such a way as to not interfere with the safe operation of the bus.	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
792										
793										
794										
795	NON-SCHOOL BUS OPTIONS									
	Bus is built same as school bus but will not have 8-way light system, swing-out stop sign and will not be painted yellow. All lettering as required by State law for school buses will be omitted.	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
796										
797	Insulation all sides, roof shafts, front and rear panels and all roof bows	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
798	Auxiliary port in dash for cell phone	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
799	Window sash all black. Exterior and between windows shall be painted black	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
800	Front interior A/C blower in front bulkhead	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
801	Rear interior A/C blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
802	A/C roof-mounted condenser; 120,000 BTUs or greater	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
803	COLOR OPTIONS									
	Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
804										
805	REFLECTIVE TAPE									
	Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.	N/A	N/A	N/A	N/A	N/A	N/A		N/A	
806										

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
NOVEMBER 2020 VENDOR QUOTE

Appendix B
Transits

	Bus Size (Transit) X 2	84 PASS PULLER	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	78 Pusher	84 Pusher	Price if Same for All Sizes
807	Other:										
808											
809											
810	ANY OTHER ADDITIONAL OPTIONS (list below)										
811	Railroad silent switch		Std	Std	Std	Std	Std	Std		Std	
812	Panel located in floor to access fuel sending unit		Std	Std	Std	Std	Std	Std		Std	
813	Spare wheel and tire mounted and shipped loose in bus		N/A	N/A	N/A	N/A	N/A	N/A		N/A	
814	Backup camera		Line 432	Line 432	Line 432	Line 432	Line 432	Line 432		Line 432	
815	Rear reflective stripe decal on body (new version)		850	850	850	850	850	850		850	
816	Undercarriage safety student lighting		825	825	825	825	825	825		825	
817	Guardian Angel crossing light		440	440	440	440	440	440		440	
818											
819	CUMMINS 10 YEAR WARRANTY							700			
820	TRADE IN VALUE 1800 EACH TOTAL \$-3600.00							-3600			
821	Note: Not all options are available together and the selection of one option may require another option. When conflicts arise the school will be contacted on how they would like to proceed before we accept the order.										
822											
823											
824	Axle size options are for the axle only other components will affect the actual axle rating as listed on the tag such as suspension, tires, brakes, and transmission.										
825											
826	In keeping with its policy of continual product improvement, Blue Bird reserves the right to change specifications without notice and without incurring obligations.										
827											
828	Units meet all Federal and State schools bus specifications.										
829	100,377 X 2 =200,754 -TRADE IN	WITH 10 YR CUMMINS WARRANTY					TOTAL	197,154			