

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bid price as specified without options as per Federal and State of Ohio Department of Education minimum school bus specifications under 4501-5 (inclusive) ORC. All bids will comply with the current safety regulations of the Department of Education adopted by and with the advice and consent of the director of public safety pursuant to section 4511.76 of the Revised Code and all other pertinent provisions of law. The body/chassis supplier shall provide and attach a complete body/chassis specification sheet itemizing- including manufacturer brand names of the State of Ohio Department of Education minimum school bus body/chassis that will be supplied at this base bid. Must meet or exceed FMVSS/CMVSS standards.

By signing this specification, you guarantee that the equipment being bid meets all state specifications

Cardinal Bus Sales & Service, Inc. District 419-225-5552 Phone Number

Tony Rumer Contact Person

****Vendor List base price**
(Includes freight)**

District cuts are with their Commitments

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Bus Make	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	
Bus Model	T3FE 2903	T3FE 2903	T3FE 3508	T3FE 3508	T3FE 3800	T3FE 4004	T3RE 3306	T3RE 3802	T3RE 4006	
Base Bid Price	85,613	85,713	87,834	87,934	89,046	91,224	97231	100243	101,435	
Maximum Vehicle Length Bumper to Bumper (inches)	353	353	430	430	458	486	406	462	490	
Maximum Vehicle Width Including Mirrors (inches)	116	116	116	116	116	116	116	116	116	
Maximum Vehicle Width Excluding Mirrors (inches)	96	96	96	96	96	96	96	96	96	
GVWR	29350	29350	31350	31350	31350	33000	33000	33000	33000	
Maximum Vehicle Height Overall at GVWR Including Hatch (inches)	124	124	124	124	124	124	124	124	124	
Maximum Height of First Step (inches)	16	16	16	16	16	16	16	16	16	
Wheelbase (inches)	141	141	190	190	218	232	189	245	273	
Delivery Days	130	130	130	130	130	130	130	130	130	
Special discounts	None	None	None	None	None	None	None	None	None	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Important Notice: On all items below vendor must mark standard (Std), list additional price to base bid, list duplicated or mark N/A.										
Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
ENGINES AND TRANSMISSIONS AVAILABLE										
Cummins B6.7 200HP 520 lb-ft torque/Allison 2500PTS SCR	Std	Std	Std	Std	Std	-930	N/A	N/A	N/A	
Cummins B6.7 200HP 520 lb-ft torque/Eaton Procision SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cummins B6.7 220HP 600 lb-ft torque/Allison 2500PTS SCR	930	930	930	930	930	Std	N/A	N/A	N/A	
Cummins B6.7 220HP 600 lb-ft torque/Eaton Procision SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cummins B6.7 240HP 560 lb-ft torque/Allison 2500PTS SCR	970	970	970	970	970	40	Std	Std	Std	
Cummins B6.7 240HP 560 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cummins B6.7 240HP 560 lb-ft torque/Eaton Procision SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cummins B6.7 250HP 660 lb-ft torque/Allison 2500PTS SCR	2130	2130	2130	2130	2130	1200	1300	1300	1300	
Cummins B6.7 250HP 660 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	6328	6328	6328	5398	5585	5585	5585	
Cummins B6.7 250HP 660 lb-ft torque/Eaton Procision SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cummins B6.7 260HP 660 lb-ft torque/Allison 2500PTS SCR	2500	2500	2500	2500	2500	1570	1700	1700	1700	
Cummins B6.7 260HP 660 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	6693	6693	6693	5763	5985	5985	5985	
Cummins B6.7 260HP 660 lb-ft torque/Eaton Procision SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cummins B6.7 280HP 660 lb-ft torque/Allison 2500PTS SCR	N/A	N/A	3850	3850	3850	2920	3150	3150	3150	
Cummins B6.7 280HP 660 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	8050	8050	8050	7120	7435	7435	7435	
Cummins B6.7 300HP 660 lb-ft torque/Allison 2500PTS SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cummins B6.7 300HP 660 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cummins L9 260HP 720 lb-ft torque/Allison 3000 PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cummins L9 270HP 800 lb-ft torque/Allison 3000 PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cummins L9 300HP 860 lb-ft torque/Allison 3000 PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cummins ISB6.7 G CNG Engine	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Detroit DD8 7.7L 6cyl 260HP 660 lb/ft torque Allison 2500PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Detroit DD8 7.7L 6cyl 260HP 720 lb/ft torque Allison 2500PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Detroit DD8 7.7L 6cyl 280HP 800 lb/ft torque Allison 2500PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Detroit DD8 7.7L 6cyl 300HP 860 lb/ft torque Allison 2500PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Detroit DD8 7.7L 6cyl 260HP 720 lb/ft torque Allison 3000PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Detroit DD8 7.7L 6cyl 280HP 800 lb/ft torque Allison 3000PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Detroit DD8 7.7L 6cyl 300HP 860 lb/ft torque Allison 3000PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Virtual technician-Detriot connect access 5 years	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Antifreeze, Extended Life	102	102	102	102	102	102	102	102	102	
Water filter extended life	200	200	200	200	200	200	200	200	200	
Exhaust Brake	60	60	60	60	60	60	60	60	60	
Heated fuel water separator	Std	Std	Std	Std	Std	Std	Std	Std	Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Heated fuel water separator remote mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Overcrank starter	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Quick warm up option	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Transmission push button quadrant for Allison 3000 PTS	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Transynd transmission fluid	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Speed Retarder System	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Factory set governed speed at 70 mph. (for interstate travel)	1	1	1	1	1	1	1	1	1	
Other:										
AIR DRYER										
Bendix AD-IP	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Bendix AD-9	195	195	195	195	195	195	195	195	195	
Bendix DV-2	63	63	63	63	63	63	63	63	63	
Moisture ejector auto	90	90	90	90	90	90	Std	Std	Std	
Moisture ejector manual (pull chain)	110	110	110	110	110	110	110	110	110	
Mount air dryer outside of frame rail	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Moisture ejector auto, all tanks	190	190	190	190	190	190	190	190	190	
Other:										
ALTERNATOR/COMPRESSOR										
Larger alternator 185 amps Leece Neville	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Larger alternator 200 amps Leece Neville	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Larger alternator 210 amps Leece Neville	-100	-100	-100	-100	-100	-100	N/A	N/A	N/A	
Larger alternator 240 amps Leece Neville	Std	Std	Std	Std	Std	Std	N/A	N/A	N/A	
Larger alternator 270 amps Leece Neville	575	575	575	575	575	575	N/A	N/A	N/A	
Larger alternator 320 amps Leece Neville	750	750	750	750	750	750	N/A	N/A	N/A	
Larger alternator 325 amps Leece Neville	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Delco Remy 200 AMP Alternator with 2 year warranty	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Circuit breakers where available	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Larger air compressor 18.0 cfm	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Minimum 3 separate reservoirs 3600 cu. In. min.	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Larger alternator 200 amps Bosch	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
Alternator 350 amp	N/A	N/A	N/A	N/A	N/A	N/A	Std	Std	Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
AXLES/BRAKES/SUSPENSION										
30-30 Long stroke chamber and heavy duty spring brake	Std	Std	Std	Std	Std	Std	Std	Std	Std	
ABS with Traction Control	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Air Brakes - front. 16.5x5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Air Brakes - front. 16.5x6	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Air Brakes - rear. 16.5x7	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Air Brakes - rear. 16.5x8 5/8	N/A	N/A	540	540	540	540	540	540	540	
Brake drums mounted outboard only	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Air Disc Brakes	1740	1740	1740	1740	1740	1740	1740	1740	1740	
Hydraulic Brakes. State size:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Platinum Shield Shoe Lining, Protects Against Rust Jacking	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Automatic slack adjusters, Haldex	268	268	268	268	268	268	268	268	268	
Automatic slack adjusters, Meritor	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Differential lock or positraction	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Dust shields, front and rear	40	40	40	40	40	40	40	40	40	
E-Z Grip parking brake cover	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Front heavy duty shocks	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Rear heavy duty shocks	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Interlock Brake System. State Brand: PED Lock	950	950	950	950	950	950	950	950	950	
Leveling Valve - front single	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Leveling Valve - rear single	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Oil lubricated wheelbearings front	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Stemco seals front	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Stemco seals rear	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Synthetic HUD ILO oil	146	146	146	146	146	146	146	146	146	
Front axle 13,200 LBS	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Front axle 14,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Front axle 14,600 LBS	150	150	150	150	150	150	150	150	150	
Rear axle 19,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Rear axle 20,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Rear axle 21,000 LBS	Std	Std	Std	Std	Std	Std	Std	N/A	N/A	
Rear axle 23,000 LBS	N/A	N/A	540	540	540	540	540	Std	Std	
Front air suspension 14,600 LBS	800	800	800	800	800	800	800	800	800	
Front spring suspension 13,200 LBS	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Front spring suspension 14,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Front spring suspension 14,600 LBS	250	250	250	250	250	250	250	250	250	
Rear air suspension 20,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Rear air suspension 21,000 LBS	1065	1065	1065	1065	1065	1065	1065	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Rear air suspension 23,000 LBS	1155	1155	1155	1155	1155	1155	1155	1155	1155	
Rear spring suspension 19,000 LBS	N/A	N/A	Std	Std	Std	N/A	N/A	N/A	N/A	
Rear spring suspension 21,000 LBS	N/A	N/A	138	138	138	Std	Std	N/A	N/A	
Rear spring suspension 23,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Std	Std	
Must have Grease Zirks in U-joints on Driveshaft, must be Greaseable	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
BATTERIES/BLOCK HEATERS										
1-12 volt 8D. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2-12 volt 31 S. List CCA: 1400	Std	Std	Std	Std	Std	Std	N/A	N/A	N/A	
2-12 volt 31 S. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2-12 volt 8D. List CCA: 2850	215	215	215	215	215	215	215	215	215	
3-12 volt 31 S. List CCA: 2100	120	120	120	120	120	120	Std	Std	Std	
3-12 volt 31 S. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Heavy Duty Battery Box on HD Sliders	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Heavy Duty Battery Box W/ Roller Tray	315	315	315	315	315	315	315	315	315	
Key lock battery box	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Loom battery cables	15	15	15	15	15	15	15	15	15	
Master electric cutoff switch	118	118	118	118	118	118	118	118	118	
No Rust Composite Battery Box	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Stainless battery tray	110	110	110	110	110	110	110	110	110	
Block heater plug front mounted plug	Std	Std	Std	Std	Std	Std	150	150	150	
Block heater plug rear mounted plug	150	150	150	150	150	150	Std	Std	Std	
Engine block heater 750 watts	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Engine block heater 1250 watts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Espar Diesel Heater E-Guardian 42K BTU	2800	2800	2800	2800	2800	2800	2800	2800	2800	
Espar Diesel Heater E-Guardian 17K BTU	1120	1120	1120	1120	1120	1120	1120	1120	1120	
Webasto Diesel Heater Scholastic Series 45K BTU	1950	1950	1950	1950	1950	1950	1950	1950	1950	
Webasto Diesel Heater TLS 17K BTU	1050	1050	1050	1050	1050	1050	1050	1050	1050	
Diesel heater manual on/off switch. State brand and Model:	150	150	150	150	150	150	150	150	150	
Diesel heater 7 day timer. State brand and Model: Webasto	W/heater Std	W/heater Std	W/heater Std	W/heater Std	W/heater Std	W/heater Std	W/heater Std	W/heater Std	W/heater Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Mount Webasto Controller/Timer in Driver's Area	100	100	100	100	100	100	100	100	100	
Battery Box Plastic Cover KIT	50	50	50	50	50	50	50	50	50	
Other:										
BODY STRUCTURE/PAINT										
Body Tie Downs: "Texas U-Bolt"	35	35	35	35	35	35	35	35	35	
Body Tie Downs: Double bolted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Drip moulding formed in roof panels over windows	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Drip Moulding/Rain Deflector Full Body Length	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Heavy duty front tow hooks frame mounted	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Heavy duty rear tow hooks frame mounted	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Roof-White	195	195	195	195	195	195	195	195	195	
Stainless steel Screws for fenders/body, ext. mirrors, cross gate & stop arm	150	150	150	150	150	150	150	150	150	
Other:										

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
CAMERAS										
24/7 320 GB DHD sensors and panic button installed	1660	1660	1660	1660	1660	1660	1660	1660	1660	
24/7 64 GB SDHC sensors and panic button installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
24/7 additional camera X 3= 1080	360	360	360	360	1080	1080	360	360	360	
24/7 GPS	125	125	125	125	125	125	125	125	125	
24/7 Stop arm camera	600	600	600	600	600	600	600	600	600	
24/7 Dome camera	375	375	375	375	375	375	375	375	375	
REI 500 GB DHD sensors and panic button installed	1750	1750	1750	1750	1750	1750	1750	1750	1750	
REI 320 GB DHD sensors and panic button installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
REI 64 GB SDHC sensors and panic button installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
REI additional camera	350	350	350	350	350	350	350	350	350	
REI Wi-Fi bridge	300	300	300	300	300	300	300	300	300	
REI GPS	155	155	155	155	155	155	155	155	155	
REI Stop arm camera	625	625	625	625	625	625	625	625	625	
Angel Trax video system, 7 camera (3 outside, 4 inside), Hybrid guest with VSM	4200	4200	4200	4200	4200	4200	4200	4200	4200	
Seon 1 Camera System	1900	1900	1900	1900	1900	1900	1900	1900	1900	
Seon 2 Camera System	2300	2300	2300	2300	2300	2300	2300	2300	2300	
Seon 3 Camera System	2650	2650	2650	2650	2650	2650	2650	2650	2650	
Seon 4 Camera System	3000	3000	3000	3000	3000	3000	3000	3000	3000	
REI Color digital 4 camera, infrared event marker, hard drive in lock box in driver's area	2600	2600	2600	2600	2600	2600	2600	2600	2600	
Other:										
WINDOW/ROOF HATCH/POWER VENTILATORS										
Face mounted emergency window instructions decals on windows - external mounted on window	40	40	40	40	40	40	40	40	40	
List quantity of roof hatches included per size of unit:	Two	Two	Two	Two	Two	Two	Two	Two	Two	
Roof Escape Hatch Lo Profile. List Brand: Safe Fleet/Specialty	100	100	100	100	100	100	100	100	100	
Roof Escape Hatch Power Ventilated. List Brand: Safe Fleet/Transpec	560	560	560	560	560	560	560	560	560	
Roof Escape Hatch standard. List Brand: Safe Fleet/Transpec	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Additional roof hatch	300	300	300	300	300	300	300	300	300	
Power Ventilator. State Brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Pushout Emergency Window - horizontal hinged	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Pushout Emergency Window - vertical hinged	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Rear window air dam	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Other:										
DOORS/LOCKS										
Air-operated heavy duty, outward opening entrance door, full view glass, greaseable hinges	225	225	225	225	225	225	225	225	225	
Deluxe manual heavy duty, outward opening entrance door, full view glass, greaseable hinges	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Electric heavy duty, outward opening entrance door, full view glass, greaseable hinges	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Paint Entrance Door Yellow	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Vandal lock entrance door, manual lock	51	51	51	51	51	51	51	51	51	
Vandal lock entrance door, electric lock	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Vandal Lock rear door with Interlock	150	150	150	150	150	150	150	150	150	
Vandal lock rear emergency window with interlock	N/A	N/A	N/A	N/A	N/A	N/A	155	155	155	
Vandal lock lift door with interlock	20	20	20	20	20	20	20	20	20	
Rear door with concealed hinges (Must have Zerk Fittings)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Rear door with greaseable door hinges (Must have Zerk Fittings)	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Header pad mounted above rear door	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Header pad mounted above entrance door	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Upholstered header pad mounted above rear door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Upholstered header pad mounted above entrance door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
FLOOR/STEPWELL										
5/8" 5-ply type CD exterior grade	64	64	64	64	64	64	64	64	64	
5/8" Marine grade plywood	125	125	125	125	125	125	125	125	125	
5/8" Treated plywood	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Aluminum floor trim (aisle, other)	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Stainless steel floor trim (aisle, other)	500	500	500	500	500	500	500	500	500	
Plastic or vinyl floor trim	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Floor coloring Black	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Floor coloring Brown	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Floor coloring Gray	240	240	240	240	240	240	240	240	240	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Floor coloring Green	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Floor coloring Light Blue	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Floor coloring Tan	241	241	241	241	241	241	241	241	241	
One piece floor covering	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
One piece floor covering - GRAY	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Studded texture step treads metal backed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Studded texture step treads non-metal backed	312	312	312	312	312	312	312	312	312	
Insulated step well (for sound abatement)	Std	Std	Std	Std	Std	Std	340	340	340	
Stainless steel stepwell (State steel gauge): 16	425	425	425	425	425	425	425	425	425	
One Piece Polyethalene composite stepwell	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Steel preformed with Proflex	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Koroseal entire floor	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Koroseal floor trim	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Koroseal pebble tread	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Fold-out step power activated	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Fold-out step manually operated	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
Ribbed texture step treads non-metal backed	Std	Std	Std	Std	Std	Std	Std	Std	Std	
FUEL TANKS										
12 Gallon DEF tank with locking door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
15 Gallon DEF tank with locking door	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Between frame rail, diesel 60 gallon	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Between frame rail, diesel 100 gallon	N/A	N/A	N/A	290	290	290	290	290	290	
Fuel door lock	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Fuel door right side access	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Tough coat fuel tank	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Between frame rail, diesel 65 gallon	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Between frame rail, diesel 105 gallon	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
GAUGES/BREAKERS/CONTROLS										
12 Volt accessory plug	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Alarm- Backup with 107 dB(A)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Alarm- Backup with 112 dB(A)	Std	Std	Std	Std	Std	Std	Std	Std	Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Ampere gauge to match alternator output	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Engine hour meter	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Transmission oil temperature gauge	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Optional Gauge Package. Please specify:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Circuit breakers where available, auto reset	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Circuit Breakers where available, manual reset	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Clock	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Cruise control	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Headlight on, key off, alarm	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Idle time circuit turned on	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Two Spare Circuits - 14 gauge wire	8	8	8	8	8	8	8	8	8	
Door switch on left panel (not on steering wheel)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
HEATER, ADDITIONAL LARGER/ AIR CONDITIONING										
Air conditioning – Underbody condenser, 120,000 BTU or greater	8600	8600	8600	8600	8600	8600	8600	8600	8600	
Air conditioning – Rooftop condenser, 120,000 BTU or greater	10100	10100	10100	10100	10100	10100	10100	10100	10100	
List Standard Heater BTU units cost:										
List Standard Right Front BTU: 90k	Std	Std	Std	Std	Std	Std	Std	Std	Std	
List Standard Left Front BTU: 12k	Std	Std	Std	Std	Std	Std	Std	Std	Std	
List Standard Midship BTU: 50k	Std	Std	Std	Std	Std	Std	Std	Std	Std	
List Standard Rear BTU: 50k	Std	Std	Std	Std	Std	Std	Std	Std	Std	
List Optional Heater BTU units cost:										
List Optional Midship BTU: 80k	135	135	135	135	135	135	135	135	135	
List Optional Rear BTU: 80k	150	150	150	150	150	150	150	150	150	
List Optional Right Rear Wall Mounted BTU: 40k	105	105	105	105	105	105	N/A	N/A	N/A	
List Optional Right Rear Wall Mounted BTU: 80k	264	264	264	264	264	264	N/A	N/A	N/A	
List Optional Left Rear Wall Mounted BTU: 80k	436	436	436	436	436	436	N/A	N/A	N/A	
List Optional Left Rear Wall Mounted BTU:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Radiant heating at floor line, twin copper pipe system	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Additional kick guards for all passenger area heaters	150	150	150	150	150	150	150	150	150	
List cost if driver heater kickguard is additional:	20	20	20	20	20	20	20	20	20	
Heater circulating pump. State Brand: Groco	190	190	190	190	190	190	190	190	190	
Heater pump switch illuminated when on	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Heater cut-off ball valve all shut offs	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Passenger heater frame mounted, not floor mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
All heaters have replaceable filters	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Install rear left and right heaters - 84,500btu each - verticle mount in protective metal cage.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Front, interior, A/C blower in front bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Front, interior, A/C blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Rear AC blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
INTERIOR COLOR										
Astro White	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Beige	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Gray	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Sea Foam Green	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Spring White	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
INTERIOR PANELS										
Aluminized interior panels	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Galvanized Coated Interior Panels	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Lower Side Interior Panels are Embossed Steel and Clear Coated	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Modesty/kick panel behind driver's seat	20	20	20	20	20	20	20	20	20	
Other:										
LIGHTS, EXTERIOR										
Additional side exterior directional lamps, below window and behind rear wheels	35	35	35	35	35	35	35	35	35	
Engine compartment light. State candle power: 15	150	150	150	150	150	150	150	150	150	
Exterior entrance light activated by opening of door	28	28	28	28	28	28	28	28	28	
Exterior light check system pre-trip inspection	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Fog lamps	120	120	120	120	120	120	120	120	120	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Incandescent Backup lights, 7"	Std	Std	Std	Std	Std	Std	Std	Std	Std	
LED Backup lights, 7"	132	132	132	132	132	132	132	132	132	
LED Backup lights, state size: 5"	110	110	110	110	110	110	110	110	110	
LED Side backup lights	190	190	190	190	190	190	190	190	190	
LED Backup light mounted behind rear axle, high intensity	220	220	220	220	220	220	220	220	220	
LED Brake lights, state size:	23	23	23	23	23	23	23	23	23	
LED Exterior Entrance Door Light	38	38	38	38	38	38	38	38	38	
LED Marker/Clearance lights	Std	Std	Std	Std	Std	Std	Std	Std	Std	
LED package (state package components):	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
LED Stepwell Light	60	60	60	60	60	60	60	60	60	
LED Tail lights, state size: 4"	22	22	22	22	22	22	22	22	22	
LED Turn signal, front 7"	23	23	23	23	23	23	23	23	23	
LED Turn signal, rear, state size:	22	22	22	22	22	22	22	22	22	
LED Turn signal, side mounted, front	27	27	27	27	27	27	27	27	27	
LED Turn signal, side mounted, front and rear	87	87	87	87	87	87	87	87	87	
LED Warning lights	400	400	400	400	400	400	400	400	400	
LED Warning lights, strobing	410	410	410	410	410	410	410	410	410	
LED Warning lights, Soundoff	400	400	400	400	400	400	400	400	400	
Lighted School Bus sign front and rear	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Recessed Exterior Lighting for water prevention damage	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Strobe light high profile	1	1	1	1	1	1	1	1	1	
Strobe light low profile inside power supply. State brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Strobe light low profile outside power supply	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Tree guard on strobe lamp assembly	30	30	30	30	30	30	30	30	30	
Warning light sun visors	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Weldon supplemental warning lights above bumpers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
4"LED stop and tail lights w/license plate light	22	22	22	22	22	22	22	22	22	
New Ohio Approved Option Red/Amber Supplemental Warning Lights on Grill Mount	850	850	850	850	850	850	850	850	850	
New Ohio Approved Option Red/Amber Supplemental Warning Lights on Bumper Level Mount	851	851	851	851	851	851	851	851	851	
Supplemental Warning Lights	Line 405/406	Line 405/406	Line 405/406	Line 405/406	Line 405/406	Line 405/406	Line 405/406	Line 405/406	Line 405/406	
Other:										
LIGHTS, INTERIOR/SWITCHES										
A/C system silent switch	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	
Additional dome light over driver's seat with separate switch	Std	Std	Std	Std	Std	Std	Std	Std	Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Dome lamps shall be separately switched with three total switches: one for the driver's dome; one for the front half of the dome lights; and one for the rear half of the dome lights.	60	60	60	60	60	60	60	60	60	
Dome lights two rows	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Dome lights, LED	300	300	300	300	300	300	300	300	300	
Dome Lights: Minimum of 10 total dome lights in the passenger compartment	35	35	35	35	35	35	35	35	35	
Door switch / Ambers on steering wheel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Door switch on left panel (not on steering wheel)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Warning light switch on left panel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Install 6 chrome work lights - wall mounted under chair rail, Install switch in driver panel. 6 lights min.	300	300	300	300	300	300	300	300	300	
Lamp monitor 16 lamp	143	143	143	143	143	143	143	143	143	
Lamp monitor 8 lamp	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
LED capable Monitor. State Brand: Doran	143	143	143	143	143	143	143	143	143	
LED Red lights mounted in ceiling at all emergency windows and exits, controlled by headlight switch	165	165	165	165	165	165	165	165	165	
Luggage compartment lights, switch controlled at driver compartment	180	180	180	180	180	180	180	180	180	
Red lights mounted in ceiling at all emergency windows and exits, controlled by headlight switch	165	165	165	165	165	165	165	165	165	
Warning lamp system, 8 way flashing, Weldon	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Warning light switch on left panel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
MANUALS/SOFTWARE										
ABS software	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Engine software	800	800	800	800	800	800	800	800	800	
Transmission software	850	850	850	850	850	850	850	850	850	
All Parts/Service manuals in bound paper format	65	65	65	65	65	65	65	65	65	
All Parts/Service manuals in CD format	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Diamond Logic Builder Software, license, updates and annual renewal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Laptop computer with all necessary licensing, hardware and software to properly diagnose engines, transmissions, ABS and all related electronic components. The computer should contain enough memory and storage capacity to run all programs including parts catalogs and maintenance and repair programs specific to the vehicles quoted. Eight (8) hours of training on this computer for the mechanics. One thousand dollars (\$1,000.00) will be held back from payment until completion of mechanic's training.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Nexiq Adapter: USB port connection	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
MIRRORS, INTERIOR										
Mounted over rear emergency door, 10"x16" minimum	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Mounted over rear emergency door, 12"x18" minimum	85	85	85	85	85	85	85	85	85	
Mounted over rear emergency door, 18"x24" minimum	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Prizm mirror mounted inside on rear door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Front 6" x 30" non-glare in lieu of standard	5	5	5	5	5	5	5	5	5	
Front 8" x 30" in lieu of standard	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Front, 10"x30" in lieu of standard	18	18	18	18	18	18	18	18	18	
Front, 10"x30" non-glare in lieu of standard	22	22	22	22	22	22	22	22	22	
Sun visor 6x30	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Right-side sun visor, minimum six inches by sixteen inches in size.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Backup camera integrated into 6x30 rear view mirror	494	494	494	494	494	494	494	494	494	
Backup camera integrated into 10x30 rear view mirror	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
MIRRORS, EXTERIOR										
All exterior stainless steel mirror brackets with bright finish.	55	55	55	55	55	55	55	55	55	
Double nickel mirrors	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Extended passenger side mirror brackets for double nickel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Mirrorlight mirror	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Mirrorlight remote control mirror	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Mirrorlite Crossview	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Rosco Crossview mirror	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Rosco heated mirrors	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Rosco heated remote control mirrors	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Rosco ES mirror heads	30	30	30	30	30	30	30	30	30	
Self-canceling mirror defrost switch	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Other:										
PUBLIC ADDRESS/RADIOS/GPS										
Additional speakers inside – 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Additional speakers inside – 4	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Additional speakers inside – 6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Additional speakers inside – 8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
AM/FM/CD Radio with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
AM/FM/CD/PA Radio with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
AM/FM/CD/USB/MP3 with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
AM/FM/CD/USB/MP3/PA with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
AM/FM/PA Radio with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
AM/FM/USB/MP3 with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
AM/FM/USB/MP3/PA with four speakers	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Outside speaker	30	30	30	30	30	30	30	30	30	
Outside speaker mounted under hood	30	30	30	30	30	30	30	30	30	
Public address system only. List # of speakers:	-120	-120	-120	-120	-120	-120	-120	-120	-120	
Two-way radio, Motorola CDM750 or equal, with lockable mount and antennae (not mounted in bus)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
GPS System. State Brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
WiFi assist. State brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Two-Way Radio Pre-Wired for Unit and Antennae on Roof	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
GPS wiring Harness ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
RADIATOR										
Air Controlled Automatic radiator shutters	600	600	600	600	600	600	N/A	N/A	N/A	
Electric fan clutch	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Fan drive hyd pump and motor with fixed speed and residual torque for disengaging fan speed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Metal bolted tanks	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Viscous controlled fan	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Winterfront	80	80	80	80	80	80	N/A	N/A	N/A	
Other:										
REFLECTIVE MARKINGS / LETTERING										
"Stay Back 10 Feet" in four inch white-silver material may be applied and centered to the front and rear bumpers. Letters shall be italicized and be of the Helvetica type style and Rear bumper may be marked diagonally forty-five degrees with two inch wide strips of yellow grade five material two inches apart. Must be ordered with "School Bus" lettering above.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
6-1/2" stripe at beltline for school district I.D.	220	220	220	220	220	220	220	220	220	
Rear bumper diagonally marked forty-five degrees with two inch wide strips of yellow grade five material two inches apart	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Reflective tape complete package	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
RUSTPROOFING/RUST PROTECTION										
Rustproofing to be a commercial grade. Spray aerosol can type rustproofing not acceptable	Line 529	Line 529	Line 529	Line 529	Line 529	Line 529	Line 529	Line 529	Line 529	
List your additional rust prevention package above factory installed.										
Name product:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Asphalt-based undercoating	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Wax-based undercoating	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Corrosion protection underbody: List product: Ziebart	750	750	750	750	750	750	750	750	750	
Bumpers rust protection. List product: Blue Bird Armor	280	280	280	280	280	280	280	280	280	
Fuel Tank rust protection. List product: T-Wax	160	160	160	160	160	160	160	160	160	
Exterior Body rust protection. List product:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Stepwell rust protection. List product: Stainless steel	425	425	425	425	425	425	425	425	425	
Paint adhesion and rust protection - 5 years, unlimited miles	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Interior of all panels, where insulation is located, shall be rustproofed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Undercoating. List product:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
No Rust One Piece Stepwell	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
No Rust Battery Box	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
SEAT BELTS/SEATS/FOAM										
25" knee clearance	Std	Std	Std	Std	Std	Std	Std	Std	Std	
39" Right front seat	Std	Std	Std	Std	Std	Std	Std	Std	Std	
30" Right front seat	100	100	100	100	100	100	100	100	100	
Seat, 39" Interchangeable seat backs, (specialized school bus seats that can be converted from standard seats to three point seat belts or to Integrated Child Restraint Seats (ICS) without removing the seats from the bus and modifying the bus floor for needed reinforcements by replacing the complete backs. Seat frames shall meet applicable FMVSS requirements and seat frames shall be capable for installation of type 2 belts and ICS restraint seating) list make: Nextgen FIRST TWO ROWS	135	135	135	135	270	270	135	135	135	
Cost for one seat three seat belts installed color coded	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost for one seat two seat belts installed color coded	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost per seat to make seat belt ready	Line 548	Line 548	Line 548	Line 548	Line 548	Line 548	Line 548	Line 548	Line 548	
Cost to make all seats, seat belt ready	1080	1215	1485	1620	1755	1890	1580	1755	1890	
Districts: Specify if last seat is "full" or "half" for 71 and 77 passengers	Full Std	Full Std	Full Std	Full Std	Full Std	Full Std	Full Std	Full Std	Full Std	
Number or letter seats above windows	60	60	60	60	60	60	60	60	60	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Padded Interior side rails	156	156	156	156	156	156	156	156	156	
Seat color Brown	1	1	1	1	1	1	1	1	1	
Seat color Dark Blue	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Seat color Gray	1	1	1	1	1	1	1	1	1	
Seat color Green	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Seat color Maroon	1	1	1	1	1	1	1	1	1	
Seat color Medium Blue	1	1	1	1	1	1	1	1	1	
Seats 1/2" plywood seat bottoms	138	138	138	138	138	138	138	138	138	
Seats 3/8" plywood seat bottoms	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Seats passenger Kevlar upholstery	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Seats staggered (not placed directly across each other)	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Triad seat foam	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Interchangeable seat backs, IMMI/BTI seats	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
Three point seat belts price per row	710	710	710	710	710	710	710	710	710	
SEAT, DRIVER'S										
Adjustable pedals, factory installed	785	785	785	785	785	785	785	785	785	
Tilt steering	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Tilt/Telescopic steering	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Pedestal seat non-heated vinyl National	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Pedestal seat non-heated vinyl Bostrom	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
AIR RIDE NON HEATED SEAT VINYL BOSTROM	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Air ride seat heated cloth National	300	300	300	300	300	300	300	300	300	
Air ride seat non-heated cloth National	170	170	170	170	170	170	170	170	170	
Air ride seat heated cloth Bostrom	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Air ride seat non-heated cloth Bostrom	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Driver's seat armrests option. List price per side:	25	25	25	25	25	25	25	25	25	
Fabric driver's seat, non-flammable	22	22	22	22	22	22	22	22	22	
Driver's adjustable shoulder harness	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Driver's high visibility orange safety adjustable shoulder harness	1	1	1	1	1	1	1	1	1	
Front barrier cover with multiple pouches. State # of pouches: Five	65	65	65	65	65	65	65	65	65	
Front barrier cover with a single pouch	8	8	8	8	8	8	8	8	8	
Standard heated air suspension	275	275	275	275	275	275	275	275	275	
Standard heated hydraulic suspension	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Other:										
SIDE RAILS/PANELS										
16 gauge smooth exterior panels	500	500	500	500	500	500	500	500	500	
Full length and acoustical headliner	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Black snow rail	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Rub rail above rear bumper	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Rub rails painted black full width	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Seal top of all rub rails	115	115	115	115	115	115	115	115	115	
Third rub rail. Shall be painted black or yellow.	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Rubber fender extensions rear, only	107	107	107	107	107	107	107	107	107	
Window line rubrail to extend around rear of bus	32	32	32	32	32	32	32	32	32	
20 gauge fluted side panels	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
Rubber fender extensions rear and front	206	206	206	206	206	206	206	206	206	
20 gauge smooth exterior panels	Std	Std	Std	Std	Std	Std	Std	Std	Std	
SILICONE RADIATOR/HEATER HOSES										
Constant torque hose clamps	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Heater hoses, silicone	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Premium Rubber Hoses Unsealed in Lieu of Silicone Hoses	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Radiator hoses, silicone	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Other:										
STOP ARM/CROSSING ARM										
Air operated Stop Arm with LED lamps	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Air operated Stop Arm with LED strobe lamps	165	165	165	165	165	165	165	165	165	
Air operated Stop Arm with Standard lamps	65	65	65	65	65	65	65	65	65	
Air operated Stop Arm, Dual Signs	250	250	250	250	250	250	250	250	250	
Air operated Stop Arm, Dual Signs, LED Strobing	400	400	400	400	400	400	400	400	400	
Electric Stop Arm with LED lamps	75	75	75	75	75	75	75	75	75	
Electric Stop Arm with LED lamps, Transpec	210	210	210	210	210	210	210	210	210	
Electric Stop Arm with LED strobe lamps	105	105	105	105	105	105	105	105	105	
Electric Stop Arm with Standard lamps	1	1	1	1	1	1	1	1	1	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Electric Stop Arm, Dual Signs	395	395	395	395	395	395	395	395	395	
Electric Stop Arm, Dual Signs, LED Strobing	440	440	440	440	440	440	440	440	440	
Latch/magnet for crossing arm/gate	60	60	60	60	60	60	60	60	60	
Solid Fiberglass Air Crossing Gate Mounted on Front Bumper. State Brand: Safe Fleet	310	310	310	310	310	310	310	310	310	
Solid Fiberglass Electric Crossing Gate Mounted on Front Bumper. State Brand: Safe Fleet	345	345	345	345	345	345	345	345	345	
Other:										
STORAGE COMPARTMENTS, INTERIOR										
Dash mounted glove box with door and lock	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Glove box, bulkhead without lock	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Storage compartment without lock next to driver	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Storage box with lock above driver's window	93	93	93	93	93	93	93	93	93	
Storage box without lock above driver's window	94	94	94	94	94	94	94	94	94	
Safety equipment compartment, above windshield	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Flares behind driver's seat	20	20	20	20	20	20	20	20	20	
Over windshield with a flush mounted camera box	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
STORAGE COMPARTMENTS, EXTERIOR										
Door assist cylinder, price per door	76	76	76	76	76	76	76	76	76	
Door locks per door	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	
Double left side. List size: 20.7 CF/28.4 CF	N/A	N/A	828	828	880	880	880	880	880	
Double right side. List size: 20.7 CF/28.4 CF	N/A	N/A	829	829	881	881	881	881	881	
Single left side. List size: 16 CF	N/A	N/A	560	560	560	560	560	560	560	
Single right side. List size: 16 CF	N/A	N/A	561	561	561	561	561	561	561	
Double Non metal compartment. List size:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Pass-through compartment, four doors	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4200	4200	
Other:										
STUDENT DETECTION SYSTEM										
Child Reminder System. State brand: Doran	99	99	99	99	99	99	99	99	99	
Child Reminder System unloading delay option. State brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
WARRANTIES, EXTENDED WARRANTIES										
See Warranties Page, Appendix F, for pricing										
WHEELS, RIMS, TIRES										
See Tires page, Appendix E, for pricing										
WINDOWS/WINDSHIELD										
Cost of two additional emergency windows (total of 4 emergency windows on bus)	92	92	92	92	Std	Std	Std	Std	Std	
Thermopane price per window. List which pieces are thermopane: side sash, driver window, doors, ect)	150	150	150	150	150	150	150	150	150	
Tinted Driver's Window. List tint: 70	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Tinted Entrance Door. List tint: 70	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Tinted Rear Window. List tint: 28	62	62	62	62	62	62	62	62	62	
Tinted side windows. List tint: 28	1	1	1	1	1	1	1	1	1	
Powdercoated Black Window Frames	130	130	130	130	130	130	130	130	130	
One gallon washer fluid reservoir	Std	Std	Std	Std	Std	Std	Std	Std	Std	
One and one-half Gallon Washer fluid reservoir	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Six quart washer fluid reservoir	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Raised passenger window line	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Windshield four piece flat	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Windshield one piece	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Windshield three piece	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Windshield two piece curved	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Heated windshield wipers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Heated washer fluid units	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
WIRING										
NOTE TO DISTRICTS: You may want to consider pre-wiring for future installs										
As-Built Wiring Schematics	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Color-coded numbered wiring	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Multiplex wiring package. State wires included:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Pre-Wire for 2-way radio. State harness location:	35	35	35	35	35	35	35	35	35	
Wireless access points for Wi-Fi capability	315	315	315	315	315	315	315	315	315	
Wiring for camera, only. State harness location:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Wiring harness for GPS system, without GPS system. State harness location:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
OTHER OPTIONS										
Air horns	107	107	107	107	107	107	107	107	107	
Air horns, foot control	190	190	190	190	190	190	190	190	190	
All keys alike	7	7	7	7	7	7	7	7	7	
Chrome radiator grill	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Composite trash can compartment	45	45	45	45	45	45	45	45	45	
Cup holder	40	40	40	40	40	40	40	40	40	
Exhaust exit left-hand side ahead of rear wheels	45	45	45	45	45	45	N/A	N/A	N/A	
Exhaust exit under rear bumper, turned down	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Exhaust exit left-hand side ahead of rear wheels, stainless steel	65	65	65	65	65	65	N/A	N/A	N/A	
Exhaust exit under rear bumper, turned down, stainless steel	240	240	240	240	240	240	N/A	N/A	N/A	
Extra insulation firewall and roof bows	Std	Std	Std	Std	Std	Std	Std	Std	Std	
LH arm rest on switch panel	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Mudflap, Full width at rear bumper in addition to standard flaps	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Mudflap, Full width to be mounted at rear bumper	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Mudflap, Full width at rear axle single flap	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Mudflaps, additional mudflaps to be mounted in front of rear wheels	30	30	30	30	30	30	30	30	30	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Mudflaps, front (pair)	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Pre-heater box to be located adjacent to battery box	464	464	464	464	464	464	464	464	464	
Second set of logos decals, rear mounted	85	85	85	85	85	85	85	85	85	
Tire Chains	1800	1800	1800	1800	1800	1800	2000	2000	2000	
Mobileye collision avoidance	765	765	765	765	765	765	765	765	765	
Mobileye 360 Perimeter view camera system	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Tire Pressure monitoring system	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Smarttrac electronic stability control	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Certificate holder	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Clipboard holder	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
HANDICAPPED BODY OPTIONS										
DISTRICTS - YOU ARE TO SUBMIT a Floor Plan as to the seating and the placement of wheelchairs. Note location of Heater Boxes and Wheel Wells if the bus is not equipped with a flat floor. Show plan for amount of forward-Facing Wheelchairs, with an approximate capacity of remaining ambulatory students allowable for each size vehicle. Wheelchair lift location specified by the District. DISTRICTS MUST CONFIRM WITH VENDOR THEIR DESIGN SPECIFICATIONS PRIOR TO ORDERING BUS.										
VENDORS - FLOOR TRACK MUST BE "THROUGH BOLTED" WITH GRADE #5 BOLTS OR BETTER WITH REINFORCING OR WASHERS ON UNDERSIDE OF FLOOR PAN. SCREW TYPE FASTENERS NOT ACCEPTABLE.										
Lift Price should include a rear mounted lift with a 34" platform, lift door, lighting, interlocks and holddown for one position located across from the lift. ADA compliant lifts only.										
Braun Lift. State model: L919FIB-2	6000	6000	6000	6000	6000	6000	N/A	N/A	N/A	
Braun Lift 1000lb capacity. State model: FIB3451-2	6200	6200	6200	6200	6200	6200	N/A	N/A	N/A	
Ricon Lift. State model:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Ricon Lift 1000lb capacity. State model: RIS5510	6400	6400	6400	6400	6400	6400	N/A	N/A	N/A	
Price difference for a front mounted lift	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Flat floor (includes low profile tires and rear air suspension Contact vendor for specifics.)	1300	1300	1300	1300	1600	1600	N/A	N/A	N/A	
Recessed floor track L-track for track seating <u>per wheelchair position</u>	600	600	600	600	600	600	N/A	N/A	N/A	
Recessed floor track L-track full length both sides and shoulder harness track above windows	4000	4000	5376	5376	5800	6216	N/A	N/A	N/A	
Recessed floor track covers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Stainless steel fasteners to secure track to floor	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Sealed plywood floor track grooves prior to installation of floor track	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
S.T.A.R.S. Floor mount hardware per wheel chair position	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
30" Track mounted seat - Each	25	25	25	25	25	25	N/A	N/A	N/A	
36" Track mounted seat - Each	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
39" Track mounted seat - Each	25	25	25	25	25	25	N/A	N/A	N/A	
4"x4" H/C decal on L/Front body and 8"x8" H/C decal on R/Rear with white backing	30	30	30	30	30	30	N/A	N/A	N/A	
Additional interior light and switch at lift area for lift door and light	Std	Std	Std	Std	Std	Std	N/A	N/A	N/A	
Interior ceiling lamp over lift area	Std	Std	Std	Std	Std	Std	N/A	N/A	N/A	
Interior ceiling lamp over lift area comes on automatically when door opens	1	1	1	1	1	1	N/A	N/A	N/A	
One work light per wheelchair securement area, wall-mounted under chair rail, under seats	100	100	100	100	100	100	N/A	N/A	N/A	
Exterior lamp mounted above lift door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
WHEELCHAIR RESTRAINT COST PER CHAIR										
Q-Straint QRT Max	300	300	300	300	300	300	N/A	N/A	N/A	
Q-Straint QRT Deluxe	310	310	310	310	310	310	N/A	N/A	N/A	
Q-Straint QRT 360	570	570	570	570	570	570	N/A	N/A	N/A	
Q-Straint Slide N Click	500	500	500	500	500	500	N/A	N/A	N/A	
Q-Straint. State model:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Sure-Lok FE517-4	200	200	200	200	200	200	N/A	N/A	N/A	
Sure-Lok FF612S-4C-7	380	380	380	380	380	380	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Sure-Lok AL712S-4C-7	370	370	370	370	370	370	N/A	N/A	N/A	
Sure-Lok. State model	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Quick Straps, One pair (2)	25	25	25	25	25	25	N/A	N/A	N/A	
Restraint storage pouch	15	15	15	15	15	15	N/A	N/A	N/A	
Shoulder restraint retractable	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
C.E. WHITE SEATS										
Cost of barrier for placing CR-30 in a first row seat	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of barrier for placing CR-39 in a first row seat	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-30 seat, not installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-30 seat with seat belts, not installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-30 seat, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-30 seat with seat belts, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-39 seat, not installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-39 seat with seat belts, not installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-39 seat, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-39 seat with seat belts, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-30 seat cover	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-30 seat foam	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-39 seat cover	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-39 seat foam	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-30 seat installed, seat belt ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Cost of CR-39 seat installed, seat belt ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other:										
CE White CR 39 Seat, price per seat	600	600	600	600	600	600	600	600	600	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
NEW: APPROVED OPTION LIST FOR OHIO SCHOOL BUS										
Fire suppression system: must be installed per the manufacturer's recommendations. Installation shall not interfere with the driver's ability to operate any OEM controls and shall be completely isolated from the vehicle's electrical system by means of a fuse or breaker. The suppressant delivery points may be installed in the engine compartment, battery box, and undercarriage of the vehicle. Mounting of the system shall be outside of the passenger compartment and have no effect on the vehicles structure to include welding or drilling into the main frame. The cylinder and gauges shall be contained in a metal protective box and marked on three sides in 2 inch red letters "Fire Suppression" on a white background. The system shall be isolated to prevent accidental discharge of the suppression contents. A monitor to show the status of the unit may be installed in the driver's area in such a way as to not interfere with the safe operation of the bus.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
NON-SCHOOL BUS OPTIONS										
Bus is built same as school bus but will not have 8-way light system, swing-out stop sign and will not be painted yellow. All lettering as required by State law for school buses will be omitted.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Insulation all sides, roof shafts, front and rear panels and all roof bows	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Auxillary port in dash for cell phone	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Window sash all black. Exterior and between windows shall be painted black	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Front interior A/C blower in front bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Rear interior A/C blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
A/C roof-mounted condenser; 120,000 BTUs or greater	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
COLOR OPTIONS										
Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
REFLECTIVE TAPE										
Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Transit

Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
Other:										
ANY OTHER ADDITIONAL OPTIONS (list below)										
Railroad silent switch	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Panel located in floor to access fuel sending unit	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Spare wheel and tire mounted and shipped loose in bus	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Backup camera	Line 432	Line 432	Line 432	Line 432	Line 432	Line 432	Line 432	Line 432	Line 432	
Rear reflective stripe decal on body (new version)	850	850	850	850	850	850	850	850	850	
Undercarriage safety student lighting	825	825	825	825	825	825	825	825	825	
Guardian Angel crossing light	440	440	440	440	440	440	440	440	440	
CUMMINS 10 YEAR WARRANTY					700	700				
Note: Not all options are available together and the selection of one option may require another option. When conflicts arise the school will be contacted on how they would like to proceed before we accept the order.										
Axle size options are for the axle only other components will affect the actual axle rating as listed on the tag such as suspension, tires, brakes, and transmission.										
In keeping with its policy of continual product improvement, Blue Bird reserves the right to change specifications without notice and without incurring obligations.										
Units meet all Federal and State schools bus specifications.										
98,194.00 x 2 =196,388					98,194.00 x 2					