

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix B
Conventional

Bid price as specified without options as per Federal and State of Ohio Department of Education minimum school bus specifications under 4501-5 (inclusive) ORC. All bids will comply with the current safety regulations of the Department of Education adopted by and with the advice and consent of the director of public safety pursuant to section 4511.76 of the Revised Code and all other pertinent provisions of law. The body/chassis supplier shall provide and attach a complete body/chassis specification sheet itemizing- including manufacturer brand names of the State of Ohio Department of Education minimum school bus body/chassis that will be supplied at this base bid. Must meet or exceed FMVSS/CMVSS standards.

By signing this specification, you guarantee that the equipment being bid meets all state specifications

Cardinal Bus Sales & Service, Inc.

Anthony E Rumer

419-225-5552

Vendor Name

Contact Person

Phone Number

****Vendor List base price**
(Includes freight)**

Bus Size (Conventional)	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
Bus Make	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	
Bus Model	BBCV 1910	BBCV 2311	BBCV 2610	BBCV 3011	BBCV 3303	BBCV 3507	BBCV 3507	
Base Bid Price	84486	86947	88169	89444	90366	92026	94209	
Non-discount Base List Price (to determine bid savings)	84486	86947	88169	89444	90366	92026	94209	
Maximum Vehicle Length Bumper to Bumper (inches)	307	356	394	443	471	502	502	
Maximum Vehicle Width Including Mirrors (inches)	116	116	116	116	116	116	116	
Maximum Vehicle Width Excluding Mirrors (inches)	96	96	96	96	96	96	96	
GVWR	27000	29000	29000	29000	31000	33000	33000	
Maximum Vehicle Height Overall at GVWR Including Hatch (inches)	124	124	124	124	124	124	124	
Maximum Height of First Step (inches)	16	16	16	16	16	16	16	
Wheelbase (inches)	169	193	217	252	273	280	280	
Delivery Days	180	180	180	180	180	180	180	
Special discounts	None	None	None	None	None	None	None	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

Bus Size (Conventional)		35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
Important Notice: On all items below vendor must mark standard (Std), list additional price to base, list duplicated or mark N/A.									
BUS SIZE (CONVENTIONAL)		35	47	54	65	71/72	77/78	83	Price if Same for All Sizes
1	ENGINES AND TRANSMISSIONS AVAILABLE								
2	Cummins B6.7 200HP 520 lb-ft torque/Allison 2500PTS SCR	Std	Std	Std	Std	Std	Std	Std	
3	Cummins B6.7 200HP 520 lb-ft torque/Allison 2550PTS SCR	517	517	517	517	517	517	517	
4	Cummins B6.7 220HP 520 lb-ft torque/Allison 2500PTS SCR	590	590	590	590	590	590	590	
5	Cummins B6.7 220HP 520 lb-ft torque/Allison 2550PTS SCR	1107	1107	1107	1107	1107	1107	1107	
6	Cummins B6.7 220HP 600 lb-ft torque/Allison 2500PTS SCR	1110	1110	1110	1110	1110	1110	1110	
7	Cummins B6.7 220HP 600 lb-ft torque/Allison 2550PTS SCR	1627	1627	1627	1627	1627	1627	1627	
8	Cummins B6.7 220HP 600 lb-ft torque/Eaton Procision SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
9	Cummins B6.7 240HP 560 lb-ft torque/Allison 2500PTS SCR	1120	1120	1120	1120	1120	1120	1120	
10	Cummins B6.7 240HP 560 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
11	Cummins B6.7 240HP 660 lb-ft torque/Allison 2500PTS SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
12	Cummins B6.7 240HP 660 lb-ft torque/Eaton Procision SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
13	Cummins B6.7 250HP 660 lb-ft torque/Allison 2500PTS SCR	2547	2547	2547	2547	2547	2547	2547	
14	Cummins B6.7 250HP 660 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	7317	7317	7317	7317	7317	
15	Cummins B6.7 260HP 660 lb-ft torque/Allison 2500PTS SCR	2983	2983	2983	2983	2983	2983	2983	
16	Cummins B6.7 260HP 660 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	7753	7753	7753	7753	7753	
17	Detroit DD5 5.1L 4cyl 200HP 560 lb/ft torque Allison 2500PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
18	Detroit DD5 5.1L 4cyl 220HP 560 lb/ft torque Allison 2500PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
19	Detroit DD5 5.1L 4cyl 240HP 660 lb/ft torque Allison 2500PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
20	Detroit DD5 5.1L 4cyl 240HP 660 lb/ft torque Allison 3000PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
21	Virtual technician-Detriot connect access 5 years	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
22	Cummins ISB6.7 G, CNG engine.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

								Price if Same for All Sizes
Bus Size (Conventional)	35	47	54	65/66	71/72	77/78	83/84	
23 Ford 7.3 liter, gasoline, automatic transmission	N/A	-1300	-1300	-1300	-1300	-1300	-1300	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	Bus Size (Conventional)	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
24	Ford 7.3 liter, propane, automatic transmission, LPG autogas	8600	8600	8600	8600	8600	8600	8600	
25	IC Gas PSI 8.8 Liter, 265HP Gasoline with Automatic Transmission	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
26	IC/PSI 8.8 liter, 270HP propane, with Automatic Transmission GAS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
27	Antifreeze, Extended Life	103	103	103	103	103	103	103	
28	Water filter extended life	125	125	125	125	125	125	125	
29	Exhaust Brake	65	65	65	65	65	65	65	
30	Heated fuel water separator	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	
31	Heated fuel water separator remote mounted	46	46	46	46	46	46	46	
32	Overcrank starter	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	
33	Quick warm up option	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	
34	Transmission push button quadrant for Allison 3000 PTS	3000 PTS Std	3000 PTS Std	3000 PTS Std	3000 PTS Std	3000 PTS Std	3000 PTS Std	3000 PTS Std	
35	Transynd transmission fluid	Allison STD	Allison STD	Allison STD	Allison STD	Allison STD	Allison STD	Allison STD	
36	Speed Retarder System	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
37	Factory set governed speed at 70 mph. (for interstate travel)	1	1	1	1	1	1	1	
38	Other:								
39									
40									
41									
42	AIR DRYER								
43	Bendix AD-IP	Std	Std	Std	Std	Std	Std	Std	
44	Bendix AD-9	218	218	218	218	218	218	218	
45	Bendix DV-2	148	148	148	148	148	148	148	
46	Moisture ejector auto	107	107	107	107	107	107	107	
47	Moisture ejector manual (pull chain)	100	100	100	100	100	100	100	
48	Mount air dryer outside of frame rail	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
49	Moisture ejector auto, all tanks	220	220	220	220	220	220	220	
50	Other:								
51									
52									

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
Bus Size (Conventional)								
53								
54 ALTERNATOR/COMPRESSOR								
55 Larger alternator 185 amps Leece Neville	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
56 Larger alternator 200 amps Leece Neville	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
57 Larger alternator 210 amps Leece Neville	-100	-100	-100	-100	-100	-100	-100	
58 Larger alternator 240 amps Leece Neville	Std	Std	Std	Std	Std	Std	Std	
59 Larger alternator 270 amps Leece Neville	360	360	360	360	360	360	360	
60 Larger alternator 320 amps Leece Neville	420	420	420	420	420	420	420	
61 Larger alternator 325 amps Leece Neville	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
62 Delco Remy 200 AMP Alternator with 2 year warranty	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
63 Circuit breakers where available	Std	Std	Std	Std	Std	Std	Std	
64 Larger air compressor 18.0 cfm	Diesel STD	Diesel STD	Diesel STD	Diesel STD	Diesel STD	Diesel STD	Diesel STD	
65 Minimum 3 separate reservoirs 3600 cu. in. min.	Std	Std	Std	Std	Std	Std	Std	
66 Larger alternator 200 amps Bosch	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
67 Other:								
68								
69								
70 AXLES/BRAKES/SUSPENSION								
71 30-30 Long stroke chamber and heavy duty spring brake	Std	Std	Std	Std	Std	Std	Std	
72 ABS with Traction Control	Std	Std	Std	Std	Std	Std	Std	
73 Air Brakes - front. 15 X 4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
74 Air Brakes - front. 15 X 5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
75 Air Brakes - front. 16.5x4	Std	Std	Std	Std	Std	Std	Std	
76 Air Brakes - front. 16.5x5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
77 Air Brakes - rear. 16.5x7	Std	Std	Std	Std	Std	Std	Std	
78 Brake drums mounted outboard only	Std	Std	Std	Std	Std	Std	Std	
79 Air Disc Brakes	1648	1643	1643	1643	1643	1643	1643	
80 Hydraulic Brakes. State size:	200	200	200	200	200	200	-200	
81 Platinum Shield Shoe Lining, Protects Against Rust Jacking	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
82 Automatic slack adjusters, Haldex	303	303	303	303	303	303	303	
83 Automatic slack adjusters, Meritor	Std	Std	Std	Std	Std	Std	Std	
84 Automatic slack adjusters, Gunnite	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
85 Differential lock or positraction	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
86 Dust shields, front and rear	Std	Std	Std	Std	Std	Std	Std	
87 E-Z Grip parking brake cover	Std	Std	Std	Std	Std	Std	Std	
88 Front heavy duty shocks	Std	Std	Std	Std	Std	Std	Std	
89 Rear heavy duty shocks	Std	Std	Std	Std	Std	Std	Std	
90 Interlock Brake System. State Brand:	950	950	950	950	950	950	950	
91 Leveling Valve - front single	Std	Std	Std	Std	Std	Std	Std	
92 Leveling Valve - rear single	Std	Std	Std	Std	Std	Std	Std	
93 Oil lubricated wheelbearings front	Std	Std	Std	Std	Std	Std	Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	Bus Size (Conventional)	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
94	Stemco seals front	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
95	Stemco seals rear	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
96	Synthetic HUD ILO oil	165	165	165	165	165	165	165	
97	Front axle 10,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
98	Front axle 12,000 LBS	Std	Std	Std	Std	Std	Std	Std	
99	Rear axle 17,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
100	Rear axle 19,800 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
101	Rear axle 20,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
102	Rear axle 21,000 LBS	Std	Std	Std	Std	Std	Std	Std	
103	Rear axle 23,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
104	Front air suspension 10,000 LBS	675	675	675	675	675	675	675	
105	Front spring suspension 8,500 LBS	-80	-80	-80	-80	-80	-80	-80	
106	Front spring suspension 10,000 LBS	Std	Std	Std	Std	Std	Std	Std	
107	Rear Air Suspension 21,000 LBS	Std	Std	Std	Std	Std	N/A	N/A	
108	Rear Air Suspension 23,000 LBS	N/A	N/A	N/A	N/A	N/A	Std	Std	
109	Rear Spring Suspension 17,000 LBS	-1000	-1000	-1000	N/A	N/A	N/A	N/A	
110	Rear Spring Suspension 19,000 LBS	N/A	-900	-900	-1000	N/A	N/A	N/A	
111	Rear Spring Suspension 21,000 LBS	N/A	N/A	N/A	-870	-1000	N/A	N/A	
112	Rear Spring Suspension 23,000 LBS	N/A	N/A	N/A	N/A	-870	-1125	-1125	
113	Must have Grease Zirks in U-joints on Driveshaft, must be Greaseable	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
114	Other:								
115									
116									
117									
118									
119									
120									
121									

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
122								
123								
124								
125								
126								
127								
128								
129								
130								
131								
132								
133								
134								
135								
136								
137								
138								
139								
140								
141								
142								
143								
144								
145								
146								
147								
148								
149								
150								
151								
152								
153								

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
Bus Size (Conventional)								
154 BODY STRUCTURE/PAINT								
155 Body Tie Downs: "Texas U-Bolt"	40	40	40	40	40	40	40	
156 Body Tie Downs: Double bolted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
157 Drip moulding formed in roof panels over windows	Std	Std	Std	Std	Std	Std	Std	
158 Drip Moulding/Rain Deflector Full Body Length	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
159 Heavy duty front tow hooks frame mounted	Std	Std	Std	Std	Std	Std	Std	
160 Heavy duty rear tow hooks frame mounted	Std	Std	Std	Std	Std	Std	Std	
161 Grill painted silver	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
162 Paint Hood flat black	-25	-25	-25	-25	-25	-25	-25	
163 Paint Hood Yellow, low gloss	Std	Std	Std	Std	Std	Std	Std	
164 Roof-White	220	220	220	220	220	220	220	
165 Stainless steel Screws for fenders/body, ext. mirrors, cross gate & stop arm	100	100	100	100	100	100	100	
166 Other:								
167 Silver Grill bezel	Std	Std	Std	Std	Std	Std	Std	
168								
169								
170								
171								
172 CAMERAS								
173 24/7 320 GB DHD sensors and panic button installed	1720	1720	1720	1720	1720	1720	1720	
174 24/7 64 GB SDHC sensors and panic button installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
175 24/7 additional camera X 3 = 825	275	275	825	275	275	275	275	
176 24/7 GPS	125	125	125	125	125	125	125	
177 24/7 Stop arm camera	400	400	400	400	400	400	400	
178 24/7 Dome camera	275	275	275	275	275	275	275	
179 REI 500 GB DHD sensors and panic button installed	1590	1590	1590	1590	1590	1590	1590	
180 REI 320 GB DHD sensors and panic button installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
181 REI 64 GB SDHC sensors and panic button installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
182 REI additional camera	275	275	275	275	275	275	275	
183 REI Wi-Fi bridge	235	235	235	235	235	235	235	
184 REI GPS	155	155	155	155	155	155	155	
185 REI Stop arm camera	400	400	400	400	400	400	400	
186 Angel Trax video system, 7 camera (3 outside, 4 inside), Hybrid guest with VSM	4600	4600	4600	4600	4600	4600	4600	
187 Seon 1 Camera System	2200	2200	2200	2200	2200	2200	2200	
188 Seon 2 Camera System	2600	2600	2600	2600	2600	2600	2600	
189 Seon 3 Camera System	2950	2950	2950	2950	2950	2950	2950	
190 Seon 4 Camera System	3300	3300	3300	3300	3300	3300	3300	
191 REI Color digital 4 camera, infrared event marker, hard drive in lock box in driver's area	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	Bus Size (Conventional)	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
192	Other:								
193									
194									
195									
196	WINDOW/ROOF HATCH/POWER VENTILATORS								
197	Face mounted emergency window instructions decals on windows - external mounted on window	48	48	48	48	48	48	48	
198	List quantity of roof hatches included per size of unit:	One	Two	Two	Two	Two	Two	Two	
199	Roof Escape Hatch Lo Profile. List Brand: Advantage	Std	Std	Std	Std	Std	Std	Std	
200	Roof Escape Hatch Power Ventilated. List Brand: Safe Fleet	312	624	624	624	624	624	624	
201	Roof Escape Hatch standard. List Brand:	Std	Std	Std	Std	Std	Std	Std	
202	Additional roof hatch	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
203	Power Ventilator. State Brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
204	Pushout Emergency Window - horizontal hinged	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
205	Pushout Emergency Window - vertical hinged	Std	Std	Std	Std	Std	Std	Std	
206	Rear window air dam	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
207	Other:								
208									
209									
210	DOORS/LOCKS								
211	Air-operated heavy duty, outward opening entrance door, full view glass, greaseable hinges	Std	Std	Std	Std	Std	Std	Std	
212	Deluxe manual heavy duty, outward opening entrance door, full view glass, greaseable hinges	-200	-200	-200	-200	-200	-200	-200	
213	Electric heavy duty, outward opening entrance door, full view glass, greaseable hinges	290	290	290	290	290	290	290	
214	Paint Entrance Door Yellow	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
215	Vandal lock entrance door, manual lock	57	57	57	57	57	57	57	
216	Vandal lock entrance door, electric lock	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
217	Vandal Lock rear door with Interlock	174	174	174	174	174	174	174	
218	Vandal lock rear emergency window with interlock	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
219	Vandal lock lift door with interlock	40	40	40	40	40	40	40	
220	Rear door with concealed hinges (Must have Zerk Fittings)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
221	Rear door with greaseable door hinges (Must have Zerk Fittings)	Std	Std	Std	Std	Std	Std	Std	
222	Header pad mounted above rear door	Std	Std	Std	Std	Std	Std	Std	
223	Header pad mounted above entrance door	Std	Std	Std	Std	Std	Std	Std	
224	Upholstered header pad mounted above rear door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
225	Upholstered header pad mounted above entrance door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
226	Other:								
227									

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

								Price if Same for All Sizes
Bus Size (Conventional)	35	47	54	65/66	71/72	77/78	83/84	
228								
229								
230	FLOOR/STEPWELL							
231	5/8" 5-ply type CD exterior grade	76	76	76	76	76	76	
232	5/8" Marine grade plywood	152	152	152	152	152	152	
233	5/8" Treated plywood	Std	Std	Std	Std	Std	Std	
234	Aluminum floor trim (aisle, other)	Std	Std	Std	Std	Std	Std	
235	Stainless steel floor trim (aisle, other)	563	563	563	563	563	563	
236	Plastic or vinyl floor trim	N/A	N/A	N/A	N/A	N/A	N/A	
237	Floor coloring Black	Std	Std	Std	Std	Std	Std	
238	Floor coloring Brown	N/A	N/A	N/A	N/A	N/A	N/A	
239	Floor coloring Gray	254	254	254	254	254	254	
240	Floor coloring Green	N/A	N/A	N/A	N/A	N/A	N/A	
241	Floor coloring Light Blue	N/A	N/A	N/A	N/A	N/A	N/A	
242	Floor coloring Tan	254	254	254	254	254	254	
243	One piece floor covering	726	726	726	726	726	726	
244	One piece floor covering - GRAY	726	726	726	726	726	726	
245	Studded texture step treads metal backed	N/A	N/A	N/A	N/A	N/A	N/A	
246	Studded texture step treads non-metal backed	272	272	272	272	272	272	
247	Insulated step well (for sound abatement)	420	420	420	420	420	420	
248	Stainless steel stepwell (State steel gauge): 16	486	486	486	486	486	486	
249	One Piece Polyethalene composite stepwell	N/A	N/A	N/A	N/A	N/A	N/A	
250	Steel preformed with Proflex	N/A	N/A	N/A	N/A	N/A	N/A	
251	Koroseal entire floor	N/A	N/A	N/A	N/A	N/A	N/A	
252	Koroseal floor trim	N/A	N/A	N/A	N/A	N/A	N/A	
253	Koroseal pebble tread	N/A	N/A	N/A	N/A	N/A	N/A	
254	Fold-out step power activated	N/A	N/A	N/A	N/A	N/A	N/A	
255	Fold-out step manually operated	N/A	N/A	N/A	N/A	N/A	N/A	
256	One Piece Floor Coloring other than Black or Gray	N/A	N/A	N/A	N/A	N/A	N/A	
257	Other:							
258	Ribbed texture step treads non-metal backed	Std	Std	Std	Std	Std	Std	
259								
260	FUEL TANKS							
261	12 Gallon DEF tank with locking door	N/A	N/A	N/A	N/A	N/A	N/A	
262	15 Gallon DEF tank with locking door	Std	Std	Std	Std	Std	Std	
263	16.5 Gallon DEF tank with locking door	N/A	N/A	N/A	N/A	N/A	N/A	
264	Between frame rail, diesel 45 gallon	Std	N/A	N/A	N/A	N/A	N/A	
265	Between frame rail, diesel 60 gallon	N/A	Std	Std	Std	Std	Std	
266	Between frame rail, diesel 100 gallon	N/A	N/A	N/A	330	330	330	
267	Between frame rail, gasoline 60 gallon	N/A	Std	Std	Std	Std	Std	
268	Between frame rail, gasoline 100 gallon	N/A	N/A	N/A	374	374	374	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

		35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
	Bus Size (Conventional)								
269	Between frame rail, propane 48 gallon	Std	N/A	N/A	N/A	N/A	N/A	N/A	
270	Between frame rail, propane 69 gallon	N/A	Std	Std	Std	Std	Std	Std	
271	Between frame rail, propane 90 gallon	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
272	Between frame rail, propane 98 gallon	N/A	N/A	N/A	N/A	1452	1452	1452	
273	Propane fuel filler nozzle, Euro-style	Std	Std	Std	Std	Std	Std	Std	
274	Propane fuel door interlock	Std	Std	Std	Std	Std	Std	Std	
275	Fuel door lock	Std	Std	Std	Std	Std	Std	Std	
276	Fuel door right side access	Std	Std	Std	Std	Std	Std	Std	
277	Tough coat fuel tank	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
278	Between frame rail, diesel 65 gallon	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
279	Between frame rail, diesel 105 gallon	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
280	Other:								
281									
282									
283									
284	GAUGES/BREAKERS/CONTROLS								
285	12 Volt accessory plug	Std	Std	Std	Std	Std	Std	Std	
286	Alarm- Backup with 107 dB(A)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
287	Alarm- Backup with 112 dB(A)	Std	Std	Std	Std	Std	Std	Std	
288	Ampere gauge to match alternator output	Std	Std	Std	Std	Std	Std	Std	
289	Engine hour meter	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	
290	Transmission oil temperature gauge	Std	Std	Std	Std	Std	Std	Std	
291	Optional Gauge Package. Please specify:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
292	Circuit breakers where available, auto reset	Std	Std	Std	Std	Std	Std	Std	
293	Circuit Breakers where available, manual reset	Std	Std	Std	Std	Std	Std	Std	
294	Clock	Std	Std	Std	Std	Std	Std	Std	
295	Cruise control	Std	Std	Std	Std	Std	Std	Std	
296	Headlight on, key off, alarm	Std	Std	Std	Std	Std	Std	Std	
297	Idle time circuit turned on	Std	Std	Std	Std	Std	Std	Std	
298	Two Spare Circuits - 14 gauge wire	16	16	16	16	16	16	16	
299	Door switch on left panel (not on steering wheel)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
300	Other:								
301									
302									
303									
304	HEATER, ADDITIONAL LARGER/AIR CONDITIONING								
305	Air conditioning – Underbody condenser, 120,000 BTU or greater	9200	9200	9200	9200	9200	9200	9200	
306	Air conditioning – Rooftop condenser, 120,000 BTU or greater	10400	10400	10400	10400	10400	10400	10400	
307	List Standard Heater BTU units cost:								
308	List Standard Right Front BTU: 50	Std	Std	Std	Std	Std	Std	Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	Bus Size (Conventional)	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
309	List Standard Left Front BTU: 90	Std	Std	Std	Std	Std	Std	Std	
310	List Standard Midship BTU: 50	272	272	272	272	272	272	272	
311	List Standard Rear BTU: 50	Std	Std	Std	Std	Std	Std	Std	
312	List Optional Heater BTU units cost:								
313	List Optional Midship BTU: 80	423	423	423	423	423	423	423	
314	List Optional Rear BTU: 80	170	170	170	170	170	170	170	
315	List Optional Right Rear Wall Mounted BTU: 40	85	85	85	85	85	85	85	
316	List Optional Right Rear Wall Mounted BTU: 80	300	300	300	300	300	300	300	
317	List Optional Left Rear Wall Mounted BTU: 80	495	495	495	495	495	495	495	
318	List Optional Left Rear Wall Mounted BTU:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
319	Radiant heating at floor line, twin copper pipe system	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
320	Additional kick guards for all passenger area heaters	150	150	150	150	150	150	150	
321	List cost if driver heater kickguard is additional:	20	20	20	20	20	20	20	
322	Heater circulating pump. State Brand: Groco	196	196	196	196	196	196	196	
323	Heater pump switch illuminated when on	Std	Std	Std	Std	Std	Std	Std	
324	Heater cut-off ball valve all shut offs	Std	Std	Std	Std	Std	Std	Std	
325	Passenger heater frame mounted, not floor mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
326	All heaters have replaceable filters	Std	Std	Std	Std	Std	Std	Std	
327	Front, interior, A/C blower in front bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
328	Front, interior, A/C blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
329	Rear AC blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
330	Other:								
331									
332									
333									
334									
335	INTERIOR COLOR								
336	Astro White	Std	Std	Std	Std	Std	Std	Std	
337	Beige	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
338	Gray	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
339	Sea Foam Green	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
340	Spring White	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
341	Other:								
342									
343									
344	INTERIOR PANELS								
345	Aluminized interior panels	Std	Std	Std	Std	Std	Std	Std	
346	Galvanized Coated Interior Panels	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
347	Lower Side Interior Panels are Embossed Steel and Clear Coated	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
348	Modesty/kick panel behind driver's seat	20	20	20	20	20	20	20	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	Bus Size (Conventional)	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
349	Other:								
350									
351									
352									
353	LIGHTS, EXTERIOR								
354	Additional side exterior directional lamps, below window and behind rear wheels	39	39	39	39	39	39	39	
355	Engine compartment light. State candle power: 15	150	150	150	150	150	150	150	
356	Exterior entrance light activated by opening of door	35	35	35	35	35	35	35	
357	Exterior light check system pre-trip inspection	Std	Std	Std	Std	Std	Std	Std	
358	Fog lamps	150	150	150	150	150	150	150	
359	Incandescent Backup lights, 7"	Std	Std	Std	Std	Std	Std	Std	
360	LED Backup lights, 7"	125	125	125	125	125	125	125	
361	LED Backup lights, state size: 4"	50	50	50	50	50	50	50	
362	LED Side backup lights	180	180	180	180	180	180	180	
363	LED Backup light mounted behind rear axle, high intensity	260	260	260	260	260	260	260	
364	LED Brake lights, state size: 7"	25	25	25	25	25	25	25	
365	LED Exterior Entrance Door Light	65	65	65	65	65	65	65	
366	LED Marker/Clearance lights	Std	Std	Std	Std	Std	Std	Std	
367	LED package (state package components):	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
368	LED Stepwell Light	65	65	65	65	65	65	65	
369	LED Tail lights, state size: 4"	35	35	35	35	35	35	35	
370	LED Turn signal, front 7"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
371	LED Turn signal, front fender mounted	55	55	55	55	55	55	55	
372	LED Turn signal, rear, state size: 7"	26	26	26	26	26	26	26	
373	LED Turn signal, side mounted, front	31	31	31	31	31	31	31	
374	LED Turn signal, side mounted, front and rear	99	99	99	99	99	99	99	
375	LED Warning lights	454	454	454	454	454	454	454	
376	LED Warning lights, strobing	455	455	455	455	455	455	455	
377	LED Warning lights, Soundoff	460	460	460	460	460	460	460	
378	Lighted School Bus sign front and rear	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
379	Recessed Exterior Lighting for water prevention damage	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
380	Strobe light high profile	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
381	Strobe light low profile inside power supply. State brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
382	Strobe light low profile outside power supply	Std	Std	Std	Std	Std	Std	Std	
383	Tree guard on strobe lamp assembly	30	30	30	30	30	30	30	
384	Turn signal front fender mounted duel faced	Std	Std	Std	Std	Std	Std	Std	
385	Warning light sun visors	Std	Std	Std	Std	Std	Std	Std	
386	Weldon supplemental warning lights above bumpers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
387	4" LED stop and tail lights w/license plate light	35	35	35	35	35	35	35	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	Bus Size (Conventional)	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
388	New Ohio Approved Option Red/Amber Supplemental Warning Lights on Grill Mount	850	850	850	850	850	850	850	
389	New Ohio Approved Option Red/Amber Supplemental Warning Lights on Bumper Level Mount	851	851	851	851	851	851	851	
390	Supplemental Warning Lights	Line418/419	Line418/419	Line418/419	Line418/419	Line418/419	Line418/419	Line418/419	
391	Other:								
392									
393									
394	LIGHTS, INTERIOR/SWITCHES								
395	A/C system silent switch	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	
396	Additional dome light over driver's seat with separate switch	Std	Std	Std	Std	Std	Std	Std	
397	Dome lamps shall be separately switched with three total switches: one for the driver's dome; one for the front half of the dome lights; and one for the rear half of the dome lights.	70	70	70	70	70	70	70	
398	Dome lights two rows	Std	Std	Std	Std	Std	Std	Std	
399	Dome lights, LED	378	378	378	378	378	378	378	
400	Dome Lights: Minimum of 10 total dome lights in the passenger compartment	45	45	45	45	45	45	45	
401	Door switch / Ambers on steering wheel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
402	Door switch on left panel (not on steering wheel)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
403	Warning light switch on left panel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
404	Install 6 chrome work lights - wall mounted under chair rail, Install switch in driver panel. 6 lights min.	420	420	420	420	420	420	420	
405	Lamp monitor 16 lamp	165	165	165	165	165	165	165	
406	Lamp monitor 8 lamp	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
407	LED capable Monitor. State Brand: Doran	165	165	165	165	165	165	165	
408	LED Red lights mounted in ceiling at all emergency windows and exits, controlled by headlight switch	170	170	170	170	170	170	170	
409	Luggage compartment lights, switch controlled at driver compartment	190	190	190	190	190	190	190	
410	Red lights mounted in ceiling at all emergency windows and exits, controlled by headlight switch	170	170	170	170	170	170	170	
411	Warning lamp system, 8 way flashing, Weldon	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
412	Warning light switch on left panel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
413	Other:								
414									
415									
416	MANUALS/SOFTWARE								
417	ABS software	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
418	Engine software	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
419	Transmission software	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	Bus Size (Conventional)	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
420	All Parts/Service manuals in bound paper format	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
421	All Parts/Service manuals in CD format	Std	Std	Std	Std	Std	Std	Std	
422	Diamond Logic Builder Software, license, updates and annual renewal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
423	Laptop computer with all necessary licensing, hardware and software to properly diagnose engines, transmissions, ABS and all related electronic components. The computer should contain enough memory and storage capacity to run all programs including parts catalogs and maintenance and repair programs specific to the vehicles quoted. Eight (8) hours of training on this computer for the mechanics. One thousand dollars (\$1,000.00) will be held back from payment until completion of mechanic's training.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
424	Nexiq Adapter: USB port connection	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
425	Other:								
426									
427									
428	MIRRORS, INTERIOR								
429	Mounted over rear emergency door, 10"x16" minimum	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
430	Mounted over rear emergency door, 12"x18" minimum	85	85	85	85	85	85	85	
431	Mounted over rear emergency door, 18"x24" minimum	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
432	Prizm mirror mounted inside on rear door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
433	Front 6" x 30" non-glare in lieu of standard	14	14	14	14	14	14	14	
434	Front 8" x 30" in lieu of standard	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
435	Front, 10"x30" in lieu of standard	18	18	18	18	18	18	18	
436	Front, 10"x30" non-glare in lieu of standard	24	24	24	24	24	24	24	
437	Sun visor 6x30	Std	Std	Std	Std	Std	Std	Std	
438	Right-side sun visor, minimum six inches by sixteen inches in size.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
439	Backup camera integrated into 6x30 rear view mirror	494	494	494	494	494	494	494	
440	Backup camera integrated into 10x30 rear view mirror	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
441	Other:								
442									
443									
444	MIRRORS, EXTERIOR								
445	All exterior stainless steel mirror brackets with bright finish.	63	63	63	63	63	63	63	
446	Double nickel mirrors	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
447	Extended passenger side mirror brackets for double nickel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
448	Mirrorlight mirror	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
449	Mirrorlight remote control mirror	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
450	Mirrorlite Crossview	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
451	Rosco Crossview mirror	Std	Std	Std	Std	Std	Std	Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

		35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
	Bus Size (Conventional)								
452	Rosco heated mirrors	Std	Std	Std	Std	Std	Std	Std	
453	Rosco heated remote control mirrors	268	268	268	268	268	268	268	
454	Rosco ES mirror heads	30	30	30	30	30	30	30	
455	Self-canceling mirror defrost switch	130	130	130	130	130	130	130	
456	Other:								
457									
458									
459									
460	PUBLIC ADDRESS/RADIOS/GPS								
461	Additional speakers inside – 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
462	Additional speakers inside – 4	N/A	Std	Std	Std	Std	Std	Std	
463	Additional speakers inside – 6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
464	Additional speakers inside – 8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
465	AM/FM/CD Radio with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
466	AM/FM/CD/PA Radio with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
467	AM/FM/CD/USB/MP3 with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
468	AM/FM/CD/USB/MP3/PA with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

		35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
	Bus Size (Conventional)								
469	AM/FM/PA Radio with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
470	AM/FM/USB/MP3 with four speakers	-100	-100	-100	-100	-100	-100	-100	
471	AM/FM/USB/MP3/PA with four speakers	Std	Std	Std	Std	Std	Std	Std	
472	Outside speaker	36	36	36	36	36	36	36	
473	Outside speaker mounted under hood	36	36	36	36	36	36	36	
474	Public address system only. List # of speakers: 4	-200	-200	-200	-200	-200	-200	-200	
475	Two-way radio, Motorola CDM750 or equal, with lockable mount and antennae (not mounted in bus)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
476	GPS System. State Brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
477	WiFi assist. State brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
478	Two-Way Radio Pre-Wired for Unit and Antennae on Roof	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
479	GPS wiring Harness ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
480	Other:								
481									
482									
483	RADIATOR								
484	Air Controlled Automatic radiator shutters	665	665	665	665	665	665	665	
485	Electric fan clutch	Std	Std	Std	Std	Std	Std	Std	
486	Fan drive hyd pump and motor with fixed speed and residual torque for disengaging fan speed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
487	Metal bolted tanks	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
488	Viscous controlled fan	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
489	Winterfront	75	75	75	75	75	75	75	
490	Other:								
491									
492									
493	REFLECTIVE MARKINGS / LETTERING								
494	"Stay Back 10 Feet" in four inch white-silver material may be applied and centered to the front and rear bumpers. Letters shall be italicized and be of the Helvetica type style and Rear bumper may be marked diagonally forty-five degrees with two inch wide strips of yellow grade five material two inches apart. Must be ordered with "School Bus" lettering above.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
495	6-1/2" stripe at beltline for school district I.D.	260	260	260	260	260	260	260	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

		35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
	Bus Size (Conventional)								
496	Rear bumper diagonally marked forty-five degrees with two inch wide strips of yellow grade five material two inches apart	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
497	Reflective tape complete package	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
498	Other:								
499									
500									
501	RUSTPROOFING/RUST PROTECTION								
502	Rustproofing to be a commercial grade. Spray aerosol can type rustproofing not acceptable	Line 535	Line 535	Line 535	Line 535	Line 535	Line 535	Line 535	
503	List your additional rust prevention package above factory installed. Name product:	Line 536	Line 536	Line 536	Line 536	Line 536	Line 536	Line 536	
504	Asphalt-based undercoating	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
505	Wax-based undercoating	Std	Std	Std	Std	Std	Std	Std	
506	Corrosion protection underbody: List product: T-Wax	Std	Std	Std	Std	Std	Std	Std	
507	Corrosion protection floor coating: List product: Ziebart	750	750	750	750	750	750	750	
508	Bumpers rust protection. List product: Blue Bird Armor	330	330	330	330	330	330	330	
509	Fuel Tank rust protection. List product: T-Wax	174	174	174	174	174	174	174	
510	Exterior Body rust protection. List product:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
511	Stepwell rust protection. List product: Stainless steel	486	486	486	486	486	486	486	
512	Paint adhesion and rust protection - 5 years, unlimited miles	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
513	No Rust One Piece Stepwell	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
514	No Rust Battery Box	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
515	Undercoating. List product:	Line 535	Line 535	Line 535	Line 535	Line 535	Line 535	Line 535	
516	Interior of all panels, where insulation is located, shall be rustproofed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
517	Front bumper coated with Naviflex	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
518	Rear Bumper coated with Naviflex	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
519	Other								
520									
521	SEAT BELTS/SEATS/FOAM								
522	25" knee clearance	Std	Std	Std	Std	Std	Std	Std	
523	39" Right front seat	Std	Std	Std	Std	Std	Std	Std	
524	30" Right front seat	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
525	Seat, 39" Interchangeable seat backs, (specialized school bus seats that can be converted from standard seats to three point seat belts or to Integrated Child Restraint Seats (ICS) without removing the seats from the bus and modifying the bus floor for needed reinforcements by replacing the complete backs. Seat frames shall meet applicable FMVSS requirements and seat frames shall be capable for installation of type 2 belts and ICS restraint seating) list make: Nextgen FIRST TWO ROWS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
526	Cost for one seat three seat belts installed color coded	406	406	406	406	406	406	406	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

		35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
	Bus Size (Conventional)								
527	Cost for one seat two seat belts installed color coded	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
528	Cost per seat to make seat belt ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
529	Cost to make all seats, seat belt ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
530	Districts: Specify if last seat is "full" or "half" for 71 and 77 passengers (note: IC bus seat is 26" in lieu of 39" standard seat making it 2/3 or 67% for 71 and 77 passenger buses)	Full	Full	Full	Full	Full	Full	Full	
531	Number or letter seats above windows	60	60	60	60	60	60	60	
532	Padded Interior side rails	165	165	165	165	165	165	165	
533	Seat color Brown	1	1	1	1	1	1	1	
534	Seat color Dark Blue	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
535	Seat color Gray	1	1	1	1	1	1	1	
536	Seat color Green	Std	Std	Std	Std	Std	Std	Std	
537	Seat color Maroon	1	1	1	1	1	1	1	
538	Seat color Medium Blue	1	1	1	1	1	1	1	
539	Seats 1/2" plywood seat bottoms	192	192	192	192	192	192	192	
540	Seats 3/8" plywood seat bottoms	Std	Std	Std	Std	Std	Std	Std	
541	Seats passenger Kevlar upholstery	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
542	Seats staggered (not placed directly across each other)	Std	Std	Std	Std	Std	Std	Std	
543	Triad seat foam	Std	Std	Std	Std	Std	Std	Std	
544	Interchangeable seat backs, IMMI/BTI seats	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
545	Other:								
546									
547									
548	SEAT, DRIVER'S								
549	Adjustable pedals, factory installed	890	890	890	890	890	890	890	
550	Tilt steering	Std	Std	Std	Std	Std	Std	Std	
551	Tilt/Telescopic steering	Std	Std	Std	Std	Std	Std	Std	
552	Pedestal seat non-heated vinyl National	Std	Std	Std	Std	Std	Std	Std	
553	Pedestal seat non-heated vinyl Bostrom	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
554	AIR RIDE NON HEATED SEAT VINYL BOSTROM	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
555	Air ride seat heated cloth National	330	330	330	330	330	330	330	
556	Air ride seat non-heated cloth National	170	170	170	170	170	170	170	
557	Air ride seat heated cloth Bostrom	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
558	Air ride seat non-heated cloth Bostrom	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
559	Driver's seat armrests option. List price per side:	30	30	30	30	30	30	30	
560	Fabric driver's seat, non-flammable	Std	Std	Std	Std	Std	Std	Std	
561	Driver's adjustable shoulder harness	Std	Std	Std	Std	Std	Std	Std	
562	Driver's high visibility orange safety adjustable shoulder harness	1	1	1	1	1	1	1	
563	Front barrier cover with multiple pouches. State # of pouches: Five	75	75	75	75	75	75	75	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

		35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
	Bus Size (Conventional)								
564	Front barrier cover with a single pouch	14	14	14	14	14	14	14	
565	Standard heated air suspension	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
566	Standard heated hydraulic suspension	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
567	Other:								
568									
569									
570									
571	SIDE RAILS/PANELS								
572	16 gauge smooth exterior panels	424	424	424	424	424	424	424	
573	Full length and acoustical headliner	Std	Std	Std	Std	Std	Std	Std	
574	Black snow rail	Std	Std	Std	Std	Std	Std	Std	
575	Rub rail above rear bumper	61	61	61	61	61	61	61	
576	Rub rails painted black full width	Std	Std	Std	Std	Std	Std	Std	
577	Seal top of all rub rails	200	200	200	200	200	200	200	
578	Third rub rail. Shall be painted black or yellow.	Std	Std	Std	Std	Std	Std	Std	
579	Rubber fender extensions rear, only	125	125	125	125	125	125	125	
580	Rubber fender extensions front and rear	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
581	Window line rubrail to extend around rear of bus	Std	Std	Std	Std	Std	Std	Std	
582	20 gauge fluted side panels	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
583	Other:								
584	20 Gauge smooth side panels	Std	Std	Std	Std	Std	Std	Std	
585	SILICONE RADIATOR/HEATER HOSES								
586	Constant torque hose clamps	Std	Std	Std	Std	Std	Std	Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	Bus Size (Conventional)	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
587	Heater hoses, silicone	Std	Std	Std	Std	Std	Std	Std	
588	Premium Rubber Hoses Unsealed in Lieu of Silicone Hoses	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
589	Radiator hoses, silicone	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	
590	Other:								
591									
592									
593	STOP ARM/CROSSING ARM								
594	Air operated Stop Arm with LED lamps	Std	Std	Std	Std	Std	Std	Std	
595	Air operated Stop Arm with LED strobe lamps	183	183	183	183	183	183	183	
596	Air operated Stop Arm with Standard lamps	65	65	65	65	65	65	65	
597	Air operated Stop Arm, Dual Signs	263	263	263	263	263	263	263	
598	Air operated Stop Arm, Dual Signs, LED Strobing	436	436	436	436	436	436	436	
599	Electric Stop Arm with LED lamps	85	85	85	85	85	85	85	
600	Electric Stop Arm with LED lamps, Transpec	300	300	300	300	300	300	300	
601	Electric Stop Arm with LED strobe lamps	110	110	110	110	110	110	110	
602	Electric Stop Arm with Standard lamps	1	1	1	1	1	1	1	
603	Electric Stop Arm, Dual Signs	460	460	460	460	460	460	460	
604	Electric Stop Arm, Dual Signs, LED Strobing	495	495	495	495	495	495	495	
605	Latch/magnet for crossing arm/gate	72	72	72	72	72	72	72	
606	Solid Fiberglass Air Crossing Gate Mounted on Front Bumper. State Brand:	348	348	348	348	348	348	348	
607	Solid Fiberglass Electric Crossing Gate Mounted on Front Bumper. State Brand:	397	397	397	397	397	397	397	
608	Other:								
609	Safety light stop arm	890	890	890	890	890	890	890	
610	Safety light lighted school bus signs	1455	1455	1455	1455	1455	1455	1455	
611									
612	STORAGE COMPARTMENTS, INTERIOR								
613	Dash mounted glove box with door and lock	Std	Std	Std	Std	Std	Std	Std	
614	Glove box, bulkhead without lock	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
615	Storage compartment without lock next to driver	Std	Std	Std	Std	Std	Std	Std	
616	Storage box with lock above driver's window	112	112	112	112	112	112	112	
617	Storage box without lock above driver's window	113	113	113	113	113	113	113	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

		35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
	Bus Size (Conventional)								
618	Safety equipment compartment, labeled, above windshield	Std	Std	Std	Std	Std	Std	Std	
619	Flares behind driver's seat	20	20	20	20	20	20	20	
620	Over windshield with a flush mounted camera box	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
621	Other:								
622									
623									
624									
625									
626	STORAGE COMPARTMENTS, EXTERIOR								
627	Door assist cylinder, price per door	76	76	76	76	76	76	76	
628	Door locks per door	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	
629	Double left side. List size: 28.4 CF	N/A	N/A	N/A	981	981	981	981	
630	Double right side. List size: 28.4 CF	N/A	N/A	N/A	980	980	980	980	
631	Single left side. List size: 16 CF	N/A	N/A	624	624	624	624	624	
632	Single right side. List size: 16 CF	N/A	N/A	625	625	625	625	625	
633	Double Non metal compartment. List size:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
634	Pass-through compartment, four doors	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
635	Other:								
636									
637									
638									
639	STUDENT DETECTION SYSTEM								
640	Child Reminder System. State brand: Blue Bird	116	116	116	116	116	116	116	
641	Child Reminder System unloading delay option. State brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
642	Other:								
643									
644									
645									
646									
647	WARRANTIES, EXTENDED WARRANTIES								
648	See Warranties Page, Appendix F, for pricing								
649									

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

		35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
650	Bus Size (Conventional)								
651	WHEELS, RIMS, TIRES								
652	See Tires page, Appendix E, for pricing								
653	WINDOWS/WINDSHIELD								
654	Cost of two additional emergency windows (total of 4 emergency windows on bus)	208	104	104	104	104	Std	Std	
655	Thermopane price per window. List which pieces are thermopane: windshield, side sash, driver window, doors, etc.): Driver's window	55	55	55	55	55	55	55	
656	Tinted Driver's Window. List tint: 70	Std	Std	Std	Std	Std	Std	Std	
657	Tinted Entrance Door. List tint: 70	Std	Std	Std	Std	Std	Std	Std	
658	Tinted Rear Window. List tint: 28	62	62	62	62	62	62	62	
659	Tinted side windows. List tint: 28	1	1	1	1	1	1	1	
660	Powdercoated Black Window Frames	150	150	150	150	150	150	150	
661	One gallon washer fluid reservoir	Std	Std	Std	Std	Std	Std	Std	
662	One and one-half Gallon Washer fluid reservoir	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
663	Six quart washer fluid reservoir	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
664	Raised passenger window line	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
665	Windshield four piece flat	Std	Std	Std	Std	Std	Std	Std	
666	Windshield one piece	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
667	Windshield three piece	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
668	Windshield two piece curved	98	98	98	98	98	98	98	
669	Heated windshield wipers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
670	Heated washer fluid units	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
671	Other:								
672									
673									
674									
675	WIRING								
676	NOTE TO DISTRICTS: You may want to consider pre-wiring for future installs								
677	As-Built Wiring Schematics	Std	Std	Std	Std	Std	Std	Std	
678	Color-coded numbered wiring	Std	Std	Std	Std	Std	Std	Std	
679	Multiplex wiring package. State wires included: All	Std	Std	Std	Std	Std	Std	Std	
680	Pre-Wire for 2-way radio. State harness location: Center dash	35	35	35	35	35	35	35	
681	Wireless access points for Wi-Fi capability	315	315	315	315	315	315	315	
682	Wiring for camera, only. State harness location:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
683	Wiring harness for GPS system, without GPS system. State harness location:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
684	Other:								
685									

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
Bus Size (Conventional)								
686								
687								
688	OTHER OPTIONS							
689	Air horns	130	130	130	130	130	130	
690	Air horns, foot control	220	220	220	220	220	220	
691	All keys alike	10	10	10	10	10	10	
692	Chrome radiator grill	N/A	N/A	N/A	N/A	N/A	N/A	
693	Composite trash can compartment	45	45	45	45	45	45	
694	Cup holder	40	40	40	40	40	40	
695	Exhaust exit left-hand side ahead of rear wheels	N/A	N/A	N/A	1	1	1	
696	Exhaust exit under rear bumper, turned down	1	1	1	65	65	65	
697	Exhaust exit left-hand side ahead of rear wheels, stainless steel	N/A	N/A	N/A	Std	Std	Std	
698	Exhaust exit under rear bumper, turned down, stainless steel	Std	Std	Std	218	218	218	
699	Extra insulation firewall and roof bows	Std	Std	Std	Std	Std	Std	
700	LH arm rest on switch panel	Std	Std	Std	Std	Std	Std	
701	Mudflap, Full width at rear bumper in addition to standard flaps	350	350	350	350	350	350	
702	Mudflap, Full width to be mounted at rear bumper	N/A	N/A	N/A	N/A	N/A	N/A	
703	Mudflap, Full width at rear axle single flap	N/A	N/A	N/A	N/A	N/A	N/A	
704	Mudflaps, additional mudflaps to be mounted in front of rear wheels	30	30	30	30	30	30	
705	Mudflaps, front (pair)	Std	Std	Std	Std	Std	Std	
706	Pre-heater box to be located adjacent to battery box	526	526	526	526	526	526	
707	Second set of logos decals, rear mounted	80	80	80	80	80	80	
708	Tire Chains	2026	2026	2026	2026	2026	2026	
709	Mobileye collision avoidance	850	850	850	850	850	850	
710	Mobileye 360 Perimeter view camera system	N/A	N/A	N/A	N/A	N/A	N/A	
711	Tire Pressure monitoring system	N/A	N/A	N/A	N/A	N/A	N/A	
712	Smarttrac electronic stability control	N/A	N/A	N/A	N/A	N/A	N/A	
713	Certificate holder	N/A	N/A	N/A	N/A	N/A	N/A	
714	Clipboard holder	230	230	230	230	230	230	
715	Collision Mitigation with active braking	N/A	N/A	N/A	N/A	N/A	N/A	
716	Collision Mitigation with active braking, lane departure and stationary object warning.	N/A	N/A	N/A	N/A	N/A	N/A	
717	Other:							
718								
719								
720								
721								
722	HANDICAPPED BODY OPTIONS							

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
Bus Size (Conventional)								
723 DISTRICTS - YOU ARE TO SUBMIT a Floor Plan as to the seating and the placement of wheelchairs. Note location of Heater Boxes and Wheel Wells if the bus is not equipped with a flat floor. Show plan for amount of forward-Facing Wheelchairs, with an approximate capacity of remaining ambulatory students allowable for each size vehicle. Wheelchair lift location specified by the District. DISTRICTS MUST CONFIRM WITH VENDOR THEIR DESIGN SPECIFICATIONS PRIOR TO ORDERING BUS.								
724 VENDORS - FLOOR TRACK MUST BE "THROUGH BOLTED" WITH GRADE #5 BOLTS OR BETTER WITH REINFORCING OR WASHERS ON UNDERSIDE OF FLOOR PAN. SCREW TYPE FASTENERS NOT ACCEPTABLE.								
725 Lift Price should include a rear mounted lift with a 34" platform, lift door, lighting, interlocks and holddown for one position located across from the lift. ADA compliant lifts only.								
726 Braun Lift. State model: L919FIB-2	6600	6600	6600	6600	6600	6600	6600	
727 Braun Lift 1000lb capacity. State model: FIB3451-2	6800	6800	6800	6800	6800	6800	6800	
728 Ricon Lift. State model:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
729 Ricon Lift 1000lb capacity. State model: RIS5510	7000	7000	7000	7000	7000	7000	7000	
730 Price difference for a front mounted lift	400	400	400	400	400	400	400	
731 Flat floor (includes low profile tires and rear air suspension Contact vendor for specifics.)	Std	300	300	300	300	300	300	
732 Recessed floor track L-track for track seating <u>per wheelchair position: x 4</u>	700	700	2800	700	700	700	700	
733 Recessed floor track L-track full length both sides and shoulder harness track above windows	3000	4240	4542	5494	6110	6590	6590	
734 Recessed floor track covers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
735 Stainless steel fasteners to secure track to floor	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
736 Sealed plywood floor track grooves prior to installation of floor track	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
737 S.T.A.R.S. Floor mount hardware per wheel chair position	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
738 30" Track mounted seat - Each	25	25	25	25	25	25	25	
739 36" Track mounted seat - Each	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
740 39" Track mounted seat - Each x 8	25	25	200	25	25	25	25	
741 4"x4" H/C decal on L/Front body cowl and 8"x8" H/C decal on R/Rear with white backing	35	35	35	35	35	35	35	
742 Additional interior light and switch at lift area for lift door and light	Std	Std	Std	Std	Std	Std	Std	
743 Interior ceiling lamp over lift area	Std	Std	Std	Std	Std	Std	Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

	35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
Bus Size (Conventional)								
744 Interior ceiling lamp over lift area comes on automatically when door opens	1	1	1	1	1	1	1	
745 One work light per wheelchair securement area, wall-mounted under chair rail, under seats	110	110	110	110	110	110	110	
746 Exterior lamp mounted above lift door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
747 additional light per wheelchair position	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
748 Other: 4 WHEEL CHAIR STATION LAYOUT 3 ON LEFT SIDE 1 ON RIGHT SIDE								
749								
750								
751								
752								
753								
754 WHEELCHAIR RESTRAINT COST PER CHAIR								
755 Q-Straint QRT Max 4 STATIONS 348 x 4 = 1392	348	348	1392	348	348	348	348	
756 Q-Straint QRT Deluxe	350	350	350	350	350	350	350	
757 Q-Straint QRT 360	673	673	673	673	673	673	673	
758 Q-Straint Slide N Click	584	584	584	584	584	584	584	
759 Q-Straint. State model:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
760 Sure-Lok FE517-4	200	200	200	200	200	200	200	
761 Sure-Lok FF612S-4C-7	455	455	455	455	455	455	455	
762 Sure-Lok AL712S-4C-7	446	446	446	446	446	446	446	
763 Sure-Lok. State model	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
764 Quick Straps, One pair (2)	25	25	25	25	25	25	25	
765 Restraint storage pouch	15	15	15	15	15	15	15	
766 Shoulder restraint retractable	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
767 Other:								
768								
769								
770								
771 C.E. WHITE SEATS								
772 Cost of barrier for placing CR-30 in a first row seat	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
773 Cost of barrier for placing CR-39 in a first row seat	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
774 Cost of CR-30 seat, not installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
775 Cost of CR-30 seat with seat belts, not installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
776 Cost of CR-30 seat, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
777 Cost of CR-30 seat with seat belts, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
778 Cost of CR-39 seat, not installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
779 Cost of CR-39 seat with seat belts, not installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
780 Cost of CR-39 seat, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
781 Cost of CR-39 seat with seat belts, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

		35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
	Bus Size (Conventional)								
782	Cost of CR-30 seat cover	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
783	Cost of CR-30 seat foam	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
784	Cost of CR-39 seat cover	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
785	Cost of CR-39 seat foam	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
786	Cost of CR-30 seat installed, seat belt ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
787	Cost of CR-39 seat installed, seat belt ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
788	Other:								
789	CE White CR 39 Seat, price per seat	600	600	600	600	600	600	N/A	
790									

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

		35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
	Bus Size (Conventional)								
791	APPROVED OPTION LIST FOR OHIO SCHOOL BUS								
792	Fire suppression system: must be installed per the manufacturer's recommendations. Installation shall not interfere with the driver's ability to operate any OEM controls and shall be completely isolated from the vehicle's electrical system by means of a fuse or breaker. The suppressant delivery points may be installed in the engine compartment, battery box, and undercarriage of the vehicle. Mounting of the system shall be outside of the passenger compartment and have no effect on the vehicles structure to include welding or drilling into the main frame. The cylinder and gauges shall be contained in a metal protective box and marked on three sides in 2 inch red letters "Fire Suppression" on a white background. The system shall be isolated to prevent accidental discharge of the suppression contents. A monitor to show the status of the unit may be installed in the driver's area in such a way as to not interfere with the safe operation of the bus.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
793									
794									
795	NON-SCHOOL BUS OPTIONS								
796	Bus is built same as school bus but will not have 8-way light system, swing-out stop sign and will not be painted yellow. All lettering as required by State law for school buses will be omitted.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
797	Insulation all sides, roof shafts, front and rear panels and all roof bows	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
798	Auxillary port in dash for cell phone	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
799	Window sash all black. Exterior and between windows shall be painted black	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
800	Front interior A/C blower in front bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
801	Rear interior A/C blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
802	A/C roof-mounted condenser; 120,000 BTUs or greater	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
803	COLOR OPTIONS								
804	Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM

Appendix B
Conventional

VENDOR QUOTE

		35	47	54	65/66	71/72	77/78	83/84	Price if Same for All Sizes
805	Bus Size (Conventional)								
806	REFLECTIVE TAPE								
807	Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
808	Other:								
809									
810	ANY OTHER ADDITIONAL OPTIONS (list below)								
811	Railroad silent switch	Std	Std	Std	Std	Std	Std	Std	
812	Panel located in floor to access fuel sending unit	Std	Std	Std	Std	Std	Std	Std	
813	Spare wheel and tire mounted and shipped loose in bus	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
814	Backup camera	454	454	454	454	454	454	454	
815	Rear reflective stripe decal on body (new version)	850	850	850	850	850	850	850	
816	Undercarriage safety student lighting	825	825	825	825	825	825	825	
817	Guardian Angel crossing light	460	460	460	460	460	460	460	
818	Lug nut indicators, florescent green	50	50	50	50	50	50	50	
819	Loom wiring harness full length	182	164	164	164	164	164	164	
820	Performance friction rotors, hydraulic brakes	865	865	865	865	865	865	865	
821									
822	CUMMINS 10 YEAR WARRANTY			700					
823									
824	Note: Not all options are available together and the selection of one option may require another option. When conflicts arise the school will be contacted on how they would like to proceed before we accept the order. Axle size options are for the axle only other components will affect the actual axle rating as listed on the tag such as suspension, tires, brakes, and transmission. In keeping with its policy of continual product improvement, Blue Bird reserves the right to change specifications without notice and without incurring obligations. If any individual school purchases 30 units or more \$1000.00 will be deducted from the base price. Units meet all Federal and State schools bus specifications.								
825									
826									
827									
828									
829									
	\$110,354.00 + \$112,079 = \$222,433.00			\$110,354.00					