

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

Bid price as specified without options as per Federal and State of Ohio Department of Education minimum school bus specifications under 4501-5 (inclusive) ORC. All bids will comply with the current safety regulations of the Department of Education adopted by and with the advice and consent of the director of public safety pursuant to section 4511.76 of the Revised Code and all other pertinent provisions of law. The body/chassis supplier shall provide and attach a complete body/chassis specification sheet itemizing- including manufacturer brand names of the State of Ohio Department of Education minimum school bus body/chassis that will be supplied at this base bid. Must meet or exceed FMVSS/CMVSS standards.

By signing this specification, you guarantee that the equipment being bid meets all state specifications

Cardinal Bus Sales & Service, Inc.	Vendor Name
Anthony E Rumer	Contact Person
419-225-5552	Phone Number

****Vendor List base price**
(Includes freight)**

Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
Bus Make	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	
Bus Model	T3FE 2903	T3FE 2903	T3FE 3508	T3FE 3508	T3FE 3800	T3FE 4004	T3RE 3306	T3RE 3510	T3RE 3802	T3RE 4006	
Base Bid Price	96,015	96,215	98,088	98,188	99,434	101,974	110,106	111,304	112,376	113,572	
Non-discount Base List Price (to determine bid savings)	96,015	96,215	98,088	98,188	99,434	101,974	110,106	111,304	112,376	113,572	
Maximum Vehicle Length Bumper to Bumper (inches)	353	353	430	430	458	486	406	434	462	490	
Maximum Vehicle Width Including Mirrors (inches)	116	116	116	116	116	116	116	116	116	116	
Maximum Vehicle Width Excluding Mirrors (inches)	96	96	96	96	96	96	96	96	96	96	
GVWR	29350	29350	31350	31350	31350	33000	33000	33000	33000	33000	
Maximum Vehicle Height Overall at GVWR Including Hatch (inches)	124	124	124	124	124	124	124	124	124	124	
Maximum Height of First Step (inches)	16	16	16	16	16	16	16	16	16	16	
Wheelbase (inches)	141	141	190	190	218	232	189	245	245	273	
Delivery Days	180	180	180	180	180	180	180	180	180	180	
Special discounts	None	None	None	None	None	None	None	None	None	None	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
Important Notice: On all items below vendor must mark standard (Std), list additional price to base bid, list duplicated or mark N/A.											
Bus Size (Transit)	47 Puller	54 Puller	65 Puller	71/72 Puller	77/78 Puller	84 Puller	65/66 Pusher	71/72 Pusher	78 Pusher	84 Pusher	Price if Same for All Sizes
1 ENGINES AND TRANSMISSIONS AVAILABLE											
2 Cummins B6.7 200HP 520 lb-ft torque/Allison 2500PTS SCR	Std	Std	Std	Std	Std	-1110	N/A	N/A	N/A	N/A	
3 Cummins B6.7 200HP 520 lb-ft torque/Eaton Procision SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
4 Cummins B6.7 220HP 600 lb-ft torque/Allison 2500PTS SCR	1110	1110	1110	1110	1110	Std	N/A	N/A	N/A	N/A	
5 Cummins B6.7 220HP 600 lb-ft torque/Eaton Procision SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
6 Cummins B6.7 240HP 560 lb-ft torque/Allison 2500PTS SCR	1120	1120	1120	1120	1120	10	Std	Std	Std	Std	
7 Cummins B6.7 240HP 560 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
8 Cummins B6.7 240HP 560 lb-ft torque/Eaton Procision SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
9 Cummins B6.7 250HP 660 lb-ft torque/Allison 2500PTS SCR	2547	2547	2547	2547	2547	1437	1465	1465	1465	1465	
10 Cummins B6.7 250HP 660 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	7317	7317	7317	6207	6235	6235	6235	6235	
11 Cummins B6.7 250HP 660 lb-ft torque/Eaton Procision SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
12 Cummins B6.7 260HP 660 lb-ft torque/Allison 2500PTS SCR	2983	2983	2983	2983	2983	1873	1906	1906	1906	1906	
13 Cummins B6.7 260HP 660 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	7753	7753	7753	6643	6676	6676	6676	6676	
14 Cummins B6.7 260HP 660 lb-ft torque/Eaton Procision SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
15 Cummins B6.7 280HP 660 lb-ft torque/Allison 2500PTS SCR	N/A	N/A	N/A	N/A	N/A	N/A	3550	3550	3550	3550	
16 Cummins B6.7 280HP 660 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	N/A	N/A	N/A	N/A	8320	8320	8320	8320	
17 Cummins B6.7 300HP 660 lb-ft torque/Allison 2500PTS SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
18 Cummins B6.7 300HP 660 lb-ft torque/Allison 3000PTS SCR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
19 Cummins L9 260HP 720 lb-ft torque/Allison 3000 PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
20 Cummins L9 270HP 800 lb-ft torque/Allison 3000 PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
21 Cummins L9 300HP 860 lb-ft torque/Allison 3000 PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
22 Cummins ISB6.7 G CNG Engine	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
23 Detroit DD8 7.7L 6cyl 260HP 660 lb/ft torque Allison 2500PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
24 Detroit DD8 7.7L 6cyl 260HP 720 lb/ft torque Allison 2500PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
25 Detroit DD8 7.7L 6cyl 280HP 800 lb/ft torque Allison 2500PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
26 Detroit DD8 7.7L 6cyl 300HP 860 lb/ft torque Allison 2500PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
27 Detroit DD8 7.7L 6cyl 260HP 720 lb/ft torque Allison 3000PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
28 Detroit DD8 7.7L 6cyl 280HP 800 lb/ft torque Allison 3000PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
29 Detroit DD8 7.7L 6cyl 300HP 860 lb/ft torque Allison 3000PTS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
30 Virtual technician-Detriot connect access 5 years	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
31 Antifreeze, Extended Life	103	103	103	103	103	103	103	103	103	103	
32 Water filter extended life	225	225	225	225	225	225	225	225	225	225	
33 Exhaust Brake	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
34 Heated fuel water separator	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
35 Heated fuel water separator remote mounted	50	50	50	50	50	50	50	50	50	50	
36 Overcrank starter	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
37 Quick warm up option	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
38 Transmission push button quadrant for Allison 3000 PTS	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
39 Transynd transmission fluid	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
40 Speed Retarder System	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
41 Factory set governed speed at 70 mph. (for interstate travel)	1	1	1	1	1	1	1	1	1	1	
42 Other:											
43											

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
44											
45											
46											
47											
48											
49											
50											
51											
52											
53											
54											
55											
56											
57											
58											
59											
60											
61											
62											
63											
64											
65											
66											
67											
68											
69											
70											
71											
72											
73											
74											
75											
76											
77											
78											
79											
80											
81											
82											
83											
84											
85											
86											
87											
88											
89											
90											
91											

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
92	Leveling Valve - front single	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
93	Leveling Valve - rear single	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
94	Oil lubricated wheelbearings front	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
95	Stemco seals front	N/A	Std	Std	Std	Std	Std	Std	Std	Std	Std	
96	Stemco seals rear	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
97	Synthetic HUD ILO oil	165	165	165	165	165	165	170	170	170	170	
98	Front axle 13,200 LBS	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
99	Front axle 14,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
100	Front axle 14,600 LBS	143	143	143	143	143	143	150	150	150	150	
101	Rear axle 19,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
102	Rear axle 20,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
103	Rear axle 21,000 LBS	Std	Std	Std	Std	Std	Std	N/A	N/A	N/A	N/A	
104	Rear axle 23,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	Std	Std	Std	Std	
105	Front air suspension 14,600 LBS	845	845	845	845	845	845	875	875	875	875	
106	Front spring suspenstion 13,200 LBS	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
107	Front spring suspenstion 14,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
108	Front spring suspenstion 14,600 LBS	285	285	285	285	285	285	290	290	290	290	
109	Rear air suspension 20,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
110	Rear air suspension 21,000 LBS	1080	1080	1080	1080	1080	1080	1100	1100	1100	1100	
111	Rear air suspension 23,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1200	1200	
112	Rear spring suspension 19,000 LBS	N/A	N/A	Std	Std	Std	N/A	Std	Std	N/A	N/A	
113	Rear spring suspension 21,000 LBS	N/A	N/A	138	138	138	Std	138	138	Std	Std	
114	Rear spring suspension 23,000 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	45	45	
115	Must have Grease Zirks in U-joints on Driveshaft, must be Greaseable	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
116	Other:											
117												
118												
119												
120												
121												
122												
123												
124	BATTERIES/BLOCK HEATERS											
125	1-12 volt 8D. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
126	2-12 volt 31 S. List CCA: 1400	-142	-142	-142	-142	-142	-142	-142	-142	-142	-142	
127	2-12 volt 31 S. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
128	2-12 volt 8D. List CCA: 2850	476	476	476	476	476	476	490	490	490	490	
129	3-12 volt 31 S. List CCA: 2100	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
130	3-12 volt 31 S. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
131	Heavy Duty Battery Box on HD Sliders	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
132	Heavy Duty Battery Box W/ Roller Tray	315	315	315	315	315	315	320	320	320	320	
133	Key lock battery box	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
134	Loom battery cables	15	15	15	15	15	15	16	16	16	16	
135	Master electric cutoff switch	138	138	138	138	138	138	140	140	140	140	
136	No Rust Composite Battery Box	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
137	Stainless battery tray	130	130	130	130	130	130	132	132	132	132	
138	Block heater plug front mounted plug	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
139	Block heater plug rear mounted plug	150	150	150	150	150	150	150	150	150	150	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
140	Engine block heater 750 watts	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	
141	Engine block heater 1250 watts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
142	Espar Diesel Heater E-Guardian 42K BTU	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	
143	Espar Diesel Heater E-Guardian 17K BTU	1330	1330	1330	1330	1330	1330	1340	1340	1340	1340	
144	Webasto Diesel Heater Scholastic Series 45K BTU	2210	2210	2210	2210	2210	2210	2225	2225	2225	2225	
145	Webasto Diesel Heater TLS 17K BTU	1200	1200	1200	1200	1200	1200	1210	1210	1210	1210	
146	Diesel heater manual on/off switch. State brand and Model:	150	150	150	150	150	150	150	150	150	150	
147	Diesel heater 7 day timer. State brand and Model:	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
148	Mount Webasto Controller/Timer in Driver's Area	100	100	100	100	100	100	100	100	100	100	
149	Battery Box Plastic Cover KIT	56	56	56	56	56	56	58	58	58	58	
150	Other:											
151												
152												
153												
154	BODY STRUCTURE/PAINT											
155	Body Tie Downs: "Texas U-Bolt"	40	40	40	40	40	40	40	40	40	40	
156	Body Tie Downs: Double bolted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
157	Drip moulding formed in roof panels over windows	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
158	Drip Moulding/Rain Deflector Full Body Length	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
159	Heavy duty front tow hooks frame mounted	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
160	Heavy duty rear tow hooks frame mounted	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
161	Roof-White	220	220	220	220	220	220	225	225	225	225	
162	Stainless steel Screws for fenders/body, ext. mirrors, cross gate & stop arm	100	100	100	100	100	100	100	100	100	100	
163	Other:											
164												
165												
166												
167												
168												

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
169	CAMERAS											
170	24/7 320 GB DHD sensors and panic button installed	1720	1720	1720	1720	1720	1720	1720	1720	1720	1720	
171	24/7 64 GB SDHC sensors and panic button installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
172	24/7 additional camera X 3 = 825	275	275	275	275	275	825	275	275	275	275	
173	24/7 GPS	125	125	125	125	125	125	125	125	125	125	
174	24/7 Stop arm camera	400	400	400	400	400	400	400	400	400	400	
175	24/7 Dome camera	275	275	275	275	275	275	275	275	275	275	
176	REI 500 GB DHD sensors and panic button installed	1590	1590	1590	1590	1590	1590	1590	1590	1590	1590	
177	REI 320 GB DHD sensors and panic button installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
178	REI 64 GB SDHC sensors and panic button installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
179	REI additional camera	275	275	275	275	275	275	275	275	275	275	
180	REI Wi-Fi bridge	235	235	235	235	235	235	235	235	235	235	
181	REI GPS	155	155	155	155	155	155	155	155	155	155	
182	REI Stop arm camera	400	400	400	400	400	400	400	400	400	400	
183	Angel Trax video system, 7 camera (3 outside, 4 inside), Hybrid guest with VSM	4600	4600	4600	4600	4600	4600	4600	4600	4600	4600	
184	Seon 1 Camera System	2200	2200	2200	2200	2200	2200	2200	2200	2200	2200	
185	Seon 2 Camera System	2600	2600	2600	2600	2600	2600	2600	2600	2600	2600	
186	Seon 3 Camera System	2950	2950	2950	2950	2950	2950	2950	2950	2950	2950	
187	Seon 4 Camera System	3300	3300	3300	3300	3300	3300	3300	3300	3300	3300	
188	REI Color digital 4 camera, infrared event marker, hard drive in lock box in driver's area	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
189	Other:											
190												
191												
192	WINDOW/ROOF HATCH/POWER VENTILATORS											
193	Face mounted emergency window instructions decals on windows - external mounted on window	48	48	48	48	48	48	48	48	48	48	
194	List quantity of roof hatches included per size of unit:	Two	Two	Two	Two	Two	Two	Two	Two	Two	Two	
195	Roof Escape Hatch Lo Profile. List Brand:	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
196	Roof Escape Hatch Power Ventilated. List Brand:	624	624	624	624	624	624	632	632	632	632	
197	Roof Escape Hatch standard. List Brand:	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
198	Additional roof hatch	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
199	Power Ventilator. State Brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
200	Pushout Emergency Window - horizontal hinged	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
201	Pushout Emergency Window - vertical hinged	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
202	Rear window air dam	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
203	Other:											
204												
205												
206												
207												
208	DOORS/LOCKS											
209	Air-operated heavy duty, outward opening entrance door, full view glass, greaseable hinges	268	268	268	268	268	268	271	271	271	271	
210	Deluxe manual heavy duty, outward opening entrance door, full view glass, greaseable hinges	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
211	Electric heavy duty, outward opening entrance door, full view glass, greaseable hinges	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
212	Paint Entrance Door Yellow	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
213	Vandal lock entrance door, manual lock	57	57	57	57	57	57	59	59	59	59	
214	Vandal lock entrance door, electric lock	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
215	Vandal Lock rear door with Interlock	174	174	174	174	174	174	176	176	176	176	
216	Vandal lock rear emergency window with interlock	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
217	Vandal lock lift door with interlock	20	20	20	20	20	20	20	20	20	20	
218	Rear door with concealed hinges (Must have Zerk Fittings)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
219	Rear door with greaseable door hinges (Must have Zerk Fittings)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
220	Header pad mounted above rear door	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
221	Header pad mounted above entrance door	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
222	Upholstered header pad mounted above rear door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
223	Upholstered header pad mounted above entrance door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
224	Other:											
225												
226												
227												
228	FLOOR/STEPWELL											
229	5/8" 5-ply type CD exterior grade	76	76	76	76	76	76	78	78	78	78	
230	5/8" Marine grade plywood	152	152	152	152	152	152	154	154	154	154	
231	5/8" Treated plywood	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
232	Aluminum floor trim (aisle, other)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
233	Stainless steel floor trim (aisle, other)	563	563	563	563	563	563	570	570	570	570	
234	Plastic or vinyl floor trim	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
235	Floor coloring Black	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
236	Floor coloring Brown	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
237	Floor coloring Gray	254	254	254	254	254	254	257	257	257	257	
238	Floor coloring Green	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
239	Floor coloring Light Blue	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
240	Floor coloring Tan	254	254	254	254	254	254	257	257	257	257	
241	One piece floor covering	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
242	One piece floor covering - GRAY	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
243	Studded texture step treads metal backed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
244	Studded texture step treads non-metal backed	272	272	272	272	272	272	275	275	275	275	
245	Insulated step well (for sound abatement)	Std	Std	Std	Std	Std	Std	425	425	425	425	
246	Stainless steel stepwell (State steel gauge): 16	486	486	486	486	486	486	490	490	490	490	
247	One Piece Polyethalene composite stepwell	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
248	Steel preformed with Proflex	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
249	Koroseal entire floor	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
250	Koroseal floor trim	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
251	Koroseal pebble tread	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
252	Fold-out step power activated	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
253	Fold-out step manually operated	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
254	Other:											
255	Ribbed texture step treads non-metal backed	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
256												
257												

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
258	FUEL TANKS											
259	12 Gallon DEF tank with locking door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
260	15 Gallon DEF tank with locking door	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
261	Between frame rail, diesel 60 gallon	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
262	Between frame rail, diesel 100 gallon	N/A	N/A	N/A	330	330	330	335	335	335	335	
263	Fuel door lock	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
264	Fuel door right side access	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
265	Tough coat fuel tank	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
266	Between frame rail, diesel 65 gallon	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
267	Between frame rail, diesel 105 gallon	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
268	Other:											
269												
270												
271												
272	GAUGES/BREAKERS/CONTROLS											
273	12 Volt accessory plug	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
274	Alarm- Backup with 107 dB(A)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
275	Alarm- Backup with 112 dB(A)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
276	Ampere gauge to match alternator output	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
277	Engine hour meter	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	Diesel Std	
278	Transmission oil temperature gauge	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
279	Optional Gauge Package. Please specify:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
280	Circuit breakers where available, auto reset	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
281	Circuit Breakers where available, manual reset	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
282	Clock	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
283	Cruise control	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
284	Headlight on, key off, alarm	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
285	Idle time circuit turned on	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
286	Two Spare Circuits - 14 gauge wire	16	16	16	16	16	16	16	16	16	16	
287	Door switch on left panel (not on steering wheel)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
288	Other:											
289												
290												
291												
292	HEATER, ADDITIONAL LARGER/ AIR CONDITIONING											
293	Air conditioning – Underbody condenser, 120,000 BTU or greater	9200	9200	9200	9200	9200	9200	9200	9200	9200	9200	
294	Air conditioning – Rooftop condenser, 120,000 BTU or greater	10400	10400	10400	10400	10400	10400	10400	10400	10400	10400	
295	List Standard Heater BTU units cost:											
296	List Standard Right Front BTU: 90k	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
297	List Standard Left Front BTU: 12k	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
298	List Standard Midship BTU: 50k	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
299	List Standard Rear BTU: 50k	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
300	List Optional Heater BTU units cost:											
301	List Optional Midship BTU: 80k	150	150	150	150	150	150	152	152	152	152	
302	List Optional Rear BTU: 80k	170	170	170	170	170	170	173	173	173	173	
303	List Optional Right Rear Wall Mounted BTU: 40k	116	116	116	116	116	116	N/A	N/A	N/A	N/A	
304	List Optional Right Rear Wall Mounted BTU: 80k	300	300	300	300	300	300	N/A	N/A	N/A	N/A	
305	List Optional Left Rear Wall Mounted BTU: 80k	495	495	495	495	495	495	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
306	List Optional Left Rear Wall Mounted BTU:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
307	Radiant heating at floor line, twin copper pipe system	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
308	Additional kick guards for all passenger area heaters	150	150	150	150	150	150	150	150	150	150	
309	List cost if driver heater kickguard is additional:	20	20	20	20	20	20	20	20	20	20	
310	Heater circulating pump. State Brand: Groco	196	196	196	196	196	196	199	199	199	199	
311	Heater pump switch illuminated when on	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
312	Heater cut-off ball valve all shut offs	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
313	Passenger heater frame mounted, not floor mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
314	All heaters have replaceable filters	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
315	Install rear left and right heaters - 84,500btu each - verticle mount in protective metal cage.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
316	Front, interior, A/C blower in front bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
317	Front, interior, A/C blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
318	Rear AC blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
319	Other:											
320												
321												
322												
323												
324	INTERIOR COLOR											
325	Astro White	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
326	Beige	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
327	Gray	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
328	Sea Foam Green	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
329	Spring White	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
330	Other:											
331												
332												
333												
334												
335	INTERIOR PANELS											
336	Aluminized interior panels	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
337	Galvanized Coated Interior Panels	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
338	Lower Side Interior Panels are Embossed Steel and Clear Coated	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
339	Modesty/kick panel behind driver's seat	20	20	20	20	20	20	20	20	20	20	
340	Other:											
341												
342												
343												
344	LIGHTS, EXTERIOR											
345	Additional side exterior directional lamps, below window and behind rear wheels	39	39	39	39	39	39	40	40	40	40	
346	Engine compartment light. State candle power:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
347	Exterior entrance light activated by opening of door	35	35	35	35	35	35	36	36	36	36	
348	Exterior light check system pre-trip inspection	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
349	Fog lamps	150	150	150	150	150	150	150	150	150	150	
350	Incandescent Backup lights, 7"	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
351	LED Backup lights, 7"	125	125	125	125	125	125	127	127	127	127	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
352	LED Backup lights, state size: 4"	50	50	50	50	50	50	51	51	51	51	
353	LED Side backup lights	180	180	180	180	180	180	183	183	183	183	
354	LED Backup light mounted behind rear axle, high intensity	260	260	260	260	260	260	264	264	264	264	
355	LED Brake lights, state size:	25	25	25	25	25	25	26	26	26	26	
356	LED Exterior Entrance Door Light	65	65	65	65	65	65	67	67	67	67	
357	LED Marker/Clearance lights	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
358	LED package (state package components):	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
359	LED Stepwell Light	65	65	65	65	65	65	67	67	67	67	
360	LED Tail lights, state size: 4"	35	35	35	35	35	35	36	36	36	36	
361	LED Turn signal, front 7"	26	26	26	26	26	26	27	27	27	27	
362	LED Turn signal, rear, state size:	26	26	26	26	26	26	27	27	27	27	
363	LED Turn signal, side mounted, front	31	31	31	31	31	31	32	32	32	32	
364	LED Turn signal, side mounted, front and rear	99	99	99	99	99	99	101	101	101	101	
365	LED Warning lights	454	454	454	454	454	454	460	460	460	460	
366	LED Warning lights, strobing	455	455	455	455	455	455	461	461	461	461	
367	LED Warning lights, Soundoff	460	460	460	460	460	460	465	465	465	465	
368	Lighted School Bus sign front and rear	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
369	Recessed Exterior Lighting for water prevention damage	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
370	Strobe light high profile	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
371	Strobe light low profile inside power supply. State brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
372	Strobe light low profile outside power supply	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
373	Tree guard on strobe lamp assembly	30	30	30	30	30	30	31	31	31	31	
374	Warning light sun visors	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
375	Weldon supplemental warning lights above bumpers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
376	4"LED stop and tail lights w/license plate light	35	35	35	35	35	35	36	36	36	36	
377	New Ohio Approved Option Red/Amber Supplemental Warning Lights on Grill Mount	850	850	850	850	850	850	850	850	850	850	
378	New Ohio Approved Option Red/Amber Supplemental Warning Lights on Bumper Level Mount	851	851	851	851	851	851	851	851	851	851	
379	Supplemental Warning Lights	Line407/08	Line407/08	Line407/08	Line407/08	Line407/08	Line407/08	Line407/08	Line407/08	Line407/08	Line407/08	
380	Other:											
381												
382												
383	LIGHTS, INTERIOR/SWITCHES											
384	A/C system silent switch	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	W/AC Std	
385	Additional dome light over driver's seat with separate switch	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
386	Dome lamps shall be separately switched with three total switches: one for the driver's dome; one for the front half of the dome lights; and one for the rear half of the dome lights.	70	70	70	70	70	70	72	72	72	72	
387	Dome lights two rows	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
388	Dome lights, LED	378	378	378	378	378	378	384	384	384	384	
389	Dome Lights: Minimum of 10 total dome lights in the passenger compartment	45	45	45	45	45	45	46	46	46	46	
390	Door switch / Ambers on steering wheel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
391	Door switch on left panel (not on steering wheel)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
392	Warning light switch on left panel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
393	Install 6 chrome work lights - wall mounted under chair rail, Install switch in driver panel. 6 lights min.	420	420	420	420	420	420	424	424	424	424	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
394 Lamp monitor 16 lamp	165	165	165	165	165	165	168	168	168	168	
395 Lamp monitor 8 lamp	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
396 LED capable Monitor. State Brand:	165	165	165	165	165	165	168	168	168	168	
397 LED Red lights mounted in ceiling at all emergency windows and exits, controlled by headlight switch	170	170	170	170	170	170	173	173	173	173	
398 Luggage compartment lights, switch controlled at driver compartment	190	190	190	190	190	190	193	193	193	193	
399 Red lights mounted in ceiling at all emergency windows and exits, controlled by headlight switch	170	170	170	170	170	170	173	173	173	173	
400 Warning lamp system, 8 way flashing, Weldon	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
401 Warning light switch on left panel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
402 Other:											
403											
404											
405											
406											
407 MANUALS/SOFTWARE											
408 ABS software	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
409 Engine software	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
410 Transmission software	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
411 All Parts/Service manuals in bound paper format	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
412 All Parts/Service manuals in CD format	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
413 Diamond Logic Builder Software, license, updates and annual renewal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
414 Laptop computer with all necessary licensing, hardware and software to properly diagnose engines, transmissions, ABS and all related electronic components. The computer should contain enough memory and storage capacity to run all programs including parts catalogs and maintenance and repair programs specific to the vehicles quoted. Eight (8) hours of training on this computer for the mechanics. One thousand dollars (\$1,000.00) will be held back from payment until completion of mechanic's training.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
415 Nexiq Adapter: USB port connection	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
416 Other:											
417											
418											
419											
420											
421 MIRRORS, INTERIOR											
422 Mounted over rear emergency door, 10"x16" minimum	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
423 Mounted over rear emergency door, 12"x18" minimum	85	85	85	85	85	85	85	85	85	85	
424 Mounted over rear emergency door, 18"x24" minimum	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
425 Prizm mirror mounted inside on rear door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
426 Front 6" x 30" non-glare in lieu of standard	14	14	14	14	14	14	15	15	15	15	
427 Front 8" x 30" in lieu of standard	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
428 Front, 10"x30" in lieu of standard	18	18	18	18	18	18	18	18	18	18	
429 Front, 10"x30" non-glare in lieu of standard	24	24	24	24	24	24	25	25	25	25	
430 Sun visor 6x30	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
431 Right-side sun visor, minimum 6" by 16" in size.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
432 Backup camera integrated into 6x30 rear view mirror	494	494	494	494	494	494	494	494	494	494	
433 Backup camera integrated into 10x30 rear view mirror	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
434 Other:											
435											
436											
437 MIRRORS, EXTERIOR											
438 All exterior stainless steel mirror brackets with bright finish.	63	63	63	63	63	63	63	63	63	63	
439 Double nickel mirrors	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
440 Extended passenger side mirror brackets for double nickel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
441 Mirrorlight mirror	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
442 Mirrorlight remote control mirror	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
443 Mirrorlite Crossview	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
444 Rosco Crossview mirror	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
445 Rosco heated mirrors	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
446 Rosco heated remote control mirrors	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
447 Rosco ES mirror heads	30	30	30	30	30	30	30	30	30	30	
448 Self-canceling mirror defrost switch	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
449 Other:											
450											
451											
452											
453 PUBLIC ADDRESS/RADIOS/GPS											
454 Additional speakers inside – 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
455 Additional speakers inside – 4	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
456 Additional speakers inside – 6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
457 Additional speakers inside – 8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
458 AM/FM/CD Radio with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
459 AM/FM/CD/PA Radio with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
460 AM/FM/CD/USB/MP3 with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
461 AM/FM/CD/USB/MP3/PA with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
462 AM/FM/PA Radio with four speakers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
463 AM/FM/USB/MP3 with four speakers	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	
464 AM/FM/USB/MP3/PA with four speakers	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
465 Outside speaker	36	36	36	36	36	36	36	36	36	36	
466 Outside speaker mounted under hood	36	36	36	36	36	36	36	36	36	36	
467 Public address system only. List # of speakers: 4	-200	-200	-200	-200	-200	-200	-200	-200	-200	-200	
468 Two-way radio, Motorola CDM750 or equal, with lockable mount and antennae (not mounted in bus)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
469 GPS System. State Brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
470 WiFi assist. State brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
471 Two-Way Radio Pre-Wired for Unit and Antennae on Roof	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
472 GPS wiring Harness ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
473 Other:											
474											
475											
476											

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
477 RADIATOR											
478 Air Controlled Automatic radiator shutters	665	665	665	665	665	665	N/A	N/A	N/A	N/A	
479 Electric fan clutch	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Fan drive hyd pump and motor with fixed speed and residual torque for disengaging											
480 fan speed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
481 Metal bolted tanks	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
482 Viscous controlled fan	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
483 Winterfront	75	75	75	75	75	75	N/A	N/A	N/A	N/A	
484 Other:											
485											
486											
487											
488											
489 REFLECTIVE MARKINGS / LETTERING											
"Stay Back 10 Feet" in four inch white-silver material may be applied and centered to the front and rear bumpers. Letters shall be italicized and be of the Helvetica type style and Rear bumper may be marked diagonally forty-five degrees with two inch wide strips of yellow grade five material two inches apart. Must be ordered with											
490 "School Bus" lettering above.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
491 6-1/2" stripe at beltline for school district I.D.	260	260	260	260	260	260	260	260	260	260	
Rear bumper diagonally marked forty-five degrees with two inch wide strips of											
492 yellow grade five material two inches apart	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
493 Reflective tape complete package	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
494 Other:											
495											
496											

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
497	RUSTPROOFING/RUST PROTECTION											
498	Rustproofing to be a commercial grade. Spray aerosol can type rustproofing not acceptable	Line 530	Line 530	Line 530	Line 530	Line 530	Line 530	Line 530	Line 530	Line 530	Line 530	
499	List your additional rust prevention package above factory installed. Name product:	Line 531	Line 531	Line 531	Line 531	Line 531	Line 531	Line 531	Line 531	Line 531	Line 531	
500	Asphalt-based undercoating	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
501	Wax-based undercoating	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
502	Corrosion protection underbody: List product: Ziebart	750	750	750	750	750	750	750	750	750	750	
503	Bumpers rust protection. List product: Blue Bird Armor	330	330	330	330	330	330	335	335	335	335	
504	Fuel Tank rust protection. List product: T-Wax	174	174	174	174	174	174	177	177	177	177	
505	Exterior Body rust protection. List product:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
506	Stepwell rust protection. List product: Stainless steel	486	486	486	486	486	486	490	490	490	490	
507	Paint adhesion and rust protection - 5 years, unlimited miles	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
508	Interior of all panels, where insulation is located, shall be rustproofed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
509	Undercoating. List product:	Line 531	Line 531	Line 531	Line 531	Line 531	Line 531	Line 531	Line 531	Line 531	Line 531	
510	No Rust One Piece Stepwell	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
511	No Rust Battery Box	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
512	Other:											
513												
514												
515												
516	SEAT BELTS/SEATS/FOAM											
517	25" knee clearance	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
518	39" Right front seat	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
519	30" Right front seat	100	100	100	100	100	100	N/A	N/A	N/A	N/A	
	Seat, 39" Interchangeable seat backs, (specialized school bus seats that can be converted from standard seats to three point seat belts or to Integrated Child Restraint Seats (ICS) without removing the seats from the bus and modifying the bus floor for needed reinforcements by replacing the complete backs. Seat frames shall meet applicable FMVSS requirements and seat frames shall be capable for installation of type 2 belts and ICS restraint seating) list make: Nextgen FIRST TWO											
520	ROWS	N/A	N/A	N/A	N/A	N/A	330	N/A	N/A	N/A	N/A	
521	Cost for one seat three seat belts installed color coded	406	406	406	406	406	406	412	412	412	412	
522	Cost for one seat two seat belts installed color coded	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
523	Cost per seat to make seat belt ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
524	Cost to make all seats, seat belt ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
525	Districts: Specify if last seat is "full" or "half" for 71 and 77 passengers	Full	Full	Full	Full	Full	Full	Full	Full	Full	Full	
526	Number or letter seats above windows	60	60	60	60	60	60	61	61	61	61	
527	Padded Interior side rails	165	165	165	165	165	165	167	167	167	167	
528	Seat color Brown	1	1	1	1	1	1	1	1	1	1	
529	Seat color Dark Blue	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
530	Seat color Gray	1	1	1	1	1	1	1	1	1	1	
531	Seat color Green	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
532	Seat color Maroon	1	1	1	1	1	1	1	1	1	1	
533	Seat color Medium Blue	1	1	1	1	1	1	1	1	1	1	
534	Seats 1/2" plywood seat bottoms	192	192	192	192	192	192	196	196	196	196	
535	Seats 3/8" plywood seat bottoms	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
536	Seats passenger Kevlar upholstery	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
537	Seats staggered (not placed directly across each other)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
538	Triad seat foam	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
539	Interchangeable seat backs, IMMI/BTI seats	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
540	Other:											
541												
542												
543												
544												
545	SEAT, DRIVER'S											
546	Adjustable pedals, factory installed	890	890	890	890	890	890	903	903	903	903	
547	Tilt steering	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
548	Tilt/Telescopic steering	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
549	Pedestal seat non-heated vinyl National	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
550	Pedestal seat non-heated vinyl Bostrom	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
551	AIR RIDE NON HEATED SEAT VINYL BOSTROM	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
552	Air ride seat heated cloth National	330	330	330	330	330	330	334	334	334	334	
553	Air ride seat non-heated cloth National	170	170	170	170	170	170	173	173	173	173	
554	Air ride seat heated cloth Bostrom	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
555	Air ride seat non-heated cloth Bostrom	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
556	Driver's seat armrests option. List price per side:	30	30	30	30	30	30	30	30	30	30	
557	Fabric driver's seat, non-flammable	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
558	Driver's adjustable shoulder harness	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
559	Driver's high visibility orange safety adjustable shoulder harness	1	1	1	1	1	1	1	1	1	1	
560	Front barrier cover with multiple pouches. State # of pouches: Five	75	75	75	75	75	75	75	75	75	75	
561	Front barrier cover with a single pouch	14	14	14	14	14	14	14	14	14	14	
562	Standard heated air suspension	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
563	Standard heated hydraulic suspension	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
564	Other:											
565												
566												
567												
568	SIDE RAILS/PANELS											
569	16 gauge smooth exterior panels	424	424	424	424	424	424	430	430	430	430	
570	Full length and acoustical headliner	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
571	Black snow rail	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
572	Rub rail above rear bumper	61	61	61	61	61	61	62	62	62	62	
573	Rub rails painted black full width	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
574	Seal top of all rub rails	200	200	200	200	200	200	200	200	200	200	
575	Third rub rail. Shall be painted black or yellow.	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
576	Rubber fender extensions rear, only	125	125	125	125	125	125	127	127	127	127	
577	Window line rubrail to extend around rear of bus	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
578	20 gauge fluted side panels	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
579	Other:											
580	20 gauge smooth side panels	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
581												
582	SILICONE RADIATOR/HEATER HOSES											
583	Constant torque hose clamps	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
584	Heater hoses, silicone	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
585	Premium Rubber Hoses Unsealed in Lieu of Silicone Hoses	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
586	Radiator hoses, silicone	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
587	Other:											
588												
589												
590												
591												
592	STOP ARM/CROSSING ARM											
593	Air operated Stop Arm with LED lamps	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
594	Air operated Stop Arm with LED strobe lamps	183	183	183	183	183	183	186	186	186	186	
595	Air operated Stop Arm with Standard lamps	65	65	65	65	65	65	66	66	66	66	
596	Air operated Stop Arm, Dual Signs	263	263	263	263	263	263	267	267	267	267	
597	Air operated Stop Arm, Dual Signs, LED Strobing	436	436	436	436	436	436	440	440	440	440	
598	Electric Stop Arm with LED lamps	85	85	85	85	85	85	86	86	86	86	
599	Electric Stop Arm with LED lamps, Transpec	300	300	300	300	300	300	303	303	303	303	
600	Electric Stop Arm with LED strobe lamps	110	110	110	110	110	110	112	112	112	112	
601	Electric Stop Arm with Standard lamps	1	1	1	1	1	1	1	1	1	1	
602	Electric Stop Arm, Dual Signs	460	460	460	460	460	460	464	464	464	464	
603	Electric Stop Arm, Dual Signs, LED Strobing	495	495	495	495	495	495	500	500	500	500	
604	Latch/magnet for crossing arm/gate	72	72	72	72	72	72	73	73	73	73	
605	Solid Fiberglass Air Crossing Gate Mounted on Front Bumper. State Brand:	348	348	348	348	348	348	352	352	352	352	
606	Solid Fiberglass Electric Crossing Gate Mounted on Front Bumper. State Brand:	397	397	397	397	397	397	401	401	401	401	
607	Other:											
608	Safety light stop arm	890	890	890	890	890	890	890	890	890	890	
609	Safety light lighted school bus signs	1455	1455	1455	1455	1455	1455	1455	1455	1455	1455	
610												
611												
612												
613	STORAGE COMPARTMENTS, INTERIOR											
614	Dash mounted glove box with door and lock	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
615	Glove box, bulkhead without lock	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
616	Storage compartment without lock next to driver	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
617	Storage box with lock above driver's window	112	112	112	112	112	112	114	114	114	114	
618	Storage box without lock above driver's window	113	113	113	113	113	113	115	115	115	115	
619	Safety equipment compartment, above windshield	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
620	Flares behind driver's seat	20	20	20	20	20	20	20	20	20	20	
621	Over windshield with a flush mounted camera box	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
622	Other:											
623												
624												
625												
626												
627	STORAGE COMPARTMENTS, EXTERIOR											
628	Door assist cylinder, price per door	76	76	76	76	76	76	76	76	76	76	
629	Door locks per door	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	W/Comp Std	
630	Double left side. List size: 28.4 CF	N/A	N/A	N/A	N/A	981	981	N/A	N/A	981	981	
631	Double right side. List size: 28.4 CF	N/A	N/A	N/A	N/A	980	980	N/A	N/A	980	980	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
632	Single left side. List size: 16 CF	N/A	N/A	624	624	624	624	624	624	624	624	
633	Single right side. List size: 16 CF	N/A	N/A	625	625	625	625	625	625	625	625	
634	Double Non metal compartment. List size:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
635 Pass-through compartment, four doors	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4040	4200
636 Other:											
637 Double right or left 22.7 CF	N/A	N/A	922	922	922	922	922	922	922	922	
638											
639											
640 STUDENT DETECTION SYSTEM											
641 Child Reminder System. State brand: Doran	116	116	116	116	116	116	116	116	116	116	
642 Child Reminder System unloading delay option. State brand:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
643 Other:											
644											
645											
646											
647											
648 WARRANTIES, EXTENDED WARRANTIES											
649 See Warranties Page, Appendix F, for pricing											
650											
651 WHEELS, RIMS, TIRES											
652 See Tires page, Appendix E, for pricing											
653											
654 WINDOWS/WINDSHIELD											
655 Cost of two additional emergency windows (total of 4 emergency windows on bus)	104	104	104	104	104	104	106	106	106	106	
Thermopane price per window. List which pieces are thermopane: side sash, driver window, doors, ect)	55	55	55	55	55	55	56	56	56	56	
656 Tinted Driver's Window. List tint:	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
657 Tinted Entrance Door. List tint:	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
658 Tinted Rear Window. List tint:	62	62	62	62	62	62	63	63	63	63	
659 Tinted side windows. List tint:	1	1	1	1	1	1	1	1	1	1	
660 Powdercoated Black Window Frames	150	150	150	150	150	150	153	153	153	153	
661 One gallon washer fluid reservoir	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
662 One and one-half Gallon Washer fluid reservoir	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
663 Six quart washer fluid reservoir	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
664 Raised passenger window line	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
665 Windshield four piece flat	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
666 Windshield one piece	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
667 Windshield three piece	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
668 Windshield two piece curved	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
669 Heated windshield wipers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
670 Heated washer fluid units	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
671 Other:											
672											
673											
674											
675											
676 WIRING											
677 NOTE TO DISTRICTS: You may want to consider pre-wiring for future installs											
678 As-Built Wiring Schematics	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
679 Color-coded numbered wiring	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
680	Multiplex wiring package. State wires included:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
681	Pre-Wire for 2-way radio. State harness location: Dash	35	35	35	35	35	35	35	35	35	35	
682	Wireless access points for Wi-Fi capability	315	315	315	315	315	315	320	320	320	320	
683	Wiring for camera, only. State harness location:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
684	Wiring harness for GPS system, without GPS system. State harness location:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
685	Other:											
686												
687												
688												
689	OTHER OPTIONS											
690	Air horns	130	130	130	130	130	130	132	132	132	132	
691	Air horns, foot control	220	220	220	220	220	220	223	223	223	223	
692	All keys alike	10	10	10	10	10	10	10	10	10	10	
693	Chrome radiator grill	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
694	Composite trash can compartment	45	45	45	45	45	45	45	45	45	45	
695	Cup holder	40	40	40	40	40	40	40	40	40	40	
696	Exhaust exit left-hand side ahead of rear wheels	N/A	N/A	1	1	1	1	N/A	N/A	N/A	N/A	
697	Exhaust exit under rear bumper, turned down	1	1	65	65	65	65	Std	Std	Std	Std	
698	Exhaust exit left-hand side ahead of rear wheels, stainless steel	N/A	N/A	Std	Std	Std	Std	N/A	N/A	N/A	N/A	
699	Exhaust exit under rear bumper, turned down, stainless steel	Std	Std	218	218	218	218	N/A	N/A	N/A	N/A	
700	Extra insulation firewall and roof bows	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
701	LH arm rest on switch panel	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
702	Mudflap, Full width at rear bumper in addition to standard flaps	350	350	350	350	350	350	N/A	N/A	N/A	N/A	
703	Mudflap, Full width to be mounted at rear bumper	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
704	Mudflap, Full width at rear axle single flap	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
705	Mudflaps, additional mudflaps to be mounted in front of rear wheels	30	30	30	30	30	30	31	30	30	30	
706	Mudflaps, front (pair)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
707	Pre-heater box to be located adjacent to battery box	526	526	526	526	526	526	532	526	526	526	
708	Second set of logos decals, rear mounted	80	80	80	80	80	80	80	80	80	80	
709	Tire Chains	2026	2026	2026	2026	2026	2026	2050	2050	2050	2050	
710	Mobileye collision avoidance	850	850	850	850	850	850	860	860	860	860	
711	Mobileye 360 Perimeter view camera system	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
712	Tire Pressure monitoring system	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
713	Smarttrac electronic stability control	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
714	Certificate holder	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
715	Clipboard holder	230	230	230	230	230	230	230	230	230	230	
716	Other:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
717		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
718												
719												
720												
721	HANDICAPPED BODY OPTIONS											

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
DISTRICTS - YOU ARE TO SUBMIT a Floor Plan as to the seating and the placement of wheelchairs. Note location of Heater Boxes and Wheel Wells if the bus is not equipped with a flat floor. Show plan for amount of forward-Facing Wheelchairs, with an approximate capacity of remaining ambulatory students allowable for each size vehicle. Wheelchair lift location specified by the District. DISTRICTS MUST CONFIRM WITH VENDOR THEIR DESIGN SPECIFICATIONS PRIOR TO ORDERING BUS. VENDORS - FLOOR TRACK MUST BE "THROUGH BOLTED" WITH GRADE #5 BOLTS OR BETTER WITH REINFORCING OR WASHERS ON UNDERSIDE OF FLOOR PAN. SCREW TYPE FASTENERS NOT ACCEPTABLE. Lift Price should include a rear mounted lift with a 34" platform, lift door, lighting, interlocks and holddown for one position located across from the lift. ADA compliant lifts only.											
725 Braun Lift. State model:	6600	6600	6600	6600	6600	6600	N/A	N/A	N/A	N/A	
726 Braun Lift 1000lb capacity. State model:	6800	6800	6800	6800	6800	6800	N/A	N/A	N/A	N/A	
727 Ricon Lift. State model:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
728 Ricon Lift 1000lb capacity. State model:	7000	7000	7000	7000	7000	7000	N/A	N/A	N/A	N/A	
729 Price difference for a front mounted lift	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
730 Flat floor (includes low profile tires and rear air suspension Contact vendor for specifics.)	1400	1400	1400	1400	1800	1800	N/A	N/A	N/A	N/A	
731 Recessed floor track L-track for track seating <u>per wheelchair position</u>	700	700	700	700	700	700	N/A	N/A	N/A	N/A	
732 Recessed floor track L-track full length both sides and shoulder harness track above windows	4542	4542	6110	6110	6590	7062	N/A	N/A	N/A	N/A	
733 Recessed floor track covers	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
734 Stainless steel fasteners to secure track to floor	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
735 Sealed plywood floor track grooves prior to installation of floor track	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
736 S.T.A.R.S. Floor mount hardware per wheel chair position	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
737 30" Track mounted seat - Each	25	25	25	25	25	25	N/A	N/A	N/A	N/A	
738 36" Track mounted seat - Each	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
739 39" Track mounted seat - Each	25	25	25	25	25	25	N/A	N/A	N/A	N/A	
740 4"x4" H/C decal on L/Front body and 8"x8" H/C decal on R/Rear with white backing	35	35	35	35	35	35	N/A	N/A	N/A	N/A	
741 Additional interior light and switch at lift area for lift door and light	Std	Std	Std	Std	Std	Std	N/A	N/A	N/A	N/A	
742 Interior ceiling lamp over lift area	Std	Std	Std	Std	Std	Std	N/A	N/A	N/A	N/A	
743 Interior ceiling lamp over lift area comes on automatically when door opens	1	1	1	1	1	1	N/A	N/A	N/A	N/A	
744 One work light per wheelchair securement area, wall-mounted under chair rail, under seats	110	110	110	110	110	110	N/A	N/A	N/A	N/A	
745 Exterior lamp mounted above lift door	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
746 Other:											
747											
748											
749											
750											
751											
752											
753											
754 WHEELCHAIR RESTRAINT COST PER CHAIR											

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
755	Q-Straint QRT Max	348	348	348	348	348	348	N/A	N/A	N/A	N/A	
756	Q-Straint QRT Deluxe	350	350	350	350	350	350	N/A	N/A	N/A	N/A	
757	Q-Straint QRT 360	673	673	673	673	673	673	N/A	N/A	N/A	N/A	
758	Q-Straint Slide N Click	584	584	584	584	584	584	N/A	N/A	N/A	N/A	
759	Q-Straint. State model:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
760	Sure-Lok FE517-4	200	200	200	200	200	200	N/A	N/A	N/A	N/A	
761	Sure-Lok FF612S-4C-7	455	455	455	455	455	455	N/A	N/A	N/A	N/A	

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
762	Sure-Lok AL712S-4C-7	446	446	446	446	446	446	N/A	N/A	N/A	N/A	
763	Sure-Lok. State model	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
764	Quick Straps, One pair (2)	25	25	25	25	25	25	N/A	N/A	N/A	N/A	
765	Restraint storage pouch	15	15	15	15	15	15	N/A	N/A	N/A	N/A	
766	Shoulder restraint retractable	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
767	Other:											
768												
769												
770												
771	C.E. WHITE SEATS											
772	Cost of barrier for placing CR-30 in a first row seat	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
773	Cost of barrier for placing CR-39 in a first row seat	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
774	Cost of CR-30 seat, not installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
775	Cost of CR-30 seat with seat belts, not installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
776	Cost of CR-30 seat, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
777	Cost of CR-30 seat with seat belts, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
778	Cost of CR-39 seat, not installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
779	Cost of CR-39 seat with seat belts, not installed	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
780	Cost of CR-39 seat, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
781	Cost of CR-39 seat with seat belts, track mounted	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
782	Cost of CR-30 seat cover	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
783	Cost of CR-30 seat foam	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
784	Cost of CR-39 seat cover	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
785	Cost of CR-39 seat foam	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
786	Cost of CR-30 seat installed, seat belt ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
787	Cost of CR-39 seat installed, seat belt ready	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
788	Other:											
789	CE White CR 39 Seat, price per seat	600	600	600	600	600	600	600	600	600	600	
790												

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
791	NEW: APPROVED OPTION LIST FOR OHIO SCHOOL BUS											
792	Fire suppression system: must be installed per the manufacturer's recommendations. Installation shall not interfere with the driver's ability to operate any OEM controls and shall be completely isolated from the vehicle's electrical system by means of a fuse or breaker. The suppressant delivery points may be installed in the engine compartment, battery box, and undercarriage of the vehicle. Mounting of the system shall be outside of the passenger compartment and have no effect on the vehicles structure to include welding or drilling into the main frame. The cylinder and gauges shall be contained in a metal protective box and marked on three sides in 2 inch red letters "Fire Suppression" on a white background. The system shall be isolated to prevent accidental discharge of the suppression contents. A monitor to show the status of the unit may be installed in the driver's area in such a way as to not interfere with the safe operation of the bus.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
793												
794												
795	NON-SCHOOL BUS OPTIONS											
796	Bus is built same as school bus but will not have 8-way light system, swing-out stop sign and will not be painted yellow. All lettering as required by State law for school buses will be omitted.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
797	Insullation all sides, roof shafts, front and rear panels and all roof bows	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
798	Auxillary port in dash for cell phone	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
799	Window sash all black. Exterior and between windows shall be painted black	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
800	Front interior A/C blower in front bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
801	Rear interior A/C blower in rear bulkhead	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
802	A/C roof-mounted condenser; 120,000 BTUs or greater	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
803	COLOR OPTIONS											
804	Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
805	REFLECTIVE TAPE											
806	Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
807	Other:											
808												
809												
810	ANY OTHER ADDITIONAL OPTIONS (list below)											
811	Railroad silent switch	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
812	Panel located in floor to access fuel sending unit	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std	
813	Spare wheel and tire mounted and shipped loose in bus	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
814	Backup camera	454	454	454	454	454	454	454	454	454	454	
815	Rear reflective stripe decal on body (new version)	850	850	850	850	850	850	N/A	N/A	N/A	N/A	
816	Undercarriage safety student lighting	825	825	825	825	825	825	825	825	825	825	
817	Guardian Angel crossing light	460	460	460	460	460	460	460	460	460	460	
818												
App G	CUMMINS 10 YEAR WARRANTY						700					
App F	COOPER 11R22.5 84 18 RHA/RHD REAR TIRES						35					

OHIO SCHOOLS COUNCIL
SCHOOL BUS PURCHASING PROGRAM
VENDOR QUOTE

Appendix C
Transit

	Bus Size (Transit)	47 Puller	54 Puller	65/66 Puller	71/72 Puller	77/78 Puller	83/84 Puller	65/66 Pusher	71/72 Pusher	77/78 Pusher	83/84 Pusher	Price if Same for All Sizes
820	Note: Not all options are available together and the selection of one option may require another option. When conflicts arise the school will be contacted on how they would like to proceed before we accept the order. Axle size options are for the axle only other components will affect the actual axle rating as listed on the tag such as suspension, tires, brakes, and transmission. In keeping with its policy of continual product improvement, Blue Bird reserves the right to change specifications without notice and without incurring obligations. Units meet all Federal and State schools bus specifications.											
821												
822												
823												
824												
825												
826												
828												
829	\$112,079 + \$110,354.00 = \$222,433.00						\$112,079.00					