SILO

Integration setup guides

Step-by-step instructions for connections that need work in Shopify, Meta, or Redo before credentials land in SILO. Same content as the setup drawers on the Integrations page.

Generated 2026-11-09 · SILO Integrations: /v2/integrations.html

CONTENTS

1. Shopify — store-owned app (recommended)
2. Shopify — legacy Admin API token
3. Meta Ads — system user token
4. Redo — returns & marketing
5. Klaviyo — email & SMS

One-click in SILO (no separate guide): Google Ads, GA4, TikTok Ads, QuickBooks Online, Shopify OAuth, and Stripe Connect.

Shopify — store-owned app (recommended)

SETUP GUIDE · ABOUT 10 MINUTES

Connect a Shopify store with its own app

You create a small private app in Shopify, give it read-only access, and paste its Client ID and Client secret into SILO. SILO never sees your Shopify password.

BEFORE YOU START

- The **store owner** login (or a staff account allowed to develop apps)
- The store's `.myshopify.com` address

1 **Find the store's Shopify address**

Open the store's Shopify admin. The address bar reads `admin.shopify.com/store/your-store/…` — the store address is `your-store.myshopify.com`. It often differs from the store's public name.

2 **Open Shopify's Dev Dashboard**

Sign in with the **same account that owns the store**. The app must be created in the store's own Shopify organization — an app made under a different organization is refused when SILO asks for access.

Open Dev Dashboard
https://dev.shopify.com/dashboard

3 **Create an app with read-only access**

Choose **Create app**, name it anything (e.g. `SILO`), paste these scopes, then create and **Release** it. All are read-only; SILO cannot change anything in your store.

`read_orders` `read_products` `read_inventory` `read_locations` `read_shopify_payments_payouts` `read_draft_orders` `read_reports` `read_publications`

Copy scopes

```
read_orders,read_products,read_inventory,read_locations,read_shopify_payments_payouts,read_draft_orders,read_reports,read_publications
```

Leave `read_all_orders` out of this first version: Shopify rejects it on a brand-new app (“Contains invalid scopes”). It goes in after the app is installed, two steps on.

4 **Install the app on the store**

From the app's overview choose **Install app** and pick this store. Approve the access prompt.

5 **Add full order history in a second version**

Open the app's **Versions**, choose **New version**, use these scopes (the same list plus `read_all_orders`) and **Release** it. Then choose **Install app** again so the store approves the new scope.

`read_orders` `read_products` `read_inventory` `read_locations` `read_shopify_payments_payouts` `read_draft_orders` `read_reports` `read_publications` `read_all_orders`

Copy all scopes

```
read_orders,read_products,read_inventory,read_locations,read_shopify_payments_payouts,read_draft_orders,read_reports,read_publications,read_all_orders
```

Don't skip `read_all_orders`. Without it Shopify only returns the last 60 days of orders, so SILO cannot import your sales history.

6 **Copy the Client ID and Client secret**

In the app's **Settings**, copy the **Client ID** and the **Client secret**.

Treat the secret like a password. SILO checks the pair with Shopify before saving and stores the secret where only SILO's servers can read it.

7 **Paste them into SILO**

In **Add Shopify store**, enter the store address, Client ID and Client secret, then click **Connect store**.

8 **Finish setup in SILO**

On the new store row: **Test** (confirms every scope is granted), map its locations, then switch on **Nightly sync** and start the history import.

IF SOMETHING GOES WRONG

Shopify refused the app / "shop and app must belong to the same organization"

The app was created while signed in to a different Shopify organization. Sign in as the store owner, create the app again from the Dev Dashboard, and use the new Client ID and secret.

The store row warns about missing scopes

In the Dev Dashboard, add the missing scope in a **New version** and release it, then choose **Install app** again so the store approves it, then click **Re-test** in SILO.

The store row says order history is limited to 60 days

The app is missing `read_all_orders`. In the Dev Dashboard, add it in a **New version** and release it (Shopify accepts it once the app is installed; there is no access request to submit), choose **Install app** again so the store approves it, then click **Re-test** in SILO. Run the history import *after* the warning is gone — an import started without it only reaches 60 days back.

Button names on the other site can shift slightly as they update their dashboards.

In SILO: Workspace → Settings → **Integrations** (`/v2/integrations.html`).

Shopify — legacy Admin API token

SETUP GUIDE · ABOUT 3 MINUTES

Use an existing Shopify Admin API token

Only for stores that created a "Develop apps" custom app in their admin before 2026. Shopify no longer lets stores create new ones — use the store's own app instead if you don't already have a token.

BEFORE YOU START

- The store owner login
- An existing custom app in the store admin

1. **Open the custom app**
   In the store admin go to **Settings → Apps and sales channels → Develop apps** and open the existing app.

2. **Check its access**
   Under **Configuration**, the Admin API access should include these read scopes:
   `read_orders` `read_products` `read_inventory` `read_locations` `read_shopify_payments_payouts` `read_draft_orders` `read_reports` `read_publications` `read_all_orders`
   Include `read_all_orders`. Without it Shopify only returns the last 60 days of orders. If you add it now, save the configuration and Test the row in SILO again.

3. **Copy the Admin API access token**
   Under **API credentials**, the token starts with `shpat_`. Shopify shows it only once; if it was never saved, it cannot be revealed again — use the store's own app route instead.

4. **Paste it into SILO**
   In **Add Shopify store**, enter the store address, open **Already have an Admin API token?**, paste it and click **Save token**. Then Test the row.

IF SOMETHING GOES WRONG

"Develop apps" is missing from the admin

The store has no legacy custom app and can no longer create one. Use **Connect with your store's own app**.

The store row says order history is limited to 60 days

The custom app is missing `read_all_orders`. In the store admin open **Develop apps**, then the app's **Configuration**, tick `read_all_orders` under Admin API scopes and save, then click **Re-test** in SILO before importing history.

Button names on the other site can shift slightly as they update their dashboards.

In SILO: Workspace → Settings → **Integrations** (`/v2/integrations.html`).

SETUP GUIDE · ABOUT 15 MINUTES

Connect Meta Ads with a System User token

Meta splits this across two sites: create/register a **Business app** once, then do everything else in **Business settings → System users** (create user, assign assets, generate token) without leaving that screen.

BEFORE YOU START

- **Admin** access to the Meta Business portfolio that owns the ad account
- After each link opens, confirm the **correct business portfolio** is selected (top-left on Business settings)
- A Meta app of type **Business** linked to that portfolio (step 1 — Meta requires this before system users)

1 **Register a Business app on the portfolio**

A — Create (only if you have no app yet): In Meta for Developers, **Create app** → type **Business** → connect it to the same Business portfolio that owns your ad account.

B — Add it to the portfolio (required either way): In Business settings go to **Accounts → Apps → Add**, and connect the app. SILO needs the app to appear here before a system user can generate a token.

Meta for Developers (create app)
https://developers.facebook.com/apps

Business settings → Apps
https://business.facebook.com/settings/apps

If the app already shows under Accounts → Apps, skip A and continue to step 2.

2 **Open System users (your home base for the rest)**

Go to **Users → System users** in the left sidebar. The next three steps all happen on the **same system user** record — you should not need another Meta product tab until you paste the token into SILO.

Open System users
https://business.facebook.com/settings/system-users

Business settings home
https://business.facebook.com/settings

Pick the correct business portfolio in the top-left if Meta prompts you.

3 **Create the system user**

Click **Add new system user** (or **Add**), name it `SILO`, and create it. Meta's **Admin** system user role is fine for setup.

4 **Assign the app and ad account (same user)**

With `SILO` selected, use **Assign assets** (or **Add assets** / the ⋯ menu) twice:

- **Apps** → your Business app → enable **Develop app** (or full app access). Without this, token generation will not list the app.
- **Ad accounts** → each account SILO should report → **View performance** (read) access.

Meta's official walkthrough
https://www.facebook.com/business/help/503306463479099

5 **Generate and copy the token**

Still on that system user, choose **Generate new token** → select the Business app from step 1 → expiration **Never** → tick:

`ads_read` `business_management`

Want organic Instagram and Facebook Page reporting too? Also tick the permissions in "Optional: organic insights" below before generating. Meta shows the token (starts with `EAA`) **once** — copy it before closing the dialog.

6 **Paste it into SILO**

Click **Add Meta Ads token…** (or **Replace token** on an existing row), paste the token, and save. Leave the ad account ID blank if unsure — **Test** lists accounts the token can see. Then switch on **Nightly sync**.

Optional: organic insights (Instagram posts, Facebook Page)

7 **Add four permissions to the token**

Regenerate the token with these added alongside the two above:

`pages_show_list` `pages_read_engagement` `instagram_basic` `instagram_manage_insights`

8 **Assign the Page to the system user**

Back in Business settings → **Users → System users**, open the same `SILO` user → **Assign assets → Pages** → your Page with at least Analyst access. Token permissions alone do not grant Page access.

Open System users
https://business.facebook.com/settings/system-users

9 **Link Instagram to the Page**

The Instagram professional account must be linked to that Facebook Page.

10 **Fill in the two IDs**

Click **Test** on the Meta row — it lists the Pages the token can see with their linked Instagram account. Enter the **Facebook Page ID** and **Instagram Business Account ID** on the row.

IF SOMETHING GOES WRONG

I regenerated the token — where does the new one go?

Use **Replace token** on the existing Meta row. Do not use Add Meta Ads token again; that creates a second connection for the same account.

Test lists no ad accounts

The ad account is not assigned to the system user (step 4), or the token was generated without `ads_read`.

Generate token does not list my app

The app is missing under Accounts → Apps (step 1B), or the system user does not have **Develop app** on that app (step 4).

Links open the wrong business

Use the portfolio picker (top-left in Business settings) before continuing. Every deep link keeps you in Business settings once signed in.

"Could not derive a Page access token" / error #190

The Page isn't assigned to the system user. Assign it (organic step 2); no new token is needed.

Button names on the other site can shift slightly as they update their dashboards.

In SILO: Workspace → Settings → **Integrations** (`/v2/integrations.html`).

SETUP GUIDE · ABOUT 5 MINUTES

Connect Redo returns and marketing

Redo pushes every return to SILO through a webhook you add in Redo. An optional API token adds campaign and automation reporting.

BEFORE YOU START

- Admin access to your Redo merchant dashboard

1. **Create the connection in SILO**
   Click **Connect Redo…**. SILO creates a webhook URL and a secret just for your company and shows them on the Redo row.

2. **Add a webhook in Redo**
   In Redo's merchant dashboard, add a webhook subscription:
   - **URL** — the webhook URL from SILO
   - **Event** — Return event (all statuses)
   - **Auth secret** — the webhook secret from SILO (use its Copy button)

   If you ever click Regenerate on the secret in SILO, paste the new one into Redo too, or deliveries stop.

3. **Optional: API token for marketing reporting**
   In Redo's merchant admin, open the API settings and create a token with these **read** scopes, then paste it into the API secret field on the Redo row:
   `Campaigns` `Marketing automations` `Campaign analytics`
   `Marketing automation analytics` `Marketing templates`

4. **Check it's working**
   Last event on the Redo row updates on the next return status change. Redo may also resend recent returns right after the webhook is added.

IF SOMETHING GOES WRONG

Last event never updates

The URL or secret in Redo doesn't match SILO's. Copy both again from the Redo row.

Marketing numbers are missing

The API token is missing the marketing read scopes; the nightly records the sync as skipped. Create a token with all five scopes and paste it in.

Button names on the other site can shift slightly as they update their dashboards.

In SILO: Workspace → Settings → **Integrations** (`/v2/integrations.html`).

Klaviyo — email & SMS

SETUP GUIDE · ABOUT 3 MINUTES

Connect Klaviyo

SILO reads your Klaviyo campaign and flow reporting every night. Read-only: it never sends, edits or imports a profile.

BEFORE YOU START

- Owner, Admin or Manager access in Klaviyo (only those roles can create an API key)

1 **Create a read-only private API key**

In Klaviyo, open **Settings → API keys** and create a key with **Custom** access, granting **Read** on each of these and nothing else:

`campaigns:read` `flows:read` `metrics:read` `segments:read` `lists:read` `accounts:read`

Klaviyo API keys
https://www.klaviyo.com/settings/account/api-keys

Klaviyo cannot change a key's scopes afterwards. If one is missing you have to delete the key and make a new one, so it is worth checking the list before saving.

2 **Paste the key into SILO**

On the Klaviyo row, click **Paste an API key…** and paste the key. It begins with `pk_`. SILO tests it straight away and reads back your account and its reporting timezone.

The short six-character company ID is Klaviyo's PUBLIC key and cannot read reports — it is not the one to paste here.

3 **Choose what counts as a conversion**

Klaviyo measures every conversion and all attributed revenue against one metric, normally **Placed Order**. SILO picks that one automatically when it exists; otherwise choose it from the dropdown on the row.

Changing it later changes what every Klaviyo number means, so rows measured against different metrics are never added together.

4 **Turn sync on**

Switch **Sync** on. SILO queues a first import of the last year and then re-reads a trailing 60 days every night, because Klaviyo keeps attributing orders to a send for weeks after it went out.

IF SOMETHING GOES WRONG

"The Klaviyo key is valid but lacks the metrics:read scope"

The key was created without that scope and Klaviyo cannot add one. Create a new custom read-only key with all five scopes and paste it over the old one.

Numbers do not match Klaviyo's dashboard

Check the conversion metric on the row is the same one Klaviyo's own report uses, and compare the same window: SILO stores campaign numbers per reporting window, not per day, because Klaviyo publishes no daily series for campaigns.

SMS numbers are blank

Klaviyo returns no SMS statistics before 1 October 2025, or on a contracted plan. Blank means not reported, not zero.

Flow names show but message names do not

Klaviyo did not return the flow message list for this account. Nothing is lost: every number is still attributed to the right message, only its name is missing.

Button names on the other site can shift slightly as they update their dashboards.

In SILO: Workspace → Settings → **Integrations** (`/v2/integrations.html`).