

/CORRECTIONS 6 JUNE 1966

LS=074 /BEGIN ERROR COMMENT <
GR=076 /END ERROR COMMENT >
CM=054 /COMMA
CR=015 /CARRIAGE RETURN
LF=012 /LINE FEED
TB=012 /TAB (NOT USED)
SH=136 /UP ARROW (SHARP SIGN)
LP=050 /LEFT PAREN
RP=051 /RIGHT PAREN
BS=134 /BACKSLASH
SG=100 /SEGMENT GAP FOR TYPEOUT ~
RM=052 /ARG SEPARATOR FOR TRACE *
CD=047 /INITIAL META CHARACTER. APOSTROPHE
CT=015 /CONTINUE TRACE CARRIAGE RETURN
MN=055 /MINUS
N0=060 /ZERO

EXPUNGE LCH

NFM=100
HIH=7600

TYI=IOT 201
TYO=IOT 301

110/

Q=101
IRPC [C, , ABCDEFGHIJKLMNOPQRSTUVWXYZ]
CHR'C=Q Q=Q 1
ENDIRPC

/TYPE CHARACTER IN

LCH, CLI
 TYI
 J TTET
 RCL 6S
 TYI
 J TTET
 RCR 5S
 RAL 7S
 J RM1

/TYPE CHARACTER OUT

TCR, W CR
 C TCH
 W LF

TCH, S (40
 SMA
 J TCB
 A (140

J TCA

TCB, U (74 /REVERSE SLANT
 W 144
 U (76 /UP ARROW
 W 146
 U (77 /BACK ARROW
 W 147
 U (137 /DELETE
 W 174

TCA, D MAC
 N (77

U MAC

TCO, J TCO
 R (770000
 TYO
 J TTET
 RAR 6S
 TYO
 J TTET
 J RM1

/ERRORS

```

TTET,      L 102
           N (2
           QZ I
           J TTE
BREAK,     (770000
           TYO
           NOP
           L (070000      /TYPE BELL WARNING
           TYO
           NOP
           J IN
TTE,       HLT I
           J IN

```

/FASTRAND IOTS

```

DEFINE     FRBK
           IOT 6141      /READ ADDRESSED BLOCK
           J DRE
           TERMIN
DEFINE     FWBK
           IOT 6361      /WRITE NON-ADDRESSED BLOCK, HELD
           J DRE
           TERMIN
DEFINE     FEBK
           IOT 6241      /EXPUNGE ADDRESSED BLOCK
           J DRE
           TERMIN

```

/INITIALIZATION

```

DEFINE     SWAP
           OPR 60
           TERMIN
DEFINE     HL
           HLT
           TERMIN
DEFINE     META
           L MCH
           RAR 7S
           ADD (1
           RAR 1S
           IOT 1160
           TERMIN

IN,        W CD
           D MCH
           META
           J INR

MIN,

```

/TRAC IV 1-1-65 (PART 2)

/CORRECTED 6 JUNE 1966

/DEFINITIONS

DEFINE DP A
O A 1 D A
TERMIN

DEFINE LT A
F A 1 L A
TERMIN

DEFINE AM B
A B D B
TERMIN

DEFINE RD A
W A G RCH
TERMIN

DEFINE WR
G WCH
TERMIN

DEFINE UNDEX B
WI 1 AM B
TERMIN

N=AND	R=IOR	M=XOR	X=XCT	L=LAC	F=LIO
D=DAC	V=DAP	B=DIP	O=DIO	Z=DZM	A=ADD
S=SUB	AO=IDX	K=ISP	U=SAD	E=SAS	J=JMP
P=JSP	Q=SKP	W=LAW	G=JDA	C=CAL	

QM=SMA QP=SPA QZ=SZA

IRP [OP,,N,D,S,P,R,V,AO,Q,M,B,K,W,X,O,U,L,Z,E,F,A,J]
O P'I=OP I
ENDIRP

IRP [OP,,HA,HC,HI,HB,HD,HJ],[SR,,RAL,RCL,RIL,SAL,SCL,SIL]
DEFINE OP K
SHIFT K,SR
TERMIN
ENDIRP

DEFINE SHIFT K,P
REPEAT 11F VP K P K'S STOP
P I'K'S"X"777777
TERMIN

CH=400000

/SUBROUTINE HANDLER

100/

MAC,	J WCO
	J MIN
MIN/	S (1
	V ML
	AO PDR
	U LOW
	P GC
	L ML
	DI PDR
ML,	L
	V MJ
	L MAC
MJ,	J .
RA1,	D MAC
RM1,	W 1
RMN,	AI PDR
RMD,	V R1
RMS,	UNDEX PDR
RMX,	L MAC
R1,	J .
RA2,	D MAC
RM2,	W 2
	J RMN

/READ CHARACTER FROM STRING

```

RCH,      0
          V RC0
          W 1
          A RCH
          D GCM
          LI RCH
          UI GCM
          J RC0
          A (CH
          DI RCH
          D RCH
          FI RCH
          QP
          HI 9
          AO RC0
          CLA
          HC 9
          D MAC
RC0,      J .

```

/WRITE CHARACTER IN STRING

```

WCH,      0
          V WCX
          L WCP
          A (CH
          D WCP
          D WCP 1
          AO WCP 1
          S CFM
          HA 1
          QM 6
          P SC1
          L WCP
          FI WCP
          QM
          J WC2
          L WCH
          HC -9
          HI 9
WCY,      OI WCP
WCX,      J .
WC2,      L WCH
          HI 9
          HC -9
          J WCY

```

/COPY STRING

CST, DP STØ
 CSA, RD STØ
 J RM1
 WR
 J CSA

/MOVE BLOCK OF WORDS UP OR DOWN

MBK, Ø
 V MBX
 MBE, L MBK
 S MDS
 SPQ
 J MBU
 MBN, L MDS
 D MØ
 L MBK
 MBD, U MHI
 MBX, J .
 LI MBK
 DI MØ
 AO MØ
 AO MBK
 J MBD
 MBU, QZ I
 J MBX
 D M1
 L MBK
 S MHI
 QM
 J MBN
 L MHI
 D M2
 S M1
 MBW, U MDS
 J MBX
 UNDEX M2
 S M1
 D MØ
 FI M2
 OI MØ
 J MBW-

/PUSH AND POP SINGLE WORDS

PPW,	FI PDR
	O MAC
	J RMD
PSW,	Ø
	V PSX
	AO PDR
	U LOW
	P GC
	L PSW
	DI PDR
PSX,	J .

/REFERENCE ARG TABLE

RAT,	A ATB
	D TØ
	LI TØ
	D MAC
	AO TØ
	FI TØ
	S ATT
	SPQ
	J RM1
	L ATL
	F ATL
	J RA1

/LOAD A STRING

LST,	C LCH
	U MCH
	J RM1
	U (BS
	J LSB
	WR
	J LST
LSB,	L WCP
	U VLØ
	J LSR
	S (CH
	D WCP
	J LST
LSR,	C TCR
	J LST

/TYPE STRING

TST,	DP STØ
TS1,	RD STØ
	J RM1
	N (377
	E MAC
	J TSG
	C TCH
	J TS1
TSG,	C TWD
	W SG
	C TCH
	J TS1

/TEST FOR EQUALITY

CEQ, DP CS1
CE1, RD CS1
J CE2
D T0
RD CS2
J RM1
E T0
J RM1
J CE1
CE2, L CS2
E CS2 1
J RM1
J RM2

/HASH CODING FUNCTION

HCF, DP ST0
RD ST0
L .
HA 9
A ST0 1
S ST0
D MAC
MUL MAC
O MAC
A MAC
HA -4
N (NFM-1
A (OPT
J RA1

/STORAGE MOVER IN CASE OF OVERFLOW

SC1, V MBX
 L LOW
 S PDR
 N (CH-100
 QZ I
 J SCE
 W 100
 J SC0
SC2, V MBX
 L WCP
 D WCP 1
 AO WCP 1
 L CFM
 S WCP 1
 N (CH-100
 QZ I
 J SCE
 WI 100
SC0, D G0
 AM PDO
 AO PDR
 D MHI
 A G0
 S (1
 D PDR
 L CFM
 A (CH
 N (-CH
 D MBK
 A G0
 D MDS
 L G0
 AM CFM
 L G0
 AM CFM 1
 L G0
 AM ATB
 L G0
 AM ATT
 J MBE

/LOOK UP NAME IN TABLE

LFM,	DP CS2
	D T3
	C HCF
	Z GØ
LFØ,	D PFF
	LI PFF
	QZ I
	J LF3
	QP
	J LF2
	D PFE
	A (1
	D PFV
	L PFE
	SI PFV
	SWAP
	L PFE
	SI PFE
	C CEQ
	J LF1
	W 1
	A PFV
	D PFP
	Z GØ
	AOI PDR
LF3,	F PFF
	L GØ
	QZ I
	O GØ
	J RM1
LF2,	F PFF
	L GØ
	QZ I
	O GØ
LF1,	L T3
	D CS2
	AO PFF
	U (OPT NFM
	W OPT
	J LFØ

/INSERT FORM WITH DEFINITION

IFN, L ATL
F ATL
IFM, DP ST1
L GØ
D PFF
F WCP
O VLØ
IFE, WI 3
A LOW
D PFE
D PFV
S (CH
A T3
S CS2 1
A ST1
S ST1 1
D MAC
QP
A (CH
D PFP
S PDR
SPQ
J IFC
L MAC
D WCP
L PFP
D LOW
L PFE
DI PFF
S WCP
DI PFE
L T3
F CS2 1
CLF 6
C CST
AO PFV
D PFP
AO PFP
L PFE
S WCP
DI PFV
DI PFP
LT ST1
C CST
STF 6
L VLØ
D WCP
J RM1
IFC, P GC
J IFE

/GARBAGE COLLECTOR, REVERSING PHASE

GC,	V GCX
	W OPT
	V GR1
	O GCI
GR0,	W 2
GR1,	A
	E (1
	U (2
	J GR2
	D T0
	LI T0
	QZ I
	J GR2
	DI GR1
	L GR1
	DI T0
GR2,	AO GR1
	E (A OPT NFM
	J GR0

/GARBAGE COLLECTOR, COMPACTING PHASE

	L (HIH
	D MDS
GC1,	D MHI
	U LOW
	J GCY
	S (1
	D T0
	S (1
	D T1
	S (1
	D T2
	LI T0
	QZ
	J GC2
	L T2
	SI T2
	QP
	A (CH
GCY,	J GC1
	L MDS
	U LOW
	J GCS
	D LOW
GCZ,	F GCI
GCX,	J .
GC2,	D G0
	LI G0
	DI T0
	L T2
	A MDS
	S MHI
	DI G0
	L T2
	SI T2
	QP
	A (CH
	D G0
	L MDS
	A G0
	S MHI
	D MDS
	L G0
	G MBK
	L G0
GCS,	J GC1
	P SC2
	J GCZ

/READ A PROGRAM CHARACTER

PC, V PCX
RD CFM
J INR
PCX, J .

/COPY STRING INTO ACTIVE AREA

CIN, DP ST0
CIE, S ST0 1
A CFM
D T0
L WCP
D WCP 1
AO WCP 1
L T0
S WCP 1
HA 1
QP
J CIG
CLF 7
L T0
D WCP
D CFM
C CSA
STF 6
L VL1
D WCP
J RM1
CIG, P SC1
L ST0
J CIE

/END A FUNCTION, GO EXECUTE

TSR,	W RM
	J TCH-1
EFT,	C TSR
	L ATB
	D T2
EF1,	L T2
	U ATT
	J EFR
	D T1
	AO T2
	LI T1
	FI T2
	C TST
	C TSR
	J EF1
EFR,	C TCR
	C LCH
	E (CT
	J INR

EF, L WCP
D VL1
D VL0
W 0
C RAT
DP ST0
A (2" T" CH
E ST0 1
J EF0
FI ST0 1
QP
J EFD
LI ST0
HC -9
EFD, O T2
W EFL
V EFS
EFS, L
U T2
J EFF
AO EFS
AO EFS
E EFU
J EFS
EF0, FI ATB
O VL1
W 0
C RIT 1
J FRN
Z CLV
J CLE
EFF, AO EFS
FI ATB
S (L EFM
QP
F VL1
O VL0
O WCP
LI ATB
D VL1
JI EFS

/FUNCTION RETURN

FRA, C RAT
D VLØ
O WCP
FR, CLF 3
L ATB
S (1
N (-CH
D PDR
SI PDR
QP
A (CH
D ATB
P PPW
QM
J FR1
L VL1
U VLØ
J AR
F WCP
D WCP
L VLØ
C CST
J AR
FRN, L ATB
S (1
N (-CH
D PDR
P PPW
R (CH
A (CH
CMA
AM ATB
L VL1
D WCP
J AR
FR1, L VLØ
F WCP
C CIN
J AR

/READ A NAME AND LOOK UP

RNT,	C RAT
	J LFM
RIT,	W 1
	C RNT
	J RM1
	AOI PDR
	L PFE
	S (CH
	D STØ 1
	L PFE
	SI PFP
	D STØ
	J RA1

/SOME FUNCTIONS

ØRC,	C LCH
	WR
	J FR

ØRS,	C LST
	J FR

ØPS,	W 1
	C RAT
	C TST
	J FRN

ØCM,	W 1
	C RAT
	DP STØ
	RD STØ
	J FRN
	D MCH
	META
	J FRN

ØPF,	C RIT
	J FRN
	F STØ 1
	C TST
	J FRN

/MORE FUNCTIONS

ØCR, W 1
C RNT
J FRN
LI PFV
DI PFP
J FRN

ØCC, C RIT
J CCF
STF 3

CCN, RD STØ
J CCF
N (377
E MAC
J CCN
WR

CEX, L PFE
S STØ
DI PFP
J FR

CCE, W_M2
J FRA

ØCS, C RIT
J CCF
RD STØ
J CCF
STF 3

CSN, N (377
E MAC
J CEX
WR
RD STØ
J CEX
J CSN

CCF, W 2
J CCG 1

CCG, W 3
C RAT
D VLØ
O WCP
CLF 3
L ATB
S (1
N (-CH
D PDR
SI PDR
QP
A (CH
D ATB
P PPW
J FR1

/INVARIANT INITIALIZATION

INR, W EF
 V ARJ
 L PDO
 D PDR
 WI 1
 G PSW
 L ATL
 G PSW
 L PDR
 D ATB
 W 1
 A PDO
 D CFM 1
 D CFM
 C TCR
 L ATL
 D VL1
 D WCP
 CLF 7
 STF 6
 W INF
 F (INF 13""T""CH
 C CIN

/MAIN PROCESSOR

AR, P PC
U (SH
J ASH
U (LP
J ALA
U (CM
J ACM
U (RP
J ARP
E (CR
U (LF
J AR
U (TB
J AR
ARW, WR
J AR
ACM, L WCP
G PSW
J AR
ALP, V ALX
LI ALX
D ALW
AO ALX
L (LP"T"CH-RP"T"CH
D T2
ALC, P PC
E (RP
U (LP
J ALM
ALW, Ø
J ALC
ALM, S (LP"T"CH+RP"T"CH
A T2
D T2
QZ I
ALX, J .
L MAC
J ALW

ARP,	LI PDR
	HA 1
	QP
	J PER
	L WCP
	G PSW
	L PDR
	D ATT
	CKTTY
ARJ,	J EF
ASH,	P PC
	E (SH
	J AST
	P PC
	U (LP
	J ASU
	V . 3
	W SH
	WR
	W
AST,	J ASH
	U (LP
	J ABF
	E (CR
	U (LF
	J ARW
	U (TB
	J ARW
	V AS1
	W SH
AS1,	WR
	W
	J AR 1
ASU,	L ATB
	S (CH
	D ATB
ABF,	W ₁
	A PDR
	S ATB
	G PSW
	L WCP
	G PSW
	L PDR
	D ATB
	J AR
ALA,	P ALP
	WR
	J AR

/NEW FUNCTIONS

/NAME BRANCH AND CHARACTERS AVAILABLE

ØNB, W 1
C RNT
J EQ3
J CCE

ØCA, P GC
L WCP

N (-CH
D CAR
L CFM
N (-CH
S CAR
D CAR
L PDR
N (-CH
S CAR
D CAR
L LOW
N (-CH
S CAR
SAL 1
J DNW
Ø

CAR,

/TRAC IV 1-1-65 (PART 3)

/NUMBER USING FUNCTIONS

ØBI,	C BR2
	N T3
BNW,	C BWR
	J FR
ØBU,	C BR2
	R T3
	J BNW
ØBC,	C BR1
	CMA
	J BNW
ØAD,	C DR2
	A T3
DNW,	C DWR
	J FR
ØSU,	C DR2
	S T3
	J DNW
ØML,	C DR2
	MUL T3
	O MAC
	A MAC
	HA -1
	J DNW
ØDV,	C DR2
	MUL C1
	DIV T3
	J OVF
	J DNW
ØGR,	C DR2
	CLO
	S T3
	SZO
	CMA
	QP
	J EQ4
	J EQ3

/SHIFT AND ROTATE

BRS,	C DR1
	F (66
	QP
	F (67
	QM
	CMA
	D T3
	HC -6
	B BRI
	W 2
	J BRD
ØBR,	C BRS
	CLC
	U T3
	J BRX
	F MAC
BRM,	L MAC
BRI,	HC 1
	D MAC
	K T3
	J BRM
BRZ,	O MAC
BRX,	L MAC
	J BNW
ØBS,	C BRS
	CLC
	U T3
	J BRX
	L BRI
	A (SCL-RCL
	D BSI
	F MAC
BSM,	CLA
BSI,	HD 1
	K T3
	J BSM
	J BRZ

/READ AND WRITE WORD

FWI,	CLC
	U XB
	J RM1
	F XB
	W XB
	V FWP
	FRBK
FWR,	AO FWP
	U (L XB+50.
	J FWI
FWP,	L
	J RA2
FWO,	W XB
	FWBK
	O XB
	W XB+50.
	V FWS
FWW,	WI 1
	A FWS
	V FWS
	U (D XB
	J FWO
	L MAC
FWS,	D
	J RM1

/STORE BLOCK FUNCTION

0SB,	CLC
	D XB
	W XB+50.
	V FWS
	W _x *2
	A ATB
	D T2
SB1,	L T2
	E ATT
	J SB2
	C FW
	L FWS
	D XB+1
	C FWO
	L XB
	C BWR
	W 1
	C RAT
	C LFM
	J .+2
	ZI PFP
	L VL0
	F WCP
	C IFM
	J FRN

SB2,

L T2
D T1
AO T2
LI T1
FI T2
C LFM
C IFN
L PFE
SI PFE
QP

SB3,

A (CH
D T3
LI T3
C FWW
AO T3
S (1
E PFP
J SB3
ZI PFP
WI 1
DI PFF
J SB1

/ERASE BLOCK FUNCTION

ØEB, C FPD
J FRN
D XB
ZI PFP
WI 1
DI PFF

EB1, F XB
SPI
J FRN
W XB
FRBK
FEBK
J EB1

FPD, C RIT
J RM1
W₂*10
D T1
C NRZ
SZM
J RM2
J RM1

XB, XB+50./

/FETCH BLOCK FUNCTION

ØFB,	C, FPD
	J FRN
	D XB
	C FWI
	J PER
	V FWP
FB1,	C FWR
	J FRN
	D PFP
	C FWR
	J PER
	D PFV
	C FWR
	J PER
	D PFE
FB2,	WI 3
	A LOW
	D T0
	D T1
	S PFE
	QP
	A (CH
	D T2
	S PDR
	SZM
	J FB3
	P GC
	J FB2

FB3, L T2
D LOW
F PFE
L T0
D PFE
D ST1
OI T0
AO T0
F PFV
D PFV
OI T0
AO T0
F PFP
D PFP
OI T0
FB4, L T1
U T2
J FB5
S (1
D T1
C FWR
J PER
DI T1
J FB4
FB5, L PFE
SI PFV
SWAP
L PFE
SI PFE
C LFM
J .+2
ZI PFP
L ST1
DI G0
J FB1

/HALT

ØHL, C TCR
HL
J FRN

/TYPE OUT WORD

TWD, F WCP
O CS1
D T3
C NWS
L WCP
D CS1 1
L CS1
D WCP
TWC, RD CS1
J RM1
C TCH
J TWC

/WRITE NUMBER

DWR, D T3
LT CS1
C CST
L T3
QM
J NWS
CMA
D T3
W MN
WR
NWS, W 12
J NWR
BWR, D T3
W 10
NWR, D NWB
Z CS2
NW4, L T3
NW3, D CS2 1
CLI
HC -8
HC -9
DIV NWB
NWB, 10
E CS2
J NW3
SWAP
A (N0
WR
L CS2 1
U T3
J RM1
D CS2
J NW4

/READ NUMBER

DR2,	W 2
	C DRD
	D T3
DR1,	W 1
DRD,	F (12
	J NRD
BR2,	W 2
	C BRD
	D T3
BR1,	W ₁ 1
BRD,	F (10
NRD,	O T1
	C RAT
	D CS1
	DP ST0
NRZ,	Z T2
	CLF 5
	L ST0
	D CS1 1
	CLF 4
NRN,	RD ST0
	J NRX
	U (MN
	J NRS
	S (N0
	QP
	J NRZ
	D MAC
	S T1
	QM
	J NRZ

L T2
MUL T1
HD -1
A MAC
E MAC
J OVF
O MAC
A MAC
QZ
J . 3
E T2
CLC
D T2
STF 5
J NRN
SZF 5
J NRZ
STF 5
STF 4
J NRN
L T2
SZF 4
CMA
J RA1

NRS,

NRX,

/LIST NAMES

ØLN, Z T3
W OPT-1
V LNA
LNN, AO LNA
U (L OPT+NFM
J FR
LNA, L
SPQ
J LNN
AO T3
W 1
C RAT
C CST
LNW, LI LNA
D PFE
SI PFE
D STØ
AO PFE
SI PFE
S (1
D STØ 1
C CSA
J LNN

/DEFINE AS EQUAL

ØDE, W 2
C RIT+1.
J FRN
L PFE
SI PFV
F STØ 1
DP ST1
LI PFP
D CLV
W 1
C RNT
J .+2
ZI PFP
LT ST1
C IFM
L CLV
DI PFP
J FRN

/AND STILL MORE FUNCTIONS

ØEQ, W 1
C RAT
DP CS2
W 2
C RAT
C CEQ
J EQ4

EQ3, W 3
J FRA

EQ4, W 4
J FRA

ØCL, C RIT
J FRN
F (1

O CLV
CLE, D ST1
L STØ 1
D ST1 1

CL1, RD ST1
J FR
N (377
E MAC
J CLG
WR

J CL1
CLG, A CLV
C RAT
C CST
J CL1

ØDS, W 1
C RNT
J .+2
ZI PFP
W 2
C RAT
C IFM
J FRN

ØDD, W 1
C RNT
J FRN
ZI PFP
WI 1
DI PFF
J FRN

/EVEN MORE FUNCTIONS

ØSK, P ALP
NOP
W 1
J FRA

ØTN, W EFT
V ARJ
J FRN

ØTF, W EF
J ØTN 1

ØCN, W 2
C DRD
SPQ
J CEX
V CNN
C RIT
J CCG
U STØ 1
J CCG

CNN, WI
D T3
STF 3

CNC, RD STØ
J CEX
N (377
E MAC
J CNC
WR
K T3
J CNC
J CEX

ØDA, L (HIH
D LOW
W OPT
V DA1

DA1, Z
AO DA1
E (Z OPT+NFM
J DA1
J FRN

/SEGMENTER

ØSS, C RIT
J FRN
F STØ 1
STF 3
C CST
W 2
A ATB
D T2
SS1, L T2
U ATT
J SSI
D T1
F WCP
L VLØ
O ST1 1
D ST1
D WCP
SS2, LI T1
FI T2
C SRE
J SS4
L GCI
F T3
C CST
W 376
A T2
S ATB
WR
J SS2
SSI, L VLØ
F WCP
DP ST1
DFE, W 1
C RNT
J .+2
ZI PFP
LT VLØ
C IFM
J FRN
SS4, L GCI
F T3
C CST
J SSI

/SEARCHING FUNCTIONS

SRE,	DP ST0
	D T0
	L ST1
	D GCI
SRD,	D T3
	D ST1
SRR,	RD ST0
	J RM2
	D G0
	RD ST1
	J SRN
	U G0
	J SRR
SRN,	L T0
	D ST0
	L T3
	U ST1+1
	J RM1
	A (CH
	J SRD
0IN,	C RIT
	J CCG
	F ST0 1
	DP ST1
	W 2
	C RAT
	C SRE
	J IN1
	L GCI
	F T3
	C CST
	L ST1
	D ST0
	J CEX
IN1,	L PFE
	S GCI
	DI PFP
	J CCG

/STORAGE AND PARAMETERS

DEFINE ZZ
Ø Ø
TERMIN

PDR, PDL-1
TØ, Ø
T1, Ø
T2, Ø
T3, Ø
VL1, WCO-CH
VLØ, WCO-CH
WCP, WCO-CH
WCP 1, Ø
LOW, HIH
PDO, PDL-1
CAS, Ø
MDS, Ø
MHI, Ø
STØ, ZZ
MCH, CD
ATB, PDL
ATT, PDL
CFM, ZZ
CS1, ZZ
CS2, ZZ
ST1, ZZ
PFF, OPT
PFE, HIH-3
PFV, HIH-2
PFP, HIH-1
GØ, Ø
GCI, Ø
GCM, Ø
CLV, Ø
MØ, Ø
M1, Ø
M2, Ø
ATL, WCO-CH

DEFINE ERROR A,B,C
LS
CHR'A'T'1000 CHR'B
CHR'C'T'1000 GR
TERMIN

PES, ERROR P,E,R
SES, ERROR S,C,E
OES, ERROR O,V,F
DES, ERROR D,R,E
PER, W PES

F (PES 5'T'CH
C TST
J INR
SCE, L PDO
D PDR
L CFM 1
D CFM
W SES

F (SES 5'T'CH
J PER 2

OVF, W OES
F (OES 5'T'CH

J PER 2
DRE, W DES

F (DES 5'T'CH
J PER 2

INF, SH
LP'T'1000 CHRP
CHRS'T'1000 CM
SH'T'1000 LP
CHRR'T'1000 CHRS
RP'T'1000 RP

CONSTANTS

OPT, OPT NFM/

/SYMBOL TABLE

```

DEFINE      FN C1,C2
CHR'C1'T'1000 CHR'C2
J 0'C1'C2
TERMIN

```

EFL,

FN S,S

FN C,L

FN L,N

FN S,B

EFM,

FN S,K

FN S,U

FN P,F

FN P,S

FN R,C

FN R,S

FN C,S

FN C,M

FN C,R

FN C,C

FN C,N

FN D,S

FN D,E

FN D,V

FN D,D

FN D,A

FN T,N

FN T,F

FN B,U

FN B,I

FN B,C

FN B,S

FN B,R

FN M,L

FN A,D

FN G,R

FN E,Q

FN F,B

FN E,B

FN I,N

FN C,A

FN N,B

FN H,L

REPEAT 6

0

J PER

EFU,

L .

WCO,

Z OPT

AO WCO

E .+3

J WO

J IN

Z OPT+NFM

PDL=WCO+HIH

PDL=PDL'T'CH'A'177777

START 100