

PAGE 1

XDDT PART 2 6-30-67 (XDDTB, 12)

/SUBROUTINES

```
MRF,      0          /PUT AC IN CURRENTLY OPEN REG...
           DAP MRX    /....IF THERE IS ONE.
           LAC OPN
           SMA
           SPI
           JMP MRF1
           LAC SP2
           LIO MRF
           SMA
           JMP SPECIAL
           JSP OK
           BRING
           DIO I TAS
MRF1,     LAC MRF
MRX,      JMP .

SPECIAL,  SAD (DDTCOR+MEM
           JMP ER4    /TRIED TO CHANGE C#
           DIO I SP2
           JMP MRF1
```

/SYMBOLS

```
DE,       DAP DEX    /DEFINE SYMBOL
           JSP EVL
           JMP DF2
DE1,      LAC (DDTCOR+LOWLIM+6)
           SUB EST
           SMA
           JMP DEX    /NOP TO READ SYMS BELOW LOWLIM
           IDX EST
           LIO FL1
           LAC MEM
           SNI I
           LAC C4
           DAC TYS
           LIO DF1
           SAD I EST
           JMP DE2
           LAW I 2
           ADD EST
           DAC EST
DE2,      DIO I EST
           LAW I 1
           ADD EST
           DAC EST
           LIO SYM R
           DIO I EST
           SUB ONE
           DAC EST
           LAC SYM L
           SZA I
           JMP DE3
           IOR C4
```

DAC I EST  
LAW I 1

```

DE3,      ADD EST
          DAC PAD
          SUB ONE
          DAC EST
          DZM I EST
          LAC TYS
BS1,      DAC I PAD      /USED AS DAC I
          JMP DEX

DF2,      LAC DF1
          SAD I ES4
DEX,      JMP .
          DAC I ES4      /VALUE IS CHANGING
          LAC EV2
          SUB (DDTCOR+LOW
          SPA
          JMP DEX
          LAC I EV2      /KILL INITIAL SYMBOL
          IOR KI1        /(LAC I)
          DIP I EV2
          JMP DE1        /DEFINE SYMBOL

EVL,      DAP EVX        /EVALUATE SYMBOL
          LAC EST
          DAC ES4
EVG,      DAC EV2
          LAC I ES4
          SPA
          JMP ESN
          SZA I
          JMP EV5
          RAL 1S
          SPA
          JMP ESI
          CLA
ES3,      SAS SYM L
          JMP ESI
          LAC SYM R
RB2,      SAD I ES4      /USED AS SAD I
          JMP EV3
ESI,      IDX ES4
EV6,      IDX ES4
          SAS EVC
          JMP EVG
EV8,      IDX EVX
EV3,      IDX ES4
EVX,      JMP .

ESN,      IDX ES4
          LAC I EV2
          RAL 1S
          SPA
          JMP ESI
          SAR 1S
          JMP ES3

```

|        |               |                    |
|--------|---------------|--------------------|
| EV5,   | IDX ES4       |                    |
|        | LAC I ES4     |                    |
|        | SMA           |                    |
|        | SAD MEM       |                    |
|        | JMP EV6       |                    |
| EV7,   | IDX ES4       |                    |
|        | LAC I ES4     |                    |
|        | SZA I         |                    |
|        | JMP EV5       |                    |
|        | SPA           |                    |
|        | IDX ES4       |                    |
|        | IDX ES4       |                    |
|        | IDX ES4       |                    |
|        | SAS EVC       |                    |
|        | JMP EV7       |                    |
|        | JMP EV8       |                    |
| PI,    | XX            | /PRINT INSTRUCTION |
|        | STF 2         |                    |
| PI+2,  | DAP PX+1      |                    |
|        | JSP PEV       |                    |
|        | LAC PI        |                    |
|        | SUB CI        |                    |
|        | SPA           |                    |
|        | JMP PPK       |                    |
|        | DAC PI        |                    |
| PR1,   | LAW 0         |                    |
|        | JDA TOU       |                    |
|        | LAW CHARAC RI |                    |
|        | JDA TYS       |                    |
| PPK,   | CLA           |                    |
|        | JDA TOU       |                    |
|        | XCT EA+1      |                    |
|        | JMP PVL       |                    |
|        | LAC LWT       |                    |
|        | AND (760000)  |                    |
|        | SAD (SFT      |                    |
|        | JMP I66       |                    |
|        | SAD PR1       | /LAW 0             |
|        | JMP PLO       |                    |
|        | RAR 1S        |                    |
|        | SZA           |                    |
| CSU,   | SUB (320000   | /USED AS SUB       |
|        | SPA           |                    |
|        | JMP PLO       |                    |
| PVL,   | LAC PI        |                    |
| PVL+1, | SZA I         |                    |
|        | SZF 1 I       |                    |
| PV3,   | JDA OPT       |                    |
| PX,    | CLF 7         | /EXIT              |
| PX+1,  | JMP .         |                    |
| PLO,   | JSP PEV       |                    |
|        | JMP PA1+1     |                    |

|        |               |                     |
|--------|---------------|---------------------|
| I66,   | LAW 1         | /S-9S               |
|        | ADD PI        |                     |
|        | AND PI        |                     |
|        | SZA           |                     |
|        | JMP PVL       |                     |
|        | LAW PA1+1     |                     |
|        | DAP PEX       |                     |
|        | LAC EIC       |                     |
|        | JMP EAK+2     |                     |
| PAD,   | Ø             | /PRINT ADDRESS      |
|        | DAP PX+1      |                     |
|        | LAW 7777      |                     |
|        | AND PAD       |                     |
|        | DAC PI        |                     |
|        | CLF 1         |                     |
| PA1,   | JSP PEV       | /PEV OR PVL         |
| PA1+1, | LAW CHARAC R+ |                     |
|        | JDA TYS       |                     |
|        | JMP PVL       |                     |
| PEV,   | DAP PEX       | /SYMBOL LOOKUP SUBR |
|        | LAW I 7777    |                     |
|        | AND PI        |                     |
|        | SAD (OPR      | /DETECT OPERATES    |
|        | JMP I76       |                     |
|        | AND (760000   |                     |
|        | SAS (SKP      |                     |
|        | SAD (SPO      |                     |
|        | JMP SEV       |                     |
| EAK,   | DAP EA+1      |                     |
|        | LAC EST       |                     |
| EAK+2, | DAC ES4       |                     |
|        | CLF 1         |                     |
| EAL,   | LAC I ES4     |                     |
|        | LIO I ES4     |                     |
|        | SZA I         |                     |
|        | JMP EI1       |                     |
|        | RAL 1S        |                     |
|        | SPA           |                     |
|        | JMP EI3       |                     |
|        | LAC ES4       |                     |
|        | SPI           |                     |
|        | IDX ES4       |                     |
|        | DAC OP1       |                     |
|        | SPI I         |                     |
|        | CLI           |                     |
|        | DIO T3        |                     |
|        | IDX ES4       |                     |

|        |           |                          |
|--------|-----------|--------------------------|
| EA,    | LAC I ES4 |                          |
| EA+1,  | SKP I     |                          |
|        | JMP SKO   |                          |
|        | XOR PI    |                          |
|        | SPA       |                          |
|        | JMP EIX   |                          |
|        | LAC PI    |                          |
|        | SUB I ES4 |                          |
|        | SPA       |                          |
|        | JMP EIX   |                          |
|        | SZF I 1   |                          |
|        | JMP PSW   |                          |
|        | LAC I ES4 |                          |
|        | SUB I OP2 |                          |
|        | SZM       |                          |
|        | JMP PSW   |                          |
| EIX,   | IDX ES4   | /LOOK AT NEXT SYMBOL     |
|        | SAD EVC   | /END OF TABLE            |
|        | JMP EIX+5 |                          |
|        | SAS EIC   |                          |
|        | JMP EAL   |                          |
| EIX+5, | XCT EA+1  |                          |
|        | JMP PEX   |                          |
|        | SZF I 1   |                          |
|        | JMP PVL   | /TYPE OUT REST IN OCTAL  |
|        | LAC PI    |                          |
|        | SUB I OP2 |                          |
|        | LIA       |                          |
|        | SZA       | /DETECT NEG NUMS         |
|        | JMP I77   |                          |
| EIY-1, | DIO PI    |                          |
| EIY,   | JSP SPT   | /PRINT SYMBOL            |
|        | LAC PI    |                          |
| SK2,   | SZA I     |                          |
|        | JMP PX    |                          |
|        | XCT EA+1  |                          |
|        | JMP .+2   |                          |
| PEX,   | JMP .     |                          |
|        | CMA       |                          |
|        | DAC T22   | /MASK                    |
|        | JMP EIX   |                          |
| EI1,   | IDX ES4   | /STUFF FOR SYMBOL SEARCH |
|        | LAC I ES4 |                          |
|        | SMA       |                          |
|        | SAD MEM   |                          |
|        | JMP EIX   |                          |
|        | IDX ES4   |                          |
| EI2,   | LAC I ES4 |                          |
|        | SZA I     |                          |
|        | JMP EI1   |                          |
|        | SPA       |                          |
|        | IDX ES4   |                          |
|        | IDX ES4   |                          |
|        | IDX ES4   |                          |
|        | SAS EIC   |                          |
|        | JMP EI2   |                          |

JNF EIX+3

EI3, SPI  
 IDX ES4  
 IDX ES4  
 JMP EIX

I76, DAC T1  
 LAC PI  
 SAS (NOP  
 JMP SEV+2  
 CLA  
 DAP EA+1  
 LAC (DDTCORE+NOPCOD  
 JMP EAK+2

SEV, DAC T1 /SAVE INSTRUCTION  
 LAC PI  
 SEV+2, CMA  
 DAC T22 /MASK  
 LAW 600 /SPA↑USMA-SKP  
 JMP EAK

SKO, IOR T1  
 SAS I ES4  
 JMP EIX  
 SZF 1  
 XOR T1  
 SZA I  
 JMP EIX  
 XOR PI  
 LIA  
 AND T22  
 SZA  
 JMP EIX  
 DIO PI  
 LAC (FLEXO "U"  
 SZF 1  
 JDA TYS

PSW, LAC I OP1  
 DAC SYM R  
 LIO T3  
 DIO SYM L  
 LAC ES4  
 DAC OP2  
 STF 1  
 XCT EA+1  
 JMP EIY  
 JMP EIX

I77, LAW I 7777  
 AND PI  
 SAS (770000  
 JMP EIY-1  
 LAW CHARAC R-  
 JDA TYS  
 LAC PI  
 CMA  
 JMP PV3



```

SPT,      DAP SPX          /SYMBOL PRINT SUBROUTINE
          LAW 7777
          AND I OP2
          SAS I OP2
          JMP SPTLIM       /INST.
          ADD PI
          SZF I 2
          JMP SPT1
          SAD LOC
          JMP PRNTPT

SPT1,     LIA
          SUB I OP2
          SUB (100)        /LIMIT TAGS TO (VALUE)+100
          SMA
          SZF 3
          JMP SPTLIM
          LAI
          JMP PVL+1        /PRINT AS OCTAL

SPTLIM,   LAC (DDTCORE SYM L
          DAC T3

SPB,      LAW SPD
          DAP SPJ

SPN,      DZM OP1
SPR,      IDX OP1
SPV,      LAC I T3
          AND (177777

SPJ,      SUB .
          SPA
          JMP SPP

SPU,      DAC I T3
          JMP SPR

PRNTPT,   DZM PI
          DZM OP2
          LAW CHARAC R.
          JDA TYS
          JMP SPX

SPP,      LAC OP1
          SCR 1S
          SZA I
          JMP SPS
          ADD SPT          /((SPX)
          DAP .+1
          LAC .
          SPI I
          RAR 6S
          JDA TOU

SPS,      IDX SPJ
          SAS (SUB SPD+3
          JMP SPN
          IDX T3
          SAS (DDTCORE SYM+2
          JMP SPB

SPX,      JMP .

```

/UNSQUOZE TABLE. MUST FOLLOW SPX.

|      |          |           |
|------|----------|-----------|
| SPL, | FLEXO 01 | FLEXO 23  |
|      | FLEXO 45 | FLEXO 67  |
|      | FLEXO 89 | FLEXO AB  |
|      | FLEXO CD | FLEXO EF  |
|      | FLEXO GH | FLEXO IJ  |
|      | FLEXO KL | FLEXO MN  |
|      | FLEXO OP | FLEXO QR  |
|      | FLEXO ST | FLEXO UV  |
|      | FLEXO WX | FLEXO YZ  |
|      | 1603     | /FLEXO .# |

SPD, 3100  
50

ONE, 1

/TYPEOUT SUBROUTINES

|      |         |                             |
|------|---------|-----------------------------|
| LCC, | DAP LC1 | /LOWER-CASE-CARRIAGE-RETURN |
|      | LAW 76  | /TYPE CRLF                  |
|      | JDA TYS |                             |
| LC1, | JMP .   |                             |

|      |          |                 |
|------|----------|-----------------|
| LCT, | DAP LCX  | /LOWER-CASE-TAB |
|      | CLA      |                 |
|      | JDA TYSA |                 |
| LCX, | JMP .    |                 |

|      |         |                  |
|------|---------|------------------|
| LWT, | 0       | /LAST WORD TYPED |
|      | DAP PNX |                  |
|      | LAC LWT |                  |

|      |        |                   |
|------|--------|-------------------|
| PNS, | JDA PI | /PI, OPT, OR TYSA |
| PNX, | JMP .  |                   |

|      |   |                    |
|------|---|--------------------|
| TYS, | 0 | /TYPE SYMBOL, ETC. |
|------|---|--------------------|

|        |            |
|--------|------------|
|        | DZM TSWICH |
| TYS+2, | DAP TYX    |
|        | LAW I 3    |
|        | DAC TYSVAR |

|      |         |
|------|---------|
| TYL, | LAC TYS |
|      | RAL 6S  |
|      | DAC TYS |
|      | AND C77 |

|  |            |                          |
|--|------------|--------------------------|
|  | DAC CH     | /SAVE CHAR               |
|  | SAD TSWICH | /IF 0, DON'T TYPE SPACES |
|  | JMP TYL1   |                          |
|  | SAD C77    | /IF 77, TYPE "CHAR"      |
|  | JMP TYSA1  |                          |

|       |            |
|-------|------------|
|       | JDA TOU    |
| TYL1, | ISP TYSVAR |
|       | JMP TYL    |
|       | LAC LWT    |
| TYX,  | JMP .      |

|          |                 |                                  |
|----------|-----------------|----------------------------------|
| TYSA,    | Ø               | /TYPE 3 CHARS                    |
|          | DAC TSWICH      |                                  |
|          | LIO TYSA        |                                  |
|          | DIO TYS         |                                  |
|          | JMP TYS+2       |                                  |
| TYSA1,   | LAC TYS         |                                  |
|          | RAL 6S          |                                  |
|          | DAC TYS         |                                  |
|          | AND C77         |                                  |
|          | DAC CH          |                                  |
|          | ISP TYSVAR      | /TYP OUT UNLESS 77 IS THIRD BYTE |
|          | JSP TYP OUT     |                                  |
|          | SAS CH          |                                  |
|          | JMP TYL1        |                                  |
|          | RAL 6S          |                                  |
|          | IOR C77         |                                  |
|          | JMP TYP OU2     |                                  |
| TYP OUT, | DAP TYPEX       | /TYPE CONTROL CHARACTERS         |
|          | LAC CH          |                                  |
|          | SAS (12         |                                  |
|          | SAD (15         |                                  |
|          | JMP TYPEX       |                                  |
|          | SAD (4          |                                  |
|          | JMP TYPEX       |                                  |
|          | IOR (40         |                                  |
|          | SAD CH          |                                  |
|          | JMP TYPEX       |                                  |
|          | RAL 6S          |                                  |
|          | IOR (FLEXO " ") |                                  |
|          | JDA TOU         |                                  |
|          | RAR 6S          |                                  |
| TYP OU2, | JDA TOU         |                                  |
|          | RAR 6S          |                                  |
|          | JDA TOU         |                                  |
| TYPEX,   | JMP .           | /AC HAS CH IF NOTHING HAPPENED   |

```

OPT,      Ø          /ANY RADIX PRINT
          DAP OPX
          DZM OP1
OPA-1,    LAC OPT
OPA,      DAC OP2
          CLI↑USWP
          RCL 1S
          DIV RADIX
OP1,      Ø
          SAS OP1
          JMP OPA
          SWP
          ADD (2Ø
          JDA TOU
          LAC OP2
          DAC OP1
          SAS OPT
          JMP OPA-1
          LAW 1Ø.
          SAS RADIX
OPX,      JMP .
          LAW CHARAC R.
          JDA TYS
          LAC OPT      /IS THIS NEEDED?
          JMP OPX

TOU,      Ø          /TYPE CHAR FROM BOTTOM OF AC
          DAP TOUX
          LIO TOU
          JSP I DDTO    /TYPE FROM BOTTOM OF I. O.
          LAC TOU
TOUX,     JMP .

```

## /PAPER TAPE SUBROUTINES

```

SO1,      JDA RDB
SOI,      JDA RDB      / SKIP OVER INPUT ROUTINE
          SPI I
          JMP SO1
RBK,      DAP RBX      /READ A BLOCK INTO BUFFER
          JSP RDB+1
RB3,      LAW BUF
          DAP RB1
          DAP LA
          LAC DDM
          DIP LA
          DZM CHI      /CKSUM
          DIO T2
          DIO T
          SPI
          JMP RLSE
          JSP RDB+1
          DIO CH
          LAW I 1
          ADD CH
          SUB T2
          AND (-77

```

SZA  
JMP RBX+1

```

RBØ,      JSP RDB+1
          DIO I RB1
          LAC I RB1
          ADD CHI
          DAC CHI
          IDX RB1
          IDX T2
          SAS CH
          JMP RBØ
          ADD CHI
          ADD T
          JDA RDB
          SAD RD4      /WORD JUST READ IS IN RD4
RBX,      JMP .
RBX+1,    LAC (FLEXO SUM /CHECKSUM ERROR
ER3,      JDA TYS
          JMP RLSE

GWD,      DAP GWX      /GET WORD FROM READER BUFFER
GWD+1,    LAC LA
          SAS RB1
          JMP GWD1
          JSP RBK
          JMP GWD+1
GWD1,     DAP GWD2
          IDX LA
GWD2,     LAC .
GWX,      JMP .

RDB,      Ø          / RPB SUBROUTINE
RDB+1,    DAP RDX
          LAW I 3
          DAC RD6
RD3,      JSP I DDTRPA
          RIR 8S
          SPI I
          JMP RD3
          RIL 2S
          LAC RD4
          RCL 6S
          DAC RD4
          ISP RD6
          JMP RD3
          LIO RD4
          LAC RDB
RDX,      JMP .

/TIME SHARING SUBROUTINES

OK,       DAP OKX      /SS6 PROTECT EXEC AND USER ZERO
          CLA
          SAD MEM
          JSP NOTUØ
          SAS MEM
          SZS 6Ø
OKX,      JMP .
ER5,      ESM

```

ER4, .      LAW CHARAC R?  
JMP ER3

```

NOTUØ,    DAP NOTUØX
           CLA
           SAS USER
NOTUØX,    JMP .
           JMP ER4

```

```

BRING=JDA .
WANTED,    Ø /GET USER INTO CORE ZERO
           DAP WANTX
           LAC MEM
           SZA
           JMP WANTX-1
WANT1,     DIO SAVEIO
           LIO USER
           SNI I /Ø"L" FOR NO BRING
           JSP I DWANT / USER WANTED IN CORE ZERO
           LIO SAVEIO
WANTX-1,   LAC WANTED
WANTX,     JMP .

```

```

BRING1=JDA .
WANT2,     Ø /BRING REGARDLESS OF VALUE IN MEM
           DAP WANTX
           LAC WANT2
           DAC WANTED
           JMP WANT1

```

```

USERR,     LAW FLE XO NO
           JDA TYS
           CLA
           JDA TOU
           LAW FLE XO US
           JDA TYS
           LAW FLE XO ER
           JMP ER3

```

```

RDNY,      LAW FLE XO BU
           JDA TYS
           LAW FLE XO SY
           JMP ER3

```

```

CHTBL,     IRP [X,,T,M,S,C],[Y,,F,M,STATUS,C]
           CHARAC R'X-26
           JMP Y
           ENDIRP
           Ø

```

```

XCTBL,     IRP [X,,C,A,R,S,I],[Y,,CNS,OAD,RAD,SMB,LOT]
           CHARAC R'X-26
           JMP Y
           ENDIRP
           Ø

```



DTB,           DISP PLS,LSE  
                  DISP XCL,SVFY  
                  DISP QUO,ERR  
                  DISP CHH,CORE  
                  DISP ERR,EOT  
                  DISP ERR,EAS  
                  DISP ISC,FREE  
                  DISP ERR,BGN  
                  DISP VAL,HOLD  
                  DISP DEF,BAI  
                  DISP DEC,CR  
                  DISP PLS,KIL  
                  DISP COM,LOOK  
                  DISP MIN,ERR  
                  DISP DOT,NWS  
                  DISP BAR,ERR  
                  LETTER 0,SETPTR  
                  LETTER 1,Q  
                  LETTER 2,RADX  
                  LETTER 3,SQP  
                  LETTER 4,TBL  
                  LETTER 5,UNI  
                  LETTER 6,VFY  
                  LETTER 7,WDS  
                  LETTER 8,XEC  
                  LETTER 9,RD  
                  DISP VBR,ZRO  
                  DISP PUL,ERR  
                  DISP DAQ,ERR  
                  DISP EQL,ERR  
                  DISP UC8,ERR  
                  DISP PBX,ERR  
 DTB 40,       DISP ERR,ERR  
                  REPEAT 3,LETTER .-DTB-27,ERR  
                  LETTER .-DTB-27,BSLASH  
                  LETTER .-DTB-27,ERR  
                  LETTER .-DTB-27,FS  
                  LETTER .-DTB-27,ARW  
                  REPEAT 23,LETTER .-DTB-27,ERR  
                  DISP BAC,ERR  
                  DISP TAB,DEL  
                  DISP BAS,ERR  
                  DISP BS,ERR  
                  DISP ULC,ERR  
 DTB+100,

## /"PERMANENT" VARIABLES

|        |        |                                              |
|--------|--------|----------------------------------------------|
| MSK,   | -0     | /FIRST 4 STAY TOGETHER. MASK FOR WS.         |
| LL,    | 0      | /LOWER LIMIT FOR WS AND RD                   |
| UL,    | 7777   | /UPPER LIMIT FOR WS AND RD                   |
| NUM,   | 0      | /VALUE STORED BY ZERO                        |
|        |        |                                              |
| USER,  | 1      |                                              |
| RADIX, | 8.     |                                              |
| FA,    | 0      | /FIRST ADR FOR "Z". SET AT PUL BY SEMICOLON. |
| MEM,   | DDTCOR | /CURRENT CORE                                |
| LOC,   | 0      | /CURRENT LOCATION                            |

## /OTHERS

|        |        |                                                |
|--------|--------|------------------------------------------------|
| WRD,   | 0      | /INPUT WORD FOR LSE                            |
| SYL,   | 0      | /OCTAL VERSION OF INPUT SYLLABLE FOR LSE       |
| DNM,   | 0      | /DECIMAL DITTO                                 |
| FSM,   | 0      | /FLEXO DITTO                                   |
| CAS,   | 0      | /CASE FOR LSE. SET TO -2 WHEN 77 CH SEEN.      |
| CC,    | 0      | /NUMBER OF CHARS THIS SYLLABLE FOR LSE         |
| CHI,   | 0      | /+0 IF ANY CHARS THIS WORD FOR LSE; ...        |
|        |        | /...-0 IF NONE. ALSO TEM (CKSUM) FOR RBK.      |
| LET,   | 0      | /+0 IF LETTER THIS SYL FOR LSE; -0 IF NOT.     |
| CH,    | 0      | /CHAR FOR LSE, TYS AND TYSA, AND TYP0UT...     |
|        |        | /...TEM (END TEST) FOR RBK.                    |
| SYM,   | 0      | /L HALF OF SYMBOL FOR LSE, TBL, DE, PEV,...    |
|        |        | /...SPT, EVL. TEM (DEPTH OF TRACE) FOR WS.     |
|        |        | /R HALF                                        |
| SYM+1, | 0      | /SET IN LSE. -0 IF NO #-SIGN THIS WORD...      |
| SP1,   | 0      | /...VALUE IF #-SIGN SEEN.                      |
| SP2,   | 0      | /SET BY LSE AND REGISTER EXAMINING ROUTINES... |
|        |        | /...ADR OF OPEN #-SIGN REG. MINUS IF NONE.     |
| OPN,   | 0      | /0 IF REG OPEN; -0 IF NOT...                   |
|        |        | /...SET AT LSE AND BAX.                        |
| TAS,   | DDTCOR | /ADR OF OPEN REG. SET BY REG EXAMINING...      |
|        |        | /...ROUTINES. USED BY MRF IN CLOSING REG.      |

```

FL1,      0      /ZERO IF SYM TO BE DEFINED BY DE AS LOCAL;...
              /...NON-ZERO, GLOBAL. SET AT LSE, COM, TBL.
DF1,      0      /VALUE OF SYM TO BE DEFINED BY DE...
              /...SET AT COM, VAL, TBL.
EV2,      0      /SET BY EVL. POINTS AT FIRST WORD OF...
              /...SYMBOL. USED BY KIL.
ES4,      0      /SET BY EVL. POINTS AT VAL OF SYM. USED...
              /...BY DE. ALSO SYM VAL PTR FOR PEV.
T1,       0      /TEM (INSTR) FOR PEV
T22,      0      /TEM (MASK) FOR PEV
T3,       0      /TEM FOR PEV AND SPT
OP2,      0      /TEM (VALUE) FOR PEV AND SPT. TEM FOR OPT.
RB1,      DDTCOR+BUF /READER BUFFER INPUT PTR...
              /...USED BY VFY, RBK, GWD.
LA,       0      /READER BUFFER OUTPUT PTR
RD4,      0      /BINARY WORD BEING BUILT BY RDB
RD6,      0      /ISP COUNTER FOR RDB
TYSVAR,   0      /COUNTER FOR TYS AND TISA
TSWICH,   0      /FLAG FOR TYS AND TISA...
              /...IF ZERO, DON'T TYPE SPACES.
T2,       0      /TEM FOR LSE, WS, RBK
SAVEIO,   0      /SAVED I. O. FOR BRING
MWSU,     0      /USER ON ENTRY TO MOBY WORD SEARCH
MWSXU,    0      /USER ON EXIT FROM MOBY WORD SEARCH
MWSFTI,   0      /FIRST TIME INDICATOR FOR MOBY WS

CON,      CONSTANTS

BUF,      DDTCOR+BUF+100/

FOO,      FLEXO FOO

REPEAT 0IF P,[
PRINT /FOO+1/
-[RD-LSE+44-1000]/      PRINT /SPACE LEFT IN DISPATCH AREA/
]

REPEAT 1IF P,EXPUNGE L,R

START HLT-JMP

```