

/// REMOVED FROM IOTS,52,E,EXEC15 MIGHT BE USEFUL SOMEDAY FOR SUE
 LADR=721041 RQWD=720141 RQIO=720441
 STWD=720341 NACK=722041

/DISPATCHER IOT FOR PDP=70S

DTCL, LAC I RSTAT
 DAP DTSTAT /16 BIT STAT PTR
 LAC I (DCH 70) /USER AC
 SZF I 7
 JMP DTRL5 /IOT+0,RELEASE
 SZF 6
 JMP DTGET /IOT+1,GET
 NACK
 NOP /CLEAR POSSIBLE ERROR
 SZF 5
 JMP DTHANG /IOT+2,HANG UNTIL WORD CHANGES
 DZM TV2
 DAP TV2 /AC POINTS TO 3 WORD BLOCK
 LAC I TV2
 SPA
 JMP I ILGIOT
 SZA I
 JMP I R2
 DAP DTNUM /NUMBER OF WORDS (1=40)
 SUB (40)
 SZM
 JMP I ILGIOT
 IDX TV2
 LIO I TV2 /PROCESSOR,7=CORE
 IDX TV2
 LAW 7777
 AND I TV2 /USER CORE AREA
 DAC TV2
 SUB (40)
 SPA
 JMP I ILGIOT
 SZF 4
 JMP DTSTOR /IOT+4,PUT DATA IN 7=CORE
 LSM
 LADR /MUST BE GET DATA FROM 7=CORE
 JMP DTR1
 RQWD /REQUEST 1ST WORD
 JMP DTR1
 LAW I 1
 ADD DTNUM
 DAP DTNUM
 SAD (LAW I)
 JMP DTONE /ONLY 1 WORD WANTED
 DTNUM, LAW I
 DAC TV3
 RQIO=U#RQWD /LOOP TO GET WORDS
 JMP DTR1
 DIO I TV2
 IDX TV2
 ISP TV3
 JMP .-5

PAGE 2

DTONE,

RGIO
JMP DTR1
ESM
DIO I TV2
JMP I R2

DTSTOR,

JSP DTOWN

/MUST BE OWNED

LSM
LADR
JMP DTR1
XCT DTNUM
DAC TV3
LIO I TV2
STWD

/LOOP TO SEND TO 7=CORE

JMP DTR1
IDX TV2
ISP TV3
JMP .+5
NOP
NACK

JMP DTR1
ESM
JMP I R2
ESM
JMP I R1

DTR1,

DTHANG,

LIO I (DCH 72)

/MUST BE OWNED

JSP DTOWN
IDX I (DCH 71)
DAC TV2

LSM
LADR
JMP DTR1
RQWD

JMP DTR1
LAW 20
DIP I DTSTAT
CLA
DAP I (15)

RGIO
JMP DTR1

XAI

SZA

JMP DTR1

/WORD DIFFERENT, RETURN NOW

LAW 10
ADD DTOWN2
DAP .+1

DIO :

/SAVE CONTENTS

SUB (4)

DAP .+3

LAC I (DCH 72)

AND (377777)

DAC :

JMP I DELAY

/FALL INTO "DELAY" IOT IN CORE 14

DTGET, RAL 38
 AND (3) /GET OWNERSHIP OF A PROCESSOR
 ADD (DCH I OWN)
 DAC TV2
 LAC I TV2
 SAD DTSTAT
 JMP I R2
 SZA
 JMP I R1
 LAC DTSTAT
 DAC I TV2
 JMP I R2

DTRLs, SPA /RELEASE OWNERSHIP
 CLA"U"STF 1 /AC NEG, RELEASE ALL PROCESSORS OWNED

RAL 38
 AND (3)
 ADD (DCH I OWN)
 DAC TV2
 DTRLs2, LAC I TV2
 SAD DTSTAT
 DZM I TV2
 SZF I 1
 JMP I R1
 IDX TV2
 SAS (DCH I OWN+4)
 JMP DTRLs2
 JMP I R1

DTOWN, DAP DTOWX
 LAI
 RAL 38
 AND (3)
 ADD (OWN)
 DAP ,+1
 DTOWN2, LAC .
 SAS DTSTAT
 JMP I ILGIOT
 DTOWX, JMP .

DTSTAT, DCH .
 TV2, 0
 TV3, 0

OWN, 0 /16 BIT STAT PTR
 0
 0
 0
 0
 =0 /PROC+ADR IF WAITING
 =0
 =0
 =0
 0 /CONTENTS IF WAITING
 0
 0
 0

PAGE 4

/INTERRUPT FROM A PDP-7

TELINT, IDX TELNUM

 LAW OWN

 DAP TEL2

TEL2, LIO :

 SNI

 JMP TEL3 /NOT OWNED

 ADD (4)

 DAP ,+1

 LIO :

 SPI I

 JMP TEL4 /OWNED AND WAITING, GO UNHANG IF CHANGED

TEL3, IDX TEL2

 SAS (LIO OWN+4)

 JMP TEL2

 NACK

 NOP

 JMP I TELEXIT /DON'T LEAVE TIMING ERROR AROUND

TEL4, DAP TEL7

 NACK

 NOP

 LADR

 JMP TEL5

 RQWD

 JMP TEL5

 ADD (4)

 DAP TEL6

 NOP

 RQIO

 JMP TEL5

TEL6, LAI

 SAD :

 JMP TEL3

 XCT TEL2

 LAI

 LSM

 SAD I BDSTAT

 LAC FSTAT

 DAC TV1

 LAW I 7777

 AND I TV1

 LIA

 AND (LAC)

 SWP

 SAD (CLKHNG)

 JMP ,+3

 SNI I

 JMP TEL8

 LAW 3

 DAP I TV1

 SNI I

 DIP I TV1

 DZM I HOTFLG

TEL8, ESM

 CLC

TEL7, DAC :

 JMP TEL3

TV1, 0

TELNUM, 0

 /COUNT INTERRUPTS