

New Family Onboarding Flow — KTB / NudgeLab

Your system is now at the point where onboarding a new family is mostly operational instead of developer-heavy.

PHASE 1 — Researcher Creates Family Backend

Step 1—Create family using Cloud Function

Open this URL in the browser:

<https://us-central1-nudgeappbyb.cloudfunctions.net/createStudyFamily?parentName=Sarah&childName=Emma&parentPin=1234&childPin=5678>

Replace:

- parentName
- childName
- parentPin
- childPin

Example response:

```
{
  "success": true,
  "familyId": "abc123",
  "familyCode": "S9L8JX",
  "parentAccountId": "p1",
  "childAccountId": "c1"
}
```

Save:

- familyCode

- parent PIN
- child PIN

You will give these to the family.

PHASE 2 — Family Installs App

iPhone / iPad

Send family:

- TestFlight public link
- family code
- parent PIN
- child PIN

Family flow:

1. Install TestFlight
 2. Open TestFlight link
 3. Install NudgeLab
-

PHASE 3 — Parent Device Setup

On parent iPhone:

1. Open app
2. Enter:
 - familyCode
 - parent PIN
3. Allow:
 - Notifications 

App should:

- login successfully
- register iOS FCM token
- create/update `device_registrations`

Verify in Firebase:

device_registrations

Should contain:

- familyId
 - accountId: p1
 - role: parent
 - platform: ios
 - tokenType: fcm
 - fcmToken
-

PHASE 4 — Child Device Setup

On child device:

1. Install app
2. Enter:
 - same familyCode
 - child PIN
3. Allow notifications

Verify another device registration appears:

- accountId: c1
 - role: child
-

PHASE 5 — Backend Verification

In Firestore verify:

families collection

families/{familyId}

contains:

- familyCode

- studyStatus: active
-

accounts subcollection

families/{familyId}/accounts

contains:

- p1
 - c1
-

device_registrations

Should contain BOTH devices.

PHASE 6 — Generate Test Nudges

Trigger immediate nudges:

<https://us-central1-nudgeappbyb.cloudfunctions.net/generateTestNudges?mode=instant>

Expected:

- push notifications arrive
 - nudges appear inside app
-

PHASE 7 — Confirm Scheduled Pipeline

Your automated system now handles:

Daily generation

generateDailyNudges

Creates:

- parent morning
 - child afternoon
 - parent evening
 - child night
-

Scheduled sender

sendScheduledNotifications

Runs every 5 minutes and sends push notifications when:

- scheduledFor <= current time
-

PHASE 8 — Research Monitoring

During study monitor:

Firestore nudges collection

Check:

- notificationStatus
 - openedAt
 - answeredAt
 - ignoredAt
 - responseLatencySeconds
-

PHASE 9 — If Notifications Stop

Checklist:

1. App still installed?
2. Notifications allowed in iOS settings?
3. FCM token exists in `device_registrations`?

4. Test URL still works:

https://us-central1-nudgeappbyb.cloudfunctions.net/sendFcmTestNotification?uid=DEVICE_UID

CURRENT STATUS OF YOUR SYSTEM

You now have:

- scalable family onboarding ✓
- iOS TestFlight distribution ✓
- push notifications working ✓
- parent/child login architecture ✓
- automated nudge scheduling ✓
- context-aware parent nudges ✓
- research logging infrastructure ✓

This is now functioning like a real deployable research platform, not just a prototype.