Multiple-choice question

|!|BCEMB0060000001|!| ★

Which of the following foods would provide the richest sources of calcium and dietary fibre?

A. eggs and milk
B. fish and milk
C. green peas and cereal
D. rice and cereal

☐

##C##

Skill assessed	Mark
Applying concepts	1

|!|BCEMC0060000002|!|

Which of the following is ***not*** a function of lipids in the human body?

A. cushioning internal organs
B. emulsification of fat
C. storage of energy
D. transport of vitamins

☐

##B##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMB0060000003|!| ★

Which food substances make up most of the dry mass of a balanced diet?

A. carbohydrates, lipids and calcium
B. lipids, proteins and vitamins
C. carbohydrates, lipids and proteins
D. lipids, carbohydrates and vitamins

☐

##C##

Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0060000004|!| ★

Which of the following correctly describes a difference between carbohydrates and lipids in energy storage?

A. Carbohydrates contain less energy per unit mass than lipids.
B. Carbohydrates are used for long term storage and lipids for short term storage.
C. Only plants store carbohydrates as energy reserve, while only animals store lipids as energy reserve.
D. Lipids are more readily oxidized to release energy than carbohydrates.

##A##

Skill assessed	Mark
Applying concepts	1

|!|BCEMB0060000005|!| ★

Which of the following combinations about the results of food tests is correct?

	Food	*Test*	*Result*
A.	egg white	grease spot test	a permanent translucent spot is observed
B.	fresh lemon juice	DCPIP test	blue solution is resulted
C.	sucrose solution	Benedict's test	blue solution is resulted
D.	starch solution	iodine test	brown solution is resulted

##C##

Skill assessed	Mark
Applying concepts	1

|!|BCEMB0060000006|!| ★

The table below lists the composition of soy milk.

Food substance	Percentage by weight
Proteins	6%
Carbohydrates	4%
Lipids	3%
Minerals	0.7%
X	0.3%
Y	86%

© 2019 Aristo Educational Press Ltd.

Which of the following combinations correctly identifies food substances X and Y?

	X	***Y***
A.	vitamins	dietary fibre
B.	vitamins	water
C.	sugars	water
D.	dietary fibre	sugars

##B##

Skill assessed	Mark
Analysing data	1

|!|BCEMA0060000008|!| ★★ **STSE**

The table below shows two sets of diet plans designed for two groups of people, X and Y, to help them achieve a balanced diet.

	Mass of food (g)	
	Group X	**Group Y**
Cereals	420	690
Milk	300	300
Vegetables	100	100
Fruits	100	100
Red meat	20	55

Which of the following correctly identifies the potential targets of these diet plans?

	X	***Y***
A.	teenage boys	teenage girls
B.	adult men	adult women
C.	elder women	younger women
D.	men with sedentary lifestyle	men with active lifestyle


##D##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMA0060000009|!| ★★ SI

The diagram below shows a set-up which can be used to find the energy content of different foods. Each food is completely burned and the energy content is estimated by the rise in temperature of the water.



The reliability of this experiment could be improved by

A. repeating the experiment with each food for several times.
B. using the same burning spoon to burn each food.
C. repeating the experiment using different foods.
D. burning each food for the same period of time.

☐

##A##

Skill assessed	Mark
Practical skills	1

|!|BCEMC0060000011|!|

In humans, the function of vitamin D is to help the absorption of

A. iron.
B. calcium.
C. glucose.
D. amino acids.

☐

##B##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0060000012|!| ★

Which of the following correctly describes the difference between nutrition in plants and animals?

A. Plants do not need any nutrients while animals need nutrients from food.
B. Unlike animals, plants can synthesize chemical energy.
C. Unlike animals, plants can convert light energy into chemical energy.
D. Plants absorb minerals from the environment, while animals do not need minerals.

##C##

Skill assessed	Mark
Applying concepts	1

|!|BCEMB0060000013|!| ★

Which of the following will lead to weight loss?

A. reduced intake of carbohydrates
B. increase of energy demand over energy intake
C. decrease in metabolic rate
D. increased intake of vitamin supplements

##B##

Skill assessed	Mark
Applying concepts	1

|!|BCEMC0060000014|!|

Which of the following statements about vitamin D are correct?

(1) Vitamin D is a fat-soluble vitamin.
(2) Vitamin D is one of the essential components of bones.
(3) Vitamin D can be formed in the skin.

A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)

##B##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0060000016|!| ★

A food test was carried out on a pale green food extract. The following table shows the results.

Food test	Result
Benedict's test	A brick-red precipitate was formed.
Iodine test	A brown solution was formed.
DCPIP test	The DCPIP solution turns from blue to pale green.

The food extract contains

(1) reducing sugars.
(2) starch.
(3) vitamin C.

A. (1) only
B. (1) and (2) only
C. (1) and (3) only
D. (2) and (3) only

□

##C##

Skill assessed	Mark
Analysing data	1

|!|BCEMC0060000017|!|

Which of the following vitamins are fat-soluble?

(1) vitamin A
(2) vitamin C
(3) vitamin D

A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)

□

##B##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMC0060000018|!|

Deficiency of vitamin A may lead to

(1) thickening of the cornea.
(2) poor vision in dim light.
(3) bleeding gums.

A. (2) only
B. (1) and (2) only
C. (1) and (3) only
D. (2) and (3) only

##B##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0060000019|!|

In the human body, excess glucose is

A. converted to starch which is stored under the skin.
B. converted to urea which will be excreted.
C. converted to glycogen which is stored in the liver.
D. consumed in respiration.

##C##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0060000020|!|

Which of the following food substances have the lowest energy content per unit mass?

A. vitamin
B. lipid
C. protein
D. carbohydrate

##A##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMC0060000021|!|

Which of the following combinations about the function of the protective food substance is ***incorrect***?

	Protective food substance	***Function***
A.	vitamin A	for forming a skin pigment
B.	vitamin C	helps wound healing
C.	calcium	for muscle contraction
D.	iron	for forming haemoglobin

##A##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0060000022|!|

Which of the following is/are the deficiency disease(s) of calcium in adults?

(1) osteoporosis
(2) scurvy
(3) rickets

A. (1) only
B. (1) and (2) only
C. (1) and (3) only
D. (2) and (3) only

##A##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0060000024|!|

Which of the following diseases can be relieved by adopting healthy eating habits?

(1) heart disease
(2) osteoporosis
(3) Down's syndrome

A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)

##A##

© 2019 Aristo Educational Press Ltd.

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0060000025|!|

Dietary fibre has no energy value to us because

A. cellulose cannot be broken down through respiration.
B. dietary fibre is too tough to be chewed completely.
C. cellulose has no energy value.
D. we do not have enzymes to digest cellulose.

##D##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMB0060000026|!| ★

Which of the following people needs the greatest daily intake of proteins?

A. a ten-year-old girl
B. an 70-year-old man
C. a teacher
D. a clerk

##A##

Skill assessed	Mark
Applying concepts	1

|!|BCEMC0060000027|!|

Excess lipids are

A. deaminated to form carbon dioxide and water.
B. removed in faeces.
C. changed into proteins which are stored in the liver.
D. stored around the internal organs.

##D##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMC0060000028|!|

Which of the following are necessary for the formation of strong bones and teeth?

A. calcium and vitamin C
B. calcium and vitamin D
C. iron and vitamin C
D. iron and vitamin D

##B##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0060000029|!|

Urea is formed in the human body from excess


A. glucose.
B. fatty acids.
C. amino acids.
D. glycerol.

##C##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMB0060000031|!| ★

The following graph shows the energy content of some common foods.



Which of the following food is suitable for a vegetarian and has the greatest energy content?

A. butter
B. peanut
C. potato
D. maize

##B##

Skill assessed	Mark
Analysing data	1

|!|BCEMC0060000033|!|

Which of the following combinations correctly shows the functions of dietary fibre and cholesterol from the diet?

	Dietary fibre	***Cholesterol***
A.	stimulates peristalsis	forming sex hormone
B.	as energy source	forming phospholipid bilayers in cell membrane
C.	as energy source	forming sex hormone
D.	stimulates peristalsis	forming phospholipid bilayers in cell membrane

##A##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0060000034|!|

Which of the following is ***not*** a vitamin-deficiency disease?

A. scurvy
B. rickets
C. diabetes mellitus
D. night blindness

##C##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMC0060000035|!|

Which of the following combinations correctly shows the disease caused by the deficiency of the corresponding vitamins?

	Deficiency of vitamin A	***Deficiency of vitamin C***	***Deficiency of vitamin D***
A.	anaemia	scurvy	beri-beri
B.	night blindness	anaemia	rickets
C.	night blindness	scurvy	rickets
D.	anaemia	night blindness	beri-beri

##C##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0060000036|!|

Which of the following statements about vitamins are correct?

(1) Vitamins are organic food substances.
(2) No vitamins can be synthesized by the human body.
(3) Vitamins have no energy value to the human body.

A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)

##B##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0060000037|!|

Which of the following statements about vitamin C are correct?

(1) Vitamin C is needed in the formation of connective tissues.
(2) Vitamin C can be destroyed by heat.
(3) Vitamin C can decolourize blue DCPIP solution.

A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)

© 2019 Aristo Educational Press Ltd.

##D##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0060000038|!|

Which of the following would be affected if iron is insufficient in the diet?

A. production of visual purple
B. production of haemoglobin
C. clotting of blood
D. formation of bones and teeth

##B##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMB0060000043|!| ★

The table below shows the energy and nutrient requirements of two women of the same age and weight.

Requirement	Woman X	Woman Y
Energy requirement (kJ/day)	10000	8000
Protein (g/day)	70	50
Vitamin D (μg/day)	11	3
Calcium (mg/day)	1400	400
Iron (mg/day)	13	14

Woman X is probably

A. suffering from osteoporosis.
B. suffering from anaemia.
C. an athlete.
D. pregnant.

##D##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMC0060000044|!|

What of the following statements about non-essential amino acids is correct?

A. They are not essential to the functioning of the human body.
B. They can only be obtained from food.
C. They can be made from other amino acids by the human body.
D. There are a total of 20 non-essential amino acids needed by the human body.

##C##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMB0060000045|!| ★

Which of the following combinations correctly shows the results of biochemical tests on the urine of a healthy man?

	Protein test strip	***Benedict's test***
A.	negative result	brick-red precipitate
B.	negative result	blue solution
C.	positive result	brick-red precipitate
D.	positive result	blue solution

##B##

Skill assessed	Mark
Applying concepts	1

|!|BCEMC0060000046|!|

Which of the following can relieve constipation?

(1) intake of more dietary fibre
(2) intake of more vitamin C
(3) intake of more water

A. (3) only
B. (1) and (2) only
C. (1) and (3) only
D. (1), (2) and (3)

##C##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMC0060000047|!|

During prolonged fasting, which of the following will occur in the human body?

(1) The subcutaneous fat layer becomes thinner.
(2) More glucose is converted to glycogen in the liver.
(3) Muscle proteins are broken down to supply energy for the body.

A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)

##B##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0060000048|!|

Which of the following energy reserve in the body would be metabolized first during starvation?

A. lipids in adipose tissue around internal organs.
B. lipids in adipose tissue under the skin.
C. proteins in muscles.
D. glycogen in the liver.

##D##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMB0060000049|!| ★

Amy suffers from constipation and anaemia. Which of the following food would you recommend to her?

A. milk
B. orange
C. fish
D. spinach

##D##

Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0060000050|!| ★

Which of the following combinations correctly shows the results of food tests on fresh orange juice?

	Benedict's test	***DCPIP test***
A.	The solution remains blue.	DCPIP solution is decolourized.
B.	The solution remains blue.	DCPIP solution remains blue.
C.	Brick-red precipitate is formed.	DCPIP solution remains blue.
D.	Brick-red precipitate is formed.	DCPIP solution is decolourized.

##D##

Skill assessed	Mark
Applying concepts	1

|!|BCEMB0060000051|!| ★

William went hiking but he lost his way in the mountains. He brought no food with him and was rescued after two days. Why do the rescuers give glucose solution to William to drink immediately after he is rescued?

A. Glucose can maintain the water balance in the body.
B. Glucose can be absorbed without digestion.
C. Glucose has the greatest energy value among sugars.
D. Excess glucose can be converted to glycogen for storage.

##B##

Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMA0060000052|!| ★★ **STSE**

Directions: The following two questions refer to the table below, which shows a nutrition label of a bottle of supplement for people who wish to build stronger body muscles.

Nutrition facts	**Per bottle**
Energy	120 kcal
Total fats	1 g
- Saturated fats	0.5 g
Carbohydrates	4 g
- Sugar	1 g
Protein	24 g
Sodium	90 mg

Which of the following correctly explain(s) why this supplement could help build stronger muscles?

(1) This supplement provides a major source of energy for building muscles.
(2) This supplement provides a rich source of proteins for repairing and building muscle tissues.
(3) This supplement supplies sodium to body muscles as an energy source for contraction.

A. (1) only
B. (2) only
C. (1) and (2) only
D. (1), (2) and (3)

##B##

Skill assessed	Mark
Analysing data	1

|!|BCEMA0060000053|!| ★★ **STSE**

An excessive intake of this supplement may cause damage to

A. the small intestine.
B. the stomach.
C. the liver.
D. the pancreas.

##C##

Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0060000054|!| ★

Directions: The following two questions refer to the nutrition label of a food product shown below.

Nutrition information	**Per serving**
Energy	234 kJ
Protein	4.2 g
Total fat	1.5 g
- Saturated fat	1.1 g
- Trans fats	0 g
Total carbohydrates	6.5 g
- Sugar	6.5 g
Dietary fibre	0 g
Calcium	170 mg
Sodium	55 mg

Which of the following food substances provides most of the energy content in this food product?

A. protein
B. fat
C. carbohydrates
D. calcium

☐

##C##

Skill assessed	**Mark**
Analysing data	1

|!|BCEMB0060000055|!| ★

The food product with this nutrition label is most likely to be

A. cakes.
B. orange juice.
C. milk.
D. bread.

☐

##C##

Skill assessed	**Mark**
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0060000056|!| ★

Directions: The following two questions refer to the table below, which shows the composition of 200 g of four kinds of food.

Food	Carbohydrate (g)	Protein (g)	Lipid (g)	Iron (mg)	Vitamin A (mg)	Vitamin C (mg)
P	30	80	30	1	0.21	0.3
Q	40	10	80	4	0.12	2.0
R	50	40	40	24	0.04	5.7
S	70	10	50	8	0.01	2.5

Which food has the highest energy value?

A. P
B. Q
C. R
D. S

☐

##B##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0060000057|!| ★

Which food is most suitable in preventing scurvy?

A. P
B. Q
C. R
D. S

☐

##C##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0060000058|!| ★

Directions: The following three questions refer to the table below which shows the amount of some food substances in 100 g of four foods.

	Carbohydrate (g)	**Fat (g)**	**Protein (g)**	**Vit. A (mg)**	**Vit. C (mg)**	**Vit. D (mg)**	**Calcium (mg)**	**Iodine (mg)**
W (rice)	90	1.8	5.9	0	0	0	5	0
X (beef)	0	40	30	0	0	0	22	0.001
Y (fish)	0	6.5	21.5	0.11	0	0.03	98	6.0
Z (lettuce)	8	0	3	5.8	75	0	83	0

Which of the following food provides the greatest amount of energy?

A. W
B. X
C. Y
D. Z

##B##

Skill assessed	**Mark**
Analysing data	1

|!|BCEMB0060000059|!| ★

Which of the following food is the most beneficial to a person suffering from night blindness?

A. W
B. X
C. Y
D. Z

##D##

Skill assessed	**Mark**
Analysing data	1

|!|BCEMB0060000060|!| ★

Which two kinds of food are the most suitable for a rapidly growing child?

A. W and X
B. W and Y
C. X and Y
D. Y and Z

© 2019 Aristo Educational Press Ltd.

##C##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0060000061|!| ★

Directions: The following two questions refer to the tables below. **Table 1** shows the energy values of the three main kinds of food substances. **Table 2** shows the percentages of carbohydrates, lipids and proteins in some common foods.

Table 1

Food substance	Energy value per gram
Carbohydrate	17 kJ
Protein	18 kJ
Lipid	39 kJ

Table 2

Food	Carbohydrate (%)	Lipid (%)	Protein (%)
Fish	0	3	18
Meat	0	13	27
Egg	0	11	12
Fresh milk	5	4	4
Soya bean	34	18	34
Pea	60	1	20
Maize	78	1	8
Cabbage	4	0	1.5

Which of the following food has the highest energy value?

A. meat
B. fresh milk
C. soya bean
D. pea

□

##C##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0060000062|!| ★

Which of the following food would be the best for a vegetarian's diet?

A. soya bean
B. pea
C. maize
D. cabbage

□

##A##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0060000063|!| ★

Directions: The following two questions refer to the table below which shows the approximate energy values of the diets of the people living in Hong Kong and of those living in Alaska.

Food substance	Approximate energy value (kJ/g)	Average daily intake			
		People in Hong Kong		People in Alaska	
		Mass (g)	Energy value (kJ)	Mass (g)	Energy value (kJ)
Carbohydrate	17	410	6970	90	1530
Protein	18	100	1800	320	5760
Lipid	39	65	2535	165	6435
	Total	575	11305	575	13725

In the investigation of comparing the daily intakes of these two groups of people, which factor should be controlled?

(1) age of the people
(2) body weight of the people
(3) height of the people

A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)

□

##A##

Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0060000064|!| ★

According to the table, which of the following explains why the carbohydrate and lipid intake of people in Alaska are different from those in Hong Kong?

(1) Fewer plants can grow in Alaska and so the Alaska people do not get a large amount of carbohydrates.
(2) Most of the Alaska people are hunters and so meat is the main food in their diet.
(3) Lipid contains a higher energy value and this can help keep Alaska people warm in cold weather.

A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)

##B##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0060000065|!| ★

Directions: The following two questions refer to the table below which shows some of the daily dietary requirements of a normal adult and five other individuals (1 to 5).

	Normal adult	**1**	**2**	**3**	**4**	**5**
Energy requirements (kJ)	13000	4500	9500	11500	18000	20000
Protein (g)	90	38	70	102	120	125
Iron (mg)	28	16	28	35	28	28
Calcium (g)	0.5	0.9	0.5	1.2	0.5	0.5
Vitamin D (μg)	2.5	5.5	2.5	10	2.5	2.5

Which individual is a pregnant woman?

A. 2
B. 3
C. 4
D. 5

##B##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0060000066|!| ★

Individual 5 is most probably


A. a taxi driver.
B. a clerk in an office.
C. a construction worker.
D. a doctor.

##C##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0060000067|!| ★ SI

Directions: The following two questions refer to the investigation below, which compares the concentrations of a chemical substance in fresh and boiled lemon juice. An agar plate containing DCPIP was used. Two wells were made in the agar.



Which of the following correctly explains for the appearance of clear zones around the wells?

A. Acids in the lemon juice reduce the DCPIP.
B. The agar is digested by the acid in the lemon juice.
C. Vitamin C in the lemon juice diffuses into the agar and reduces the DCPIP.
D. Vitamin C in the lemon juice diffuses into the agar and oxidizes the DCPIP.

##C##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0060000068|!| ★ SI

Which of the following are the explanations for the difference in the size of the clear zones?

(1) The enzymes in lemon juice had been denatured by boiling.
(2) Vitamin C in lemon juice was destroyed by boiling.
(3) Vitamin C of a higher concentration in the lemon juice diffused more rapidly into the agar than that of a lower concentration.

A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)


□

##C##

Skill assessed	Mark
Applying concepts	1

|!|BCEMB0060000069|!| ★ SI

Directions: The following two questions refer to the investigation below which compares the vitamin C content of different fruit samples. The extract from each fruit sample was added drop by drop using a syringe to a fixed volume (e.g. 2 cm^3) of DCPIP solution until the DCPIP solution turned colourless.



The results are shown in the table below.

	Fruit W	Fruit X	Fruit Y	Fruit Z
Number of drops of juice added	2	3	4	6

© 2019 Aristo Educational Press Ltd.

With reference to the results, which fruit has the highest vitamin C content?

A. fruit W
B. fruit X
C. fruit Y
D. fruit Z

##A##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0060000070|!| ★ **SI**

Which of the following can increase the accuracy of the results?

A. Use a smaller volume of DCPIP solution.
B. Prepare larger volumes of fruit juice samples.
C. Use a higher concentration of DCPIP solution.
D. Use a test tube instead of a beaker.


##C##

Skill assessed	Mark
Practical skills	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMA0060000071|!| ★★

Directions: The following two questions refer to the graph below which shows the amounts of carbohydrate, lipid and protein (represented by X, Y or Z) in 60 g of each type of food.



Which of the following combinations correctly identifies X, Y and Z?

	X	***Y***	***Z***
A.	carbohydrate	lipid	protein
B.	carbohydrate	protein	lipid
C.	protein	carbohydrate	lipid
D.	lipid	protein	carbohydrate

##B##

Skill assessed	Mark
Analysing data	1

|!|BCEMA0060000072|!| ★★

It is healthier to eat boiled potatoes than fried potatoes because fried potatoes have a higher ____P____ content. A diet of fried potatoes will increase the chance of having ____Q____.

Which of the following combinations correctly show P and Q?

	P	***Q***
A.	protein	insulin-dependant diabetes
B.	protein	coronary heart disease
C.	lipid	insulin-dependant diabetes
D.	lipid	coronary heart disease

##D##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.