
Multiple-choice questions


|!|BCEMB0050000002|!| ★

Which of the following graphs correctly shows the effect of pH on the activity of an enzyme in the stomach?


A.




B.



C.



D.




##B##

Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMA0050000003|!| ★ SI

Consider the three test tubes shown below.



Full cream milk contains about 3.5% milk fat. Lipase speeds up the breakdown of fat. The pH value of the contents of each tube was measured at the beginning and after 30 minutes. What changes in pH value would take place?

	Tube X	***Tube Y***	***Tube Z***
A.	decreased	decreased	decreased
B.	increased	increased	increased
C.	decreased	decreased	no change
D.	increased	increased	no change

##C##

Skill assessed	Mark
Applying concepts	1

|!|BCEMB0050000004|!| ★

Which of the following can reduce the effect of an inhibitor on enzymes?

(1) increasing the substrate concentration
(2) increasing the enzyme concentration
(3) decreasing the temperature at which the reaction takes place

A. (1) only
B. (1) and (2) only
C. (1) and (3) only
D. (1), (2) and (3)

##B##

Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000005|!| ★

Enzymes are important to seeds during germination. Which of the following is the main function of these enzymes in germinating seeds?

A. to synthesize starch from sugars for storage
B. to increase the rate of water absorption in the root
C. to break down insoluble food into soluble forms
D. to carry out photosynthesis


##C##

Skill assessed	Mark
Applying concepts	1


|!|BCEMA0050000006|!| ★★

An organism can survive in a hot spring with temperatures ranging from 75 °C to 85 °C. Which of the following graphs best represents the effect of temperature on the activity of enzymes in this organism?


A.




B.



C.



D.




##D##

Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000008|!| ★

The graph below shows the changes in the amount of products formed in an enzyme-catalysed reaction at 20 ºC and 30 ºC respectively.



Which of the following is correct about the reactions shown in the graph?

A. The maximum amount of products collected at 30 ºC is greater than that at 20 ºC.
B. The rate of reaction at 30 ºC is higher than that at 20 ºC.
C. The activation energy of the reaction is higher at 30 ºC than at 20 ºC.
D. The optimum temperature of the enzyme is 30 ºC.


□

##B##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0050000009|!| ★

The graph below shows the enzyme activity of two different enzymes P and Q over a range of pH values.



Which of the following is a correct interpretation of the graph?

A. Enzyme P is less active than enzyme Q.
B. Enzyme Q works best in acidic medium.
C. Enzyme Q is more active than enzyme P in alkaline medium.
D. Enzyme P is found in the human stomach.

##C##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0050000011|!| ★

Given a solution containing starch, amylase and lipase, which of the following tests will give a negative result to this solution?

A. iodine test
B. Benedict's test
C. testing with a protein test strip
D. grease spot test

##D##

Skill assessed	Mark
Applying concepts	1

|!|BCEMC0050000012|!|

Which of the following statements about enzymes is correct?

A. A denatured enzyme can resume its activity under optimum conditions.
B. The optimum temperature of most enzymes is 37 ^{o}C.
C. The activation energy of an enzyme-catalysed reaction is lower than that of the uncatalysed reaction.
D. Enzymes are made up of carbohydrates and proteins.

##C##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMC0050000014|!|

Which of the following statements about enzymes is correct?

A. The function of boiled enzyme can be restored at lower temperature.
B. It can provide an alternative pathway with lower activation energy for reactions.
C. All enzymes work best at pH of around 7.
D. Enzymes are not reusable.

##B##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMB0050000015|!| ★ **Cross topic**

Which of the following is a catabolic reaction?

A. production of amylase
B. deamination
C. emulsification of lipid
D. conversion of glucose to starch

##B##

Skill assessed	Mark
Applying concepts	1

|!|BCEMC0050000016|!|

Which of the following statements about enzymes are correct?

(1) No enzymes can work above 60 ºC.
(2) The active sites of enzymes have specific shape.
(3) Enzymes are the reactants in metabolic reactions.

A. (2) only
B. (1) and (2) only
C. (1) and (3) only
D. (2) and (3) only

##A##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMC0050000018|!|

A liver extract is added to hydrogen peroxide solution. The gas produced from the mixture is tested with a glowing splint. What is the result?

A. The glowing splint goes out.
B. A ‘pop’ sound is heard.
C. The glowing splint relights.
D. There is no change in the glowing splint.

##C##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0050000019|!|

Which enzyme do most contact lens cleaners contain?

A. protease
B. lipase
C. amylase
D. catalase

##A##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0050000020|!|

Which of the following combinations about the industrial applications of enzymes is ***incorrect***?

	Application	***Enzyme used***
A	meat tenderizer	protease
B.	fruit juice extraction	pectinase
C.	production of lactose-free milk	amylase
D.	contact lens cleaner	protease

##C##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000021|!| ★

Some blue-green algae can tolerate temperatures up to 72 ºC because

A. their enzymes are not protein in nature.
B. the denatured enzymes can be replenished quickly.
C. their enzymes are not denatured at high temperatures.
D. they can survive with denatured enzymes.

##C##

Skill assessed	Mark
Applying concepts	1

|!|BCEMC0050000022|!|

A rise in temperature can speed up the rate of an enzyme reaction because at higher temperatures,

(1) substrate and enzyme molecules collide with one another more frequently.
(2) the activation energy of the reaction is higher.
(3) fewer enzymes are denatured.

A. (1) only
B. (1) and (2) only
C. (1) and (3) only
D. (2) and (3) only

##A##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0050000024|!|

All enzymes are

A. nucleotides.
B. carbohydrates.
C. lipids.
D. proteins.


##D##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMC0050000025|!|

The graph below shows the activity of an enzyme at different temperatures.



Which of the following statements correctly describe(s) the graph?

(1) The enzyme is inactive at 0 ºC.
(2) The enzyme works best at 50 ºC.
(3) The enzyme is inactive at 60 ºC.

A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)

□

##A##


Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.


|!|BCEMC0050000026|!|

Which of the following graphs shows how the rate of an enzymatic reaction varies with temperature?


A.




B.



C.



D.



##A##

Skill assessed	Mark
Analysing data	1

|!|BCEMC0050000028|!|

Which of the following statements about amylase is correct?

A. Its active site changes shape at 0 ^{o}C.
B. It works bests at pH 9.
C. It reacts with starch to form maltose.
D. Its action is inhibited by heavy metal ions.

##D##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0050000029|!|

In humans, salivary amylase catalyses the breakdown of

A. maltose into glucose.
B. starch into maltose.
C. sucrose into glucose.
D. starch into glucose.


© 2019 Aristo Educational Press Ltd.

##B##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMA0050000031|!| ★★ SI

The diagram below shows an experiment to investigate the digestion of lipids by lipase. In this experiment, milk was used as the lipid source.



The following table shows the contents of test tubes P to S.

Test tube	Contents
P	4 cm^3 milk + 1 cm^3 lipase + 1 cm^3 distilled water
Q	4 cm^3 milk + 1 cm^3 boiled lipase + 1 cm^3 distilled water
R	4 cm^3 milk + 1 cm^3 lipase + 1 cm^3 sodium hydrogencarbonate solution
S	4 cm^3 milk + 1 cm^3 distilled water + 1 cm^3 sodium hydrogencarbonate solution

Which of the following combinations about the final pH of the contents in test tubes is ***incorrect***? (Hint: What are the products of lipid digestion?)

	Test tube	*Final pH of contents*
A	P	slightly acidic
B.	Q	neutral
C.	R	slightly alkaline
D.	S	slightly alkaline


##C##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000032|!| ★ **SI**

The diagram below shows an experimental set-up.



Which of the following substances can be found in the water surrounding the dialysis tubing after 30 minutes?

(1) proteins
(2) reducing sugars
(3) sodium chloride

A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)

##C##

Skill assessed	Mark
Analysing data	1

|!|BCEMC0050000035|!|

Which of the following statements about enzymes is ***incorrect***?

A. They can speed up the rate of chemical reactions.
B. They only work inside cells.
C. They usually speed up only one type of reaction.
D. Their structures remain unchanged at the end of the reactions.

##B##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMC0050000036|!|

Which of the following statements about enzymes is correct?

A. All enzymes work best at 37 ºC.

B. Enzymes are denatured at 0 ºC.

C. The loss of function of enzymes at high temperature is irreversible.


D. Enzymes can act on a wide range of substrates. □

##C##

Skill assessed	Mark
Understanding basic concepts	1

|!|BCEMC0050000039|!|

The graph below shows the effect of pH on the activity of three enzymes (X, Y and Z) which can be found in the human body.



Which of the following combinations about the three enzymes is correct?

	Enzyme X	***Enzyme Y***	***Enzyme Z***
A	salivary amylase	lipase	pepsin
B.	lipase	pepsin	salivary amylase
C.	pepsin	lipase	salivary amylase
D.	pepsin	salivary amylase	lipase

□


##D##

Skill assessed	Mark
Analysing data	1


© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000040|!| ★ SI


An experiment was carried out to investigate the action of amylase on starch. Three cavities are made in the starch agar plate as shown below.





Different solutions were then added into the cavities as shown in the diagram below.





After the starch agar had been incubated at 40 ºC for two hours, iodine solution was poured over the surface of the agar plate. Which of the following drawings shows the results?

A.


B.




C.


D.


□

##B##

© 2019 Aristo Educational Press Ltd.

Skill assessed	Mark
Analysing data	1

|!|BCEMC0050000041|!|

Which of the following combinations ***incorrectly*** shows the enzyme and the reaction catalysed by the enzyme?

	Enzyme	***Reaction catalysed by the enzyme***
A	amylase	breakdown of starch
B.	lipase	formation of lipids
C.	sucrase	formation of glucose and fructose
D.	catalase	breakdown of hydrogen peroxide

□


##B##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000043|!| ★ SI

Directions: The following three questions refer to the diagram below which shows an experiment. Equal volumes of amylase solution were added to each of the four test tubes. All the tubes were kept at 40 °C and the contents were maintained at pH 7.



Which of the following is the factor being investigated?

A. pH
B. enzyme
C. temperature
D. substrate

##D##

Skill assessed	Mark
Practical skills	1

|!|BCEMB0050000044|!| ★ SI

Which of the following can be concluded from this experiment?

A. Amylase works best at 40 °C.
B. Amylase can digest all the food substances except egg white.
C. Amylase is specific to its substrate.
D. Amylase works best at pH 7.

##C##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000045|!| ★ SI

If lipase was used instead of amylase, which tube would contain acidic contents after 30 minutes?


A. W
B. X
C. Y
D. Z

##D##

Skill assessed	Mark
Applying concepts	1

|!|BCEMA0050000046|!| ★★

Directions: The following two questions refer to the graph below, which shows the energy levels of the reactants and product of a chemical reaction in the absence and presence of its enzymes.



The reaction shown in the graph is

A. a catabolic reaction because energy is absorbed.
B. an anabolic reaction because energy is absorbed.
C. a catabolic reaction because energy is released.
D. an anabolic reaction because energy is released.

##C##

Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMA0050000047|!| ★★

Which arrow represents the decrease in activation energy between the uncatalysed and catalysed reactions?

A. (i)
B. (ii)
C. (iii)
D. (iv)

##A##

Skill assessed	Mark
Analysing data	1

|!|BCEMA0050000048|!| ★ SI

Directions: The following three questions refer to the following investigation.

Set-up 1	5 g of freshly ground liver was added to a test tube with 5 cm^3 of hydrogen peroxide solution. A gas was formed. The gas re-lit a glowing splint.
Set-up 2	5 g of ground liver was boiled. When the boiled ground liver was added to a test tube with 5 cm^3 of hydrogen peroxide solution, no gas was formed.
Set-up 3	5 g of ground liver was mixed with acid and then added to hydrogen peroxide solution. Similar results were obtained as in set-up 2.
Set-up 4	5 cm^3 of distilled water was added to a test tube with 5 cm^3 of hydrogen peroxide solution. No gas was formed.

According to the design of the investigation, which of the following is being tested?

A. The effect of grinding on the enzymes in liver tissue
B. The effect of oxygen on a glowing splint
C. The effect of boiling on the enzymes in liver tissue
D. The effect of acid on hydrogen peroxide solution

##C##

Skill assessed	Mark
Practical skills	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMA0050000049|!| ★ **SI**

Which of the following test tubes was the control for the experiment?

A. the tube containing boiled liver and hydrogen peroxide
B. the tube containing freshly ground liver and hydrogen peroxide
C. the tube containing ground liver mixed with acid and hydrogen peroxide
D. the tube containing distilled water and hydrogen peroxide

##B##

Skill assessed	Mark
Practical skills	1

|!|BCEMA0050000050|!| ★ **SI**

Which set-up(s) showed that the reaction was controlled by an enzyme?

A. set-up 1 only
B. set-ups 1 and 2 only
C. set-ups 2, 3 and 4 only
D. set-ups 1, 2 , 3 and 4


##B##

Skill assessed	Mark
Practical skills	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000051|!| ★ **SI**

Directions: The following two questions refer to the following experimental set-ups used to investigate the action of potato tissues on hydrogen peroxide.



The gas in the froth

A. turns lime water milky.
B. turns red litmus paper blue.
C. burns with a 'pop' sound in the air.
D. relights a glowing splint.

##D##

Skill assessed	Mark
Practical skills	1

|!|BCEMB0050000052|!| ★ **SI**

What is / are the explanation(s) of the results?

(1) Potato discs contain more catalase than a potato cylinder.
(2) Potatoes contain catalase.
(3) Potato discs provide a larger surface area for the action of catalase.

A. (1) only
B. (1) and (2) only
C. (1) and (3) only
D. (2) and (3) only

##D##

Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000053|!| ★

Directions: The following two questions refer to an experiment which investigates the effect of temperature on enzymes. In the experiment, amylase is added to starch solution and the mixture is put into a water bath at 100 ºC.

After 30 minutes, the mixture is tested with iodine solution. What is the result?

A. The iodine solution turns to blue black.
B. The iodine solution remains brown.
C. The iodine solution is decolourized.
D. The iodine solution turns to brick-red.

##A##

Skill assessed	Mark
Applying concepts	1

|!|BCEMB0050000054|!| ★

If the mixture is put into a water bath at 40 ºC instead, what is the result?

A. The iodine solution turns to blue black.
B. The iodine solution remains brown.
C. The iodine solution is decolourized.
D. The iodine solution turns to brick-red.


##B##

Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000055|!| ★ **SI**

Directions: The following three questions refer to the diagram below which shows an experimental set-up. In the experiment, 1 cm^3 potato cubes were prepared and added to hydrogen peroxide solution.



The experiment was performed under six different sets of conditions. The potato cubes were treated differently before adding into hydrogen peroxide solution, as shown in the following table.

Condition	Treatment of potato cubes	Number of potato cubes added
A	chilled in the refrigerator at 4 ^oC	5
B	chilled in the refrigerator at 4 ^oC	10
C	kept at room temperature	5
D	kept at room temperature	10
E	boiled	5
F	boiled	10

Which of the following is a property of gas X?

A. It relights a glowing splint.
B. It gives a ‘pop’ sound in the presence of a burning splint.
C. It turns lime water milky.
D. It puts out a burning splint.

□

##A##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000056|!| ★ **SI**

Under which of the following condition is gas X produced most rapidly?

A. condition B
B. condition C
C. condition D
D. condition F

##C##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0050000057|!| ★ **SI**

Which of the following can be shown from this experiment?

(1) the presence of catalase in potato tissues
(2) the effect of temperature on the activity of catalase
(3) the effect of substrate concentration on the activity of catalase

A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)


##A##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000058|!| ★

Directions: The following three questions refer to the graph below which shows the effect of pH on the rate of reactions catalysed by four enzymes, W to Z.



Which enzyme has the highest activity in a neutral medium?

A. W
B. X
C. Y
D. Z

##B##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0050000059|!| ★

Which enzyme works best in the gastric juice?

A. W
B. X
C. Y
D. Z

##A##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000060|!| ★

Which of the following can be concluded from curves W, X and Y?

A. The rate of enzymatic reactions decreases with decreasing pH.

B. The rate of enzymatic reactions increases with decreasing pH.

C. Enzymes are active at a particular pH only.


D. The optimum pH for different enzymes is different.

##D##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0050000061|!| ★ **SI**

Directions: The following three questions refer to the diagram below which shows a set-up used in an experiment.



Dialysis tubings P and Q contain starch and water. One of the two tubings contains an enzyme. The water surrounding the dialysis tubings is tested with iodine test and Benedict's test at the beginning of the experiment and again 30 minutes later. The results are shown in the following table.

	Iodine test		**Benedict's test**	
	Water surrounding P	Water surrounding Q	Water surrounding P	Water surrounding Q
At the beginning	brown	brown	blue	blue
After 30 minutes	X	brown	brick-red precipitate	Y

© 2019 Aristo Educational Press Ltd.

Which of the following combination correctly shows the results X and Y?

	X	***Y***
A	brown	blue
B.	brown	brick-red precipitate
C.	blue-black	blue
D.	blue-black	brick-red precipitate

##A##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0050000062|!| ★ **SI**

Which of the following statements about the experiment is ***incorrect***?

A. Dialysis tubing P contains the enzyme.
B. The enzyme used is amylase.
C. Reducing sugars are present in the water surrounding dialysis tubing Q after 30 minutes.
D. Reducing sugars in dialysis tubing P are small enough to pass through the dialysis tubing.

##C##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0050000063|!| ★ **SI**

What does the water surrounding the dialysis tubing represent, if the dialysis tubing represents the human alimentary canal?

A. lymph
B. blood
C. tissue fluid
D. urine

##B##


Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMA0050000064|!| ★★ SI

Directions: The following three questions refer to the experimental set-up below.

Sucrase is an enzyme which catalyses the breakdown of sucrose.



Benedict's test was carried out to test the liquid in the dialysis tubing an hour later. What will you observe in the mixture of Benedict's solution and the liquid?

A. A brick-red precipitate formed in the mixture.
B. The mixture is blue in colour.
C. The mixture is blue-black in colour.
D. A blue-black precipitate formed in the mixture.

##B##

Skill assessed	Mark
Analysing data	1

|!|BCEMA0050000065|!| ★★ SI

Which of the following is the correct explanation for the observation in the above question?

A. Sucrose molecules are too large to pass through the dialysis tubing.
B. Sucrose solution is broken down into reducing sugars when it is heated during the Benedict's test.
C. Sucrose is a non-reducing sugar.
D. Reducing sugar is formed as a result of the action of sucrase on sucrose.

##A##


© 2019 Aristo Educational Press Ltd.

Skill assessed	Mark
Applying concepts	1


|!|BCEMA0050000066|!| ★★ **SI**

Which of the following graphs best represents the changes in the liquid level of the capillary tube during the experiment?


A.




B.



C.



D.




□

##B##

Skill assessed	Mark
Analysing data	1

|!|BCEMC0050000067|!|

Directions: The following two questions refer to a biochemical reaction illustrated by the diagram below.



Which molecule can be reused at the end of the reaction?

A. P
B. Q
C. R
D. S

##B##

Skill assessed	Mark
Analysing data	1

|!|BCEMC0050000068|!|

If molecule S is a lactose molecule, what may be molecules P and R?

	P	***R***
A	glucose	fructose
B.	fructose	galactose
C.	glucose	galactose
D.	maltose	glucose


##C##

Skill assessed	Mark
Understanding basic concepts	1


© 2019 Aristo Educational Press Ltd.


|!|BCEMB0050000069|!| ★ **SI**


Directions: The following two questions refer to the diagram below. 15 potato discs of the same thickness were added together with 15 cm^3 of dilute hydrogen peroxide solution into a syringe. The mouth of the syringe was sealed.




Which of the following graphs correctly shows the results obtained when the volume of gas collected is plotted against time?

A.


B.


C.


D.


□

##B##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMB0050000070|!| ★ **SI**

Which of the following is ***not*** an explanation of the graph answered in the above question?


A. Catalase is denatured at the end of the reaction of hydrogen peroxide breakdown.
B. The potato discs contain catalase.
C. All the hydrogen peroxide is used up at the end of the reaction of hydrogen peroxide breakdown.
D. Catalase catalyses the breakdown of hydrogen peroxide to form oxygen.

##A##

Skill assessed	Mark
Applying concepts	1

|!|BCEMB0050000071|!| ★ **SI**

Directions: The following two questions refer to the diagram below, which shows an experiment to investigate the action of an enzyme on egg white.



The table below shows the contents of four test tubes P, Q, R and S.

Test tube	Contents
P	1 cm^3 egg white cube + 1 cm^3 enzyme solution
Q	1 cm^3 egg white cube + 1 cm^3 of distilled water + 3 drops of HCl
R	1 cm^3 egg white cube + 1 cm^3 enzyme solution + 3 drops of HCl
S	1 cm^3 egg white cube + 1 cm^3 boiled enzyme solution + 3 drops of HCl

© 2019 Aristo Educational Press Ltd.

The enzyme used in the experiment was collected from the stomach of a mammal. In which test tube does the egg white cube disappear most rapidly?

A. P
B. Q
C. R
D. S

##C##

Skill assessed	Mark
Analysing data	1

|!|BCEMB0050000072|!| ★ **SI**

Which of the following procedures can cause the egg white cubes to disappear more rapidly?

(1) increase the temperature of the water bath to 35 ºC
(2) cut the egg white cube into smaller pieces
(3) use sodium hydroxide solution instead of hydrochloric acid

A. (1) only
B. (1) and (2) only
C. (2) and (3) only
D. (1), (2) and (3)


##B##

Skill assessed	Mark
Applying concepts	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMC0050000073|!|

Directions: The following two questions refer to a chemical reaction inside the body as shown below.



Which of the following statements correctly describe(s) the above reaction?

(1) The reaction is a hydrolytic reaction.
(2) Water is needed as a reactant.
(3) The reaction is an example of anabolism.

A. (1) only
B. (1) and (2) only
C. (1) and (3) only
D. (2) and (3) only

##B##

Skill assessed	Mark
Analysing data	1

© 2019 Aristo Educational Press Ltd.

|!|BCEMC0050000074|!|

If S is a glucose molecule, P is a molecule of

A. starch.

B. fructose.

C. sucrose.

D. maltose.

□

##D##

Skill assessed	Mark
Understanding basic concepts	1

© 2019 Aristo Educational Press Ltd.