Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');
```

I/O AI Agent 327 ms

STDIN

Input for the program (Optional)

Output:

Program did not output anything!

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```sql
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       UPPER(Student_Name) AS Uppercase_Name
FROM STUDENT;
```

I/O AI Agent 339 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Uppercase_Name
Deepak	DEEPAK
Deekshith	DEEKSHITH
Harikumar	HARIKUMAR
Harshitha	HARSHITHA
Shivapraksh	SHIVAPRAKSH

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       LOWER(Student_Name) AS Lowercase_Name
FROM STUDENT;
```

I/O AI Agent 270 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Lowercase_Name
Deepak	deepak
Deekshith	deekshith
Harikumar	harikumar
Harshitha	harshitha
Shivapraksh	shivapraksh

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```sql
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       LEN(Student_Name) AS Name_Length
FROM STUDENT;
```

I/O AI Agent 448 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Name_Length
Deepak	6
Deekshith	9
Harikumar	9
Harshitha	9
Shivapraksh	11

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```sql
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT CONCAT(Student_Name, ' Class ', Class) AS Student_Details
FROM STUDENT;
```

I/O AI Agent 354 ms

STDIN

Input for the program (Optional)

Output:

```
Student_Details
----------------------------------------------------------------
Deepak Class 10A
Deekshith Class 10A
Harikumar Class 10B
Harshitha Class 10B
Shivapraksh Class 10A
```

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 75, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
FROM STUDENT;
```

I/O AI Agent 439 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	First_Five_Characters
Deepak	Deepa
Deekshith	Deeks
Harikumar	Harik
Harshitha	Harsh
Shivapraksh	Shiva

OneCompiler Upgrade AI Microsoft SQL Server Run Save D

queries.sql

```sql
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       Marks,
       ROUND(Marks * 1.05, 2) AS Bonus_Marks
FROM STUDENT;
```

I/O AI Agent 258 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Marks	Bonus_Marks
Deepak	50	52.50
Deekshith	92	96.60
Harikumar	76	79.80
Harshitha	98	102.90
Shivapraksh	90	94.50

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```sql
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       Marks / 10.0 AS Marks_Value,
       CEILING(Marks / 10.0) AS Rounded_Up
FROM STUDENT;
```

I/O AI Agent 391 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Marks_Value	Rounded_Up
Deepak	5.000000	5
Deekshith	9.200000	10
Harikumar	7.600000	8
Harshitha	9.800000	10
Shivapraksh	9.000000	9

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       Marks / 10.0 AS Marks_Value,
       FLOOR(Marks / 10.0) AS Rounded_Down
FROM STUDENT;
```

I/O AI Agent 450 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Marks_Value	Rounded_Down
Deepak	5.000000	5
Deekshith	9.200000	9
Harikumar	7.600000	7
Harshitha	9.800000	9
Shivapraksh	9.000000	9

OneCompiler Upgrade AI Microsoft SQL Server Run Save D

queries.sql

```sql
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       Marks,
       Marks % 10 AS Remainder
FROM STUDENT;
```

I/O AI Agent 325 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Marks	Remainder
Deepak	50	0
Deekshith	92	2
Harikumar	76	6
Harshitha	98	8
Shivapraksh	90	0

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```sql
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       Marks,
       ABS(Marks - 80) AS Difference_From_80
FROM STUDENT;
```

I/O AI Agent 337 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Marks	Difference_From_80
Deepak	50	30
Deekshith	92	12
Harikumar	76	4
Harshitha	98	18
Shivapraksh	90	10

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```sql
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       Date_of_Birth,
       YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;
```

I/O AI Agent 326 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Date_of_Birth	Birth_Year
Deepak	2008-05-20	2008
Deekshith	2008-11-20	2008
Harikumar	2009-02-10	2009
Harshitha	2008-08-25	2008
Shivapraksh	2009-01-30	2009

OneCompiler Upgrade AI Microsoft SQL Server Run Save D

queries.sql

```
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       Date_of_Birth,
       MONTH(Date_of_Birth) AS Birth_Month
FROM STUDENT;
```

I/O AI Agent 328 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Date_of_Birth	Birth_Month
Deepak	2008-05-20	5
Deekshith	2008-11-20	11
Harikumar	2009-02-10	2
Harshitha	2008-08-25	8
Shivapraksh	2009-01-30	1

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       Date_of_Birth,
       DAY(Date_of_Birth) AS Birth_Day
FROM STUDENT;
```

I/O AI Agent 388 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Date_of_Birth	Birth_Day
Deepak	2008-05-20	20
Deekshith	2008-11-20	20
Harikumar	2009-02-10	10
Harshitha	2008-08-25	25
Shivapraksh	2009-01-30	30

OneCompiler Upgrade AI Microsoft SQL Server Run Save D

queries.sql

```sql
CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);
INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Student_Name,
       Date_of_Birth,
       DATEDIFF(YEAR, Date_of_Birth, GETDATE()) AS Age
FROM STUDENT;
```

I/O AI Agent 361 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Date_of_Birth	Age
Deepak	2008-05-20	18
Deekshith	2008-11-20	18
Harikumar	2009-02-10	17
Harshitha	2008-08-25	18
Shivapraksh	2009-01-30	17

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```sql
CREATE TABLE STUDENT (
  Student_ID INT,
  Student_Name VARCHAR(50),
  Class VARCHAR(10),
  Marks INT,
  Fee_Paid DECIMAL(10,2),
  Date_of_Birth DATE,
  Admission_Date DATE
);

INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');


SELECT CURDATE() AS Today;
```

I/O AI Agent 85 ms

STDIN

Input for the program (Optional)

Output:

```
+------------+
| Today      |
+------------+
| 2026-09-04 |
+------------+
```

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```sql
CREATE TABLE STUDENT (
  Student_ID INT,
  Student_Name VARCHAR(50),
  Class VARCHAR(10),
  Marks INT,
  Fee_Paid DECIMAL(10,2),
  Date_of_Birth DATE,
  Admission_Date DATE
);

INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT Class,
       COUNT(*) AS Total_Students,
       AVG(Marks) AS Average_Marks
FROM STUDENT
GROUP BY Class;
```

I/O AI Agent 133 ms

STDIN

Input for the program (Optional)

Output:

```
+-------+---------------+---------------+
| Class | Total_Students | Average_Marks |
+-------+---------------+---------------+
| 10A   |             3 |       77.3333 |
| 10B   |             2 |       87.0000 |
+-------+---------------+---------------+
```

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```sql
CREATE TABLE STUDENT (
  Student_ID INT,
  Student_Name VARCHAR(50),
  Class VARCHAR(10),
  Marks INT,
  Fee_Paid DECIMAL(10,2),
  Date_of_Birth DATE,
  Admission_Date DATE
);

INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT SUM(Marks) AS Total_Marks
FROM STUDENT;
```

I/O AI Agent 85 ms

STDIN

Input for the program (Optional)

Output:

```
+-------------+
| Total_Marks |
+-------------+
|         406 |
+-------------+
```

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```sql
CREATE TABLE STUDENT (
  Student_ID INT,
  Student_Name VARCHAR(50),
  Class VARCHAR(10),
  Marks INT,
  Fee_Paid DECIMAL(10,2),
  Date_of_Birth DATE,
  Admission_Date DATE
);

INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT AVG(Marks) AS Average_Marks
FROM STUDENT;
```

I/O AI Agent 111 ms

STDIN

Input for the program (Optional)

Output:

```
+---------------+
| Average_Marks |
+---------------+
|       81.2000 |
+---------------+
```

Set Google Chrome as your default browser and pin it to your taskbar Set as default

queries.sql

```sql
CREATE TABLE STUDENT (
  Student_ID INT,
  Student_Name VARCHAR(50),
  Class VARCHAR(10),
  Marks INT,
  Fee_Paid DECIMAL(10,2),
  Date_of_Birth DATE,
  Admission_Date DATE
);

INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT MAX(Marks) AS Highest_Marks
FROM STUDENT;
```

I/O AI Agent 88 ms

STDIN

Input for the program (Optional)

Output:

```
+---------------+
| Highest_Marks |
+---------------+
|            98 |
+---------------+
```

Set Google Chrome as your default browser and pin it to your taskbar
Set as default

queries.sql

```sql
CREATE TABLE STUDENT (
  Student_ID INT,
  Student_Name VARCHAR(50),
  Class VARCHAR(10),
  Marks INT,
  Fee_Paid DECIMAL(10,2),
  Date_of_Birth DATE,
  Admission_Date DATE
);

INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT MIN(Marks) AS Lowest_Marks
FROM STUDENT;
```

I/O
AI Agent
85 ms

STDIN

Input for the program (Optional)

Output:

```
+--------------+
| Lowest_Marks |
+--------------+
|           50 |
+--------------+
```

OneCompiler Upgrade AI MySQL Run Save

queries.sql

```sql
CREATE TABLE STUDENT (
  Student_ID INT,
  Student_Name VARCHAR(50),
  Class VARCHAR(10),
  Marks INT,
  Fee_Paid DECIMAL(10,2),
  Date_of_Birth DATE,
  Admission_Date DATE
);

INSERT INTO STUDENT VALUES
(101, 'Deepak', '10A', 50, 40000, '2008-05-20', '2025-06-27'),
(102, 'Deekshith', '10A', 92, 50000, '2008-11-20', '2024-06-12'),
(103, 'Harikumar', '10B', 76, 65000, '2009-02-10', '2026-06-11'),
(104, 'Harshitha', '10B', 98, 48000, '2008-08-25', '2021-06-15'),
(105, 'Shivapraksh', '10A', 90, 46000, '2009-01-30', '2022-06-13');

SELECT
UPPER(Student_Name) AS Student_Name,
Class,
Marks,
ABS(Marks - 80) AS Difference_From_Target,
YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;
```

I/O AI Agent 118 ms

STDIN

Input for the program (Optional)

Output:

Student_Name	Class	Marks	Difference_From_Target	Birth_Year
DEEPAK	10A	50	30	2008
DEEKSHITH	10A	92	12	2008
HARIKUMAR	10B	76	4	2009
HARSHITHA	10B	98	18	2008
SHIVAPRAKSH	10A	90	10	2009