
Lab4:


OneCompiler
Upgrade
AI
MySQL
Run
queries.sql
I/O
AI Agent
STDIN
Input for the program (Optional)
Output:
CREATE TABLE Employee (
Emp_ID INT,
Emp_Name VARCHAR(50),
Joining_Date DATE,
Salary DECIMAL(10,2)
);
INSERT INTO Employee VALUES
(101, 'Karuna', '2024-01-15', 45000),
(102, 'Shiva', '2023-06-20', 55000),
(103, 'Prakash', '2022-11-10', 60000);
-- Conversion Function
SELECT CAST(Salary AS CHAR) AS Salary_Text
FROM Employee;
-- Conversion Function
SELECT CONVERT(Salary, CHAR) AS Salary_Text
FROM Employee;
-- Date Functions
SELECT CURDATE();
SELECT NOW();
SELECT YEAR(Joining_Date) AS Joining_Year
FROM Employee;
SELECT MONTH(Joining_Date) AS Joining_Month
FROM Employee;
SELECT DAY(Joining_Date) AS Joining_Day
FROM Employee;
SELECT DATEDIFF(CURDATE(), Joining_Date) AS Days_Worked
FROM Employee;
SELECT DATE_FORMAT(Joining_Date, '%d-%m-%Y') AS Formatted_Date
FROM Employee;
Salary_Text
45000.00
55000.00
60000.00
CURDATE()
2026-09-29
NOW()
2026-09-29 11:53:30
Joining_Year
2024
2023
2022
11
Joining_Day
15
20
10
Days_Worked
988
1197
1419
Formatted_Date
15-01-2024
20-06-2023
10-11-2022
Ready

Lab5:

OneCompiler Upgrade AI MySQL Run

queries.sql

```sql
CREATE TABLE Student (
    Student_ID INT,
    Name VARCHAR(50),
    Age INT,
    Marks INT
);

INSERT INTO Student VALUES
(1, 'Karuna', 20, 85),
(2, 'Shiva', 19, 72),
(3, 'Prakash', 21, 90),
(4, 'Priya', 18, 65);

-- Arithmetic Operators
SELECT Marks + 5 AS Increased_Marks
FROM Student;

SELECT Marks - 5 AS Decreased_Marks
FROM Student;

SELECT Marks * 2 AS Double_Marks
FROM Student;

SELECT Marks / 2 AS Half_Marks
FROM Student;

SELECT Marks % 10 AS Remainder
FROM Student;

-- Comparison Operators
SELECT * FROM Student WHERE Marks = 85;

SELECT * FROM Student WHERE Marks > 75;

SELECT * FROM Student WHERE Marks < 80;

SELECT * FROM Student WHERE Marks >= 85;

SELECT * FROM Student WHERE Marks <= 72;


SELECT * FROM Student WHERE Marks <> 85;


-- Logical Operators
SELECT * FROM Student
WHERE Marks > 70 AND Age < 21;


SELECT * FROM Student
WHERE Marks > 85 OR Age < 19;

SELECT * FROM Student
WHERE NOT Marks < 70;
```

Ready


My
I/O
AI Agent
STDIN
Input for the program (Optional)
Output:
+------------+-------+------+-------+
| Student_ID | Name | Age | Marks |
+------------+-------+------+-------+
| 2 | Shiva | 19 | 72 |
| 4 | Priya | 18 | 65 |
+------------+-------+------+-------+
+------------+---------+------+-------+
| Student_ID | Name | Age | Marks |
+------------+---------+------+-------+
2	Shiva	19	72
3	Prakash	21	90
4	Priya	18	65
+------------+---------+------+-------+
+------------+--------+------+-------+
| Student_ID | Name | Age | Marks |
+------------+--------+------+-------+
| 1 | Karuna | 20 | 85 |
| 2 | Shiva | 19 | 72 |
+------------+--------+------+-------+
+------------+---------+------+-------+
| Student_ID | Name | Age | Marks |
+------------+---------+------+-------+
| 3 | Prakash | 21 | 90 |
| 4 | Priya | 18 | 65 |
+------------+---------+------+-------+
+------------+---------+------+-------+
| Student_ID | Name | Age | Marks |
+------------+---------+------+-------+
1	Karuna	20	85
2	Shiva	19	72
3	Prakash	21	90
+------------+---------+------+-------+
Ready


My
I/O
AI Agent
STDIN
Input for the program (Optional)
Output:
| Increased_Marks |
| Decreased_Marks |
| Double_Marks |
| Half_Marks |
Ready


My
I/O
AI Agent
STDIN
Input for the program (Optional)
Output:
+------------+--------+------+-------+
| Student_ID | Name | Age | Marks |
+------------+--------+------+-------+
| 1 | Karuna | 20 | 85 |
+------------+--------+------+-------+
+------------+---------+------+-------+
| Student_ID | Name | Age | Marks |
+------------+---------+------+-------+
| 1 | Karuna | 20 | 85 |
| 3 | Prakash | 21 | 90 |
+------------+---------+------+-------+
+------------+-------+------+-------+
| Student_ID | Name | Age | Marks |
+------------+-------+------+-------+
| 2 | Shiva | 19 | 72 |
| 4 | Priya | 18 | 65 |
+------------+-------+------+-------+
+------------+--------+------+-------+
| Student_ID | Name | Age | Marks |
+------------+--------+------+-------+
| 1 | Karuna | 20 | 85 |
| 3 | Prakash | 21 | 90 |
+------------+--------+------+-------+
+------------+-------+------+-------+
| Student_ID | Name | Age | Marks |
+------------+-------+------+-------+
| 2 | Shiva | 19 | 72 |
| 4 | Priya | 18 | 65 |
+------------+-------+------+-------+
+------------+--------+------+-------+
| Student_ID | Name | Age | Marks |
+------------+--------+------+-------+
Ready

Lab6:

queries.sql

MySQL

Run

I/O

AI Agent

```sql
CREATE TABLE Student1 (
    Student_ID INT,
    Name VARCHAR(50),
    Marks INT
);

INSERT INTO Student1 VALUES
(1, 'Asha', 85),
(2, 'KAruna', 72),
(3, 'Shiva', 90);

-- BETWEEN
SELECT * FROM Student1
WHERE Marks BETWEEN 70 AND 90;

-- IN
SELECT * FROM Student1
WHERE Marks IN (72, 90);

-- NOT IN
SELECT * FROM Student1
WHERE Marks NOT IN (72, 90);

-- LIKE
SELECT * FROM Student1
WHERE Name LIKE 'A%';

-- NOT LIKE
SELECT * FROM Student1
WHERE Name NOT LIKE 'A%';

-- IS NULL
SELECT * FROM Student1
WHERE Marks IS NULL;

-- UNION
SELECT Name FROM Student1
WHERE Marks >= 80

UNION

SELECT Name FROM Student1
WHERE Marks <= 75;
```

STDIN

Input for the program (Optional)

Output:

```
+------------+--------+-------+
| Student_ID | Name   | Marks |
+------------+--------+-------+
|          1 | Asha   |    85 |
|          2 | KAruna |    72 |
|          3 | Shiva  |    90 |
+------------+--------+-------+
+------------+--------+-------+
| Student_ID | Name   | Marks |
+------------+--------+-------+
|          2 | KAruna |    72 |
|          3 | Shiva  |    90 |
+------------+--------+-------+
+------------+------+-------+
| Student_ID | Name | Marks |
+------------+------+-------+
|          1 | Asha |    85 |
+------------+------+-------+
+------------+--------+-------+
| Student_ID | Name   | Marks |
+------------+--------+-------+
|          1 | Asha   |    85 |
|          2 | KAruna |    72 |
|          3 | Shiva  |    90 |
+------------+--------+-------+
+--------+
| Name   |
+--------+
```

Ready

queries.sql

MySQL

Run

I/O

AI Agent

```sql
CREATE TABLE Student1 (
    Student_ID INT,
    Name VARCHAR(50),
    Marks INT
);

INSERT INTO Student1 VALUES
(1, 'Asha', 85),
(2, 'KAruna', 72),
(3, 'Shiva', 90);

-- BETWEEN
SELECT * FROM Student1
WHERE Marks BETWEEN 70 AND 90;

-- IN
SELECT * FROM Student1
WHERE Marks IN (72, 90);

-- NOT IN
SELECT * FROM Student1
WHERE Marks NOT IN (72, 90);

-- LIKE
SELECT * FROM Student1
WHERE Name LIKE 'A%';

-- NOT LIKE
SELECT * FROM Student1
WHERE Name NOT LIKE 'A%';

-- IS NULL
SELECT * FROM Student1
WHERE Marks IS NULL;

-- UNION
SELECT Name FROM Student1
WHERE Marks >= 80

UNION

SELECT Name FROM Student1
WHERE Marks <= 75;
```

STDIN

Input for the program (Optional)

Output:

```
+------------+--------+-------+
| Student_ID | Name   | Marks |
+------------+--------+-------+
|          2 | KAruna |    72 |
|          3 | Shiva  |    90 |
+------------+--------+-------+
+------------+------+-------+
| Student_ID | Name | Marks |
+------------+------+-------+
|          1 | Asha |    85 |
+------------+------+-------+
+------------+--------+-------+
| Student_ID | Name   | Marks |
+------------+--------+-------+
|          2 | KAruna |    72 |
|          3 | Shiva  |    90 |
+------------+--------+-------+
+--------+
| Name   |
+--------+
| Asha   |
| Shiva  |
| KAruna |
+--------+
```

Ready