



[Unit 1 Linear Classifiers and Course](#) > [Generalizations \(2 weeks\)](#)

[Lecture 4. Linear Classification and Generalization](#) >

2. Review and the Lambda parameter

**Audit Access Expires May 11, 2020**

You lose all access to this course, including your progress, on May 11, 2020. Upgrade by Mar 25, 2020 to get unlimited access to the course as long as it exists on the site. [Upgrade now](#)

## 2. Review and the Lambda parameter

### Introduction and Review



**Video**[Download video file](#)**Transcripts**[Download SubRip \(.srt\) file](#)[Download Text \(.txt\) file](#)

## Distance from a line to a point in terms of components

1.0/1 point (graded)

In a 2 dimensional space, a line  $L$  is given by  $L : ax + by + c = 0$ , and a point  $P$  is given by  $P = (x_0, y_0)$ . What is  $d$ , the shortest distance between  $L$  and  $P$ ? Express  $d$  in terms of  $a, b, c, x_0, y_0$ .

 $(a*x_0+b*y_0+c)/\text{sqrt}(a^2+b^2)$ ✓ Answer:  $\text{abs}(a*x_0 + b*y_0 + c) / \text{sqrt}(a^2 + b^2)$ [STANDARD NOTATION](#)**Solution:**

Use the projection equation. Here  $\theta$  is  $[a, b]$ ,  $\theta_0$  is  $c$  and the point is  $[x_0, y_0]$ .

Submit

You have used 1 of 3 attempts

**i** Answers are displayed within the problem

## Varying Lambda in the Geometric Sense


1/1 point (graded)

Remember that the objective

$$J(\theta, \theta_0) = \frac{1}{n} \sum_{i=1}^n \text{Loss}_h(y^{(i)}(\theta \cdot x^{(i)} + \theta_0)) + \frac{\lambda}{2} \|\theta\|^2.$$

In the picture below, what happens to  $d$ , the distance between the decision

boundary and the margin boundary, as we increase  $\lambda$ ?



☐  $d$  decreases

☒  $d$  increases

☐  $d$  converges to  $\lambda$



*Hint:* You can answer with your intuition in this question. To see whether  $d$  converges to  $\lambda$ , think of a simple setting where we are working in 1 dimension with just two points with labels  $x_1 = -1, x_2 = 2, y_1 = -1, y_2 = 1$  and assume that  $\lambda$  is large enough where it dominates the loss function and pushes  $\theta$  close enough to 0 where all points are margin violators.

**Solution:**

Increasing  $\lambda$  means we put more weight on maximizing the margin. Thus  $d$  increases.

It is not true that  $d$  always converges to  $\lambda$  as  $\lambda$  increases. Here is a counter example:

Consider a simple setting where we are working in 1 dimension with just two points with labels  $x_1 = -1, x_2 = 2, y_1 = -1, y_2 = 1$  and assume that  $\lambda$  is large enough where it dominates the loss function and pushes  $\theta$  close enough to 0 where all points are margin violators.

$$\begin{aligned} J &= \frac{1}{2}[(1 - \theta + \theta_0) + (1 - 2\theta - \theta_0)] + \frac{\lambda}{2}\theta^2 \\ &= \frac{2 - 3\theta}{2} + \frac{\lambda}{2}\theta^2. \end{aligned}$$

Solve this explicitly by taking  $\frac{\partial J}{\partial \theta} = 0$ :

$$\begin{aligned} -\frac{3}{2} + \lambda\theta &= 0 \\ \theta &= \frac{3}{2\lambda} \\ d &= \frac{1}{\theta} = \frac{2}{3}\lambda. \end{aligned}$$

Submit

You have used 1 of 2 attempts

**i** Answers are displayed within the problem

## Discussion














Hide Discussion

**Topic:** Unit 1 Linear Classifiers and Generalizations (2 weeks);Lecture 4. Linear Classification and Generalization / 2. Review and the Lambda parameter

Add a Post

Show all posts

by recent activity

	<a href="#"><u>Information</u></a>	3
	<a href="#"><u>How can I write the modulus or absolute value of a number in my response of question1???</u></a>	
	<a href="#"><u>[staff]: "Could not format HTML for problem. Contact course staff in the discussion forum for assistance."</u></a>	2
	<a href="#"><u>Help! I can't see the first question.</u></a>	
	<a href="#"><u>Problem in grading q1</u></a>	2
	<a href="#"><u>My answer was correct and was the same as the solution, but it was graded as a wrong answ...</u></a>	
	<a href="#"><u>what happens if the margin boundaries getting bigger?</u></a>	3
	<a href="#"><u>optimization limits</u></a>	2
	<a href="#"><u>Both loss and regularizer are functions of theta. If we change angle of the decision boundary...</u></a>	
	<a href="#"><u>to subscript; put an underscore in front,</u></a>	4
	<a href="#"><u>so it is x_0 and y_0 :-)</u></a>	
	<a href="#"><u>Transcription error at 3:01</u></a>	1
	<a href="#"><u>It should be "loss" instead of "laws".</u></a>	
	<a href="#"><u>Transcription error</u></a>	3
	<a href="#"><u>4:57 "will be guided by the bulk of the points" instead of "will be guided by the [INAUDIBLE] o...</u></a>	
	 <a href="#"><u>Community TA</u></a>	
	<a href="#"><u>"Invalid Input: Could not parse"</u></a>	3
	<a href="#"><u>still can't figure out how to write my answer to the first question ... i'm using the standard not...</u></a>	
	<a href="#"><u>what happens when the margin...</u></a>	3
	<a href="#"><u>4:57 : *And as you can see, the further and further the margin boundaries are posed, the mo...</u></a>	
	<a href="#"><u>The intuition described in Varying Lambda in the Geometric Sense still doesn't ring</u></a>	6
	<a href="#"><u>Hi, i still don't really understand the intuition described in the question varying lambda in the...</u></a>	
	<a href="#"><u>Q1</u></a>	4
	<a href="#"><u>the answer for Q1 seems to be incorrect. It is supposed to be the absolute value</u></a>	

Learn About Verified Certificates

© All Rights Reserved