



[Lecture 9. Feedforward Neural
Networks, Back Propagation, and](#)

[Course](#) > [Unit 3 Neural networks \(2.5 weeks\)](#) > [Stochastic Gradient Descent \(SGD\)](#) >

3. Training Models with 1 Hidden
Layer

Audit Access Expires May 11, 2020

You lose all access to this course, including your progress, on May 11, 2020.
Upgrade by Mar 25, 2020 to get unlimited access to the course as long as it
exists on the site. **[Upgrade now](#)**

3. Training Models with 1 Hidden Layer

Video note: In the video below at 0:38, Prof Jaakkola misspoke and said "on the left,"
but you should look at the plot "on the **right**".

Training Models with 1 Hidden Layer, Overcapacity, and Convergence Guarantees



Video

[Download video file](#)

Transcripts

[Download SubRip \(.srt\) file](#)

[Download Text \(.txt\) file](#)

SGD Convergence guarantees

1/1 point (graded)

Which of the following option(s) is/are true about training neural networks?
(Choose all that apply.)

- ☐ For multi-layer neural networks, stochastic gradient descent (SGD) is guaranteed to reach global optimum
- ☒ For multi-layer neural networks, stochastic gradient descent (SGD) is not guaranteed to reach a global optimum
- ☐ Larger models tend to be harder to learn because their units need to be adjusted so that each one of them can individually solve the task
- ☒ Larger models tend to be easier to learn because their units need to be adjusted so that they are, collectively sufficient to solve the task
- ☐ Initialization plays no or very little role in finding a good solution during training of neural networks



Solution:

- For multi-layer neural networks the loss function is no longer convex and any stochastic gradient descent (SGD) method is not guaranteed to reach global optimum
- Larger models tend to be easier to learn because their units need to be adjusted so that they are, collectively sufficient to solve the task

[Submit](#)

You have used 1 of 2 attempts

i Answers are displayed within the problem

Discussion

[Hide Discussion](#)

Topic: Unit 3 Neural networks (2.5 weeks):Lecture 9.
Feedforward Neural Networks, Back Propagation, and Stochastic
Gradient Descent (SGD) / 3. Training Models with 1 Hidden Layer

[Add a Post](#)[Show all posts](#)[by recent activity](#)

? [offset parameter](#)

1

[Why is it that we randomise the choice of offset parameter the redundant part that was appe...](#)

[Learn About Verified Certificates](#)

© All Rights Reserved