iClust 1: N = 140
PGP|ILMN_1836744 (non−ER binding)

[<=60] p = 0.70564
[>60] p = 0.99044
[All] p = 0.47252

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
PGP|ILMN_1836744 (non−ER binding)

[<=60] p = 0.10406
[>60] p = 0.62351
[All] p = 0.7015

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
PGP|ILMN_1836744 (non−ER binding)

[<=60] p = 0.64976
[>60] p = 0.63646
[All] p = 0.13613

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
PGP|ILMN_1836744 (non−ER binding)

[<=60] p = 0.092002
[>60] p = 0.22846
[All] p = 0.01721

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
PGP|ILMN_1836744 (non−ER binding)

[<=60] p = 0.88952

[>60] p = 0.3026

[All] p = 0.61248

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
PGP|ILMN_1836744 (non−ER binding)

[<=60] p = 0.18574

[>60] p = 0.60735

[All] p = 0.51481

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
PGP|ILMN_1836744 (non−ER binding)

[<=60] p = 0.79827

[>60] p = 0.61796

[All] p = 0.58559

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
PGP|ILMN_1836744 (non−ER binding)

[<=60] p = 0.21943

[>60] p = 0.345

[All] p = 0.094132

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
PGP|ILMN_1836744 (non−ER binding)

[<=60] p = 0.32901
[>60] p = 0.34818
[All] p = 0.11091

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
PGP|ILMN_1836744 (non−ER binding)

[<=60] p = 0.27445
[>60] p = 0.18368
[All] p = 0.87799

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis