iClust 1: N = 140
CBX2|ILMN_1770678 (non−ER binding)

[<=60] p = 0.60034
[>60] p = 0.96511
[All] p = 0.20493

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
CBX2|ILMN_1770678 (non−ER binding)

[<=60] p = 0.35037
[>60] p = 0.060918
[All] p = 0.036665

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
CBX2|ILMN_1770678 (non−ER binding)

[<=60] p = 0.39092
[>60] p = 0.86578
[All] p = 0.44635

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
CBX2|ILMN_1770678 (non−ER binding)

[<=60] p = 0.19877
[>60] p = 0.1468
[All] p = 0.4128

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
CBX2|ILMN_1770678 (non−ER binding)

[<=60] p = 0.87146
[>60] p = 0.88043
[All] p = 0.0379

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
CBX2|ILMN_1770678 (non−ER binding)

[<=60] p = 0.81822
[>60] p = 0.65019
[All] p = 0.502

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
CBX2|ILMN_1770678 (non−ER binding)

[<=60] p = 0.42609
[>60] p = 0.94334
[All] p = 0.45812

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
CBX2|ILMN_1770678 (non−ER binding)

[<=60] p = 0.87126
[>60] p = 0.34203
[All] p = 0.094107

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
CBX2|ILMN_1770678 (non−ER binding)

[<=60] p = 0.73987
[>60] p = 0.018243
[All] p = 0.019638

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
CBX2|ILMN_1770678 (non−ER binding)

[<=60] p = 0.95613
[>60] p = 0.38955
[All] p = 0.9248

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis