iClust 1: N = 140
p27KIP1|ILMN_1722811 (non−ER binding)

[<=60] p = 0.029664
[>60] p = 0.85992
[All] p = 0.8229

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
p27KIP1|ILMN_1722811 (non−ER binding)

[<=60] p = 0.25089
[>60] p = 0.013462
[All] p = 0.089343

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
p27KIP1|ILMN_1722811 (non−ER binding)

[<=60] p = 0.26214
[>60] p = 0.37824
[All] p = 0.22381

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
p27KIP1|ILMN_1722811 (non−ER binding)

[<=60] p = 0.6065
[>60] p = 0.92859
[All] p = 0.97216

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
p27KIP1|ILMN_1722811 (non−ER binding)

[<=60] p = 0.57147
[>60] p = 0.027151
[All] p = 0.045988

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
p27KIP1|ILMN_1722811 (non−ER binding)

[<=60] p = 0.36338
[>60] p = 0.19464
[All] p = 0.89805

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
p27KIP1|ILMN_1722811 (non−ER binding)

[<=60] p = 0.72862
[>60] p = 0.72831
[All] p = 0.72509

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
p27KIP1|ILMN_1722811 (non−ER binding)

[<=60] p = 0.0043992
[>60] p = 0.60323
[All] p = 0.0079348

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
p27KIP1|ILMN_1722811 (non−ER binding)

[<=60] p = 0.29713
[>60] p = 0.71886
[All] p = 0.54898

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
p27KIP1|ILMN_1722811 (non−ER binding)

[<=60] p = 0.31736
[>60] p = 0.96718
[All] p = 0.676

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis