iClust 1: N = 140
PSF|ILMN_1769931 (non−ER binding)

[<=60] p = 0.3458
[>60] p = 0.79701
[All] p = 0.63869

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
PSF|ILMN_1769931 (non−ER binding)

[<=60] p = 0.67802
[>60] p = 0.53476
[All] p = 0.59506

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
PSF|ILMN_1769931 (non−ER binding)

[<=60] p = 0.77618
[>60] p = 0.12424
[All] p = 0.57043

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
PSF|ILMN_1769931 (non−ER binding)

[<=60] p = 0.51505
[>60] p = 0.9846
[All] p = 0.30405

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
PSF|ILMN_1769931 (non−ER binding)

[<=60] p = 0.40953
[>60] p = 0.61173
[All] p = 0.47397

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
PSF|ILMN_1769931 (non−ER binding)

[<=60] p = 0.49794
[>60] p = 0.42052
[All] p = 0.58393

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
PSF|ILMN_1769931 (non−ER binding)

[<=60] p = 0.36968
[>60] p = 0.48191
[All] p = 0.91438

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
PSF|ILMN_1769931 (non−ER binding)

[<=60] p = 0.71152
[>60] p = 0.45236
[All] p = 0.16923

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
PSF|ILMN_1769931 (non−ER binding)

[<=60] p = 0.15556
[>60] p = 0.046509
[All] p = 0.62714

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
PSF|ILMN_1769931 (non−ER binding)

[<=60] p = 0.021428
[>60] p = 0.011448
[All] p = 0.0042156

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis