iClust 1: N = 140
PCGF3|ILMN_1803454 (non−ER binding)

[<=60] p = 0.50117
[>60] p = 0.8967
[All] p = 0.29212

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
PCGF3|ILMN_1803454 (non−ER binding)

[<=60] p = 0.21167
[>60] p = 0.4947
[All] p = 0.84568

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
PCGF3|ILMN_1803454 (non−ER binding)

[<=60] p = 0.063074
[>60] p = 0.011294
[All] p = 0.0011002

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
PCGF3|ILMN_1803454 (non−ER binding)

[<=60] p = 0.34228
[>60] p = 0.52844
[All] p = 0.72728

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
PCGF3|ILMN_1803454 (non−ER binding)

[<=60] p = 0.77456
[>60] p = 0.90127
[All] p = 0.7946

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
PCGF3|ILMN_1803454 (non−ER binding)

[<=60] p = 0.64
[>60] p = 0.48661
[All] p = 0.43617

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
PCGF3|ILMN_1803454 (non−ER binding)

[<=60] p = 0.73532
[>60] p = 0.37348
[All] p = 0.59391

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
PCGF3|ILMN_1803454 (non−ER binding)

[<=60] p = 0.97737
[>60] p = 0.73544
[All] p = 0.84474

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
PCGF3|ILMN_1803454 (non−ER binding)

[<=60] p = 0.93651
[>60] p = 0.17427
[All] p = 0.63543

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
PCGF3|ILMN_1803454 (non−ER binding)

[<=60] p = 0.52402
[>60] p = 0.39147
[All] p = 0.45749

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis