iClust 1: N = 140
Bcl2|ILMN_1801119 (non−ER binding)

[<=60] p = 0.88651
[>60] p = 0.75791
[All] p = 0.4179

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
Bcl2|ILMN_1801119 (non−ER binding)

[<=60] p = 0.19529
[>60] p = 0.078021
[All] p = 0.12076

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
Bcl2|ILMN_1801119 (non−ER binding)

[<=60] p = 0.47721
[>60] p = 0.34134
[All] p = 0.89211

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
Bcl2|ILMN_1801119 (non−ER binding)

[<=60] p = 0.7876
[>60] p = 0.058845
[All] p = 0.060707

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
Bcl2|ILMN_1801119 (non−ER binding)

[<=60] p = 0.6103
[>60] p = 0.25414
[All] p = 0.044916

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
Bcl2|ILMN_1801119 (non−ER binding)

[<=60] p = 0.23453
[>60] p = 0.9039
[All] p = 0.54045

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
Bcl2|ILMN_1801119 (non−ER binding)

[<=60] p = 0.45706
[>60] p = 0.051963
[All] p = 0.97355

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
Bcl2|ILMN_1801119 (non−ER binding)

[<=60] p = 0.31834
[>60] p = 0.21346
[All] p = 0.92607

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
Bcl2|ILMN_1801119 (non−ER binding)

[<=60] p = 0.36772
[>60] p = 0.38584
[All] p = 0.51137

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
Bcl2|ILMN_1801119 (non−ER binding)

[<=60] p = 0.71437
[>60] p = 0.89913
[All] p = 0.6368

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis