**iClust 1: N = 140**
DNAJC8|ILMN_1698258 (non−ER binding)

[<=60] p = 0.21487
[>60] p = 0.83527
[All] p = 0.011102

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
DNAJC8|ILMN_1698258 (non−ER binding)

[<=60] p = 0.1348
[>60] p = 0.31025
[All] p = 0.091869

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
DNAJC8|ILMN_1698258 (non−ER binding)

[<=60] p = 0.097373
[>60] p = 0.014913
[All] p = 2.2467e−09

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
DNAJC8|ILMN_1698258 (non−ER binding)

[<=60] p = 0.3062
[>60] p = 0.015741
[All] p = 4.3383e−07

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
DNAJC8|ILMN_1698258 (non−ER binding)

[<=60] p = 0.92907
[>60] p = 0.85584
[All] p = 0.051279

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
DNAJC8|ILMN_1698258 (non−ER binding)

[<=60] p = 0.33947
[>60] p = 0.037193
[All] p = 0.043707

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
DNAJC8|ILMN_1698258 (non−ER binding)

[<=60] p = 0.72743
[>60] p = 0.39797
[All] p = 0.039033

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
DNAJC8|ILMN_1698258 (non−ER binding)

[<=60] p = 0.61804
[>60] p = 0.0037063
[All] p = 9.307e−07

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
DNAJC8|ILMN_1698258 (non−ER binding)

[<=60] p = 0.21667
[>60] p = 0.36257
[All] p = 0.10069

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
DNAJC8|ILMN_1698258 (non−ER binding)

[<=60] p = 0.45287
[>60] p = 0.21191
[All] p = 0.78952

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis