iClust 1: N = 140
E2F2|ILMN_1777233 (non−ER binding)

[<=60] p = 0.24559
[>60] p = 0.016529
[All] p = 0.50746

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
E2F2|ILMN_1777233 (non−ER binding)

[<=60] p = 0.038968
[>60] p = 0.26375
[All] p = 0.46951

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
E2F2|ILMN_1777233 (non−ER binding)

[<=60] p = 0.57762
[>60] p = 0.63792
[All] p = 0.28136

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
E2F2|ILMN_1777233 (non−ER binding)

[<=60] p = 0.34043
[>60] p = 0.29683
[All] p = 0.44946

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
E2F2|ILMN_1777233 (non−ER binding)

[<=60] p = 0.87448
[>60] p = 0.9096
[All] p = 0.10674

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
E2F2|ILMN_1777233 (non−ER binding)

[<=60] p = 0.99536
[>60] p = 0.34155
[All] p = 0.3621

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
E2F2|ILMN_1777233 (non−ER binding)

[<=60] p = 0.48493
[>60] p = 0.91208
[All] p = 0.18979

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
E2F2|ILMN_1777233 (non−ER binding)

[<=60] p = 0.98248
[>60] p = 0.066099
[All] p = 0.91644

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
E2F2|ILMN_1777233 (non−ER binding)

[<=60] p = 0.94041
[>60] p = 0.63642
[All] p = 0.17156

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
E2F2|ILMN_1777233 (non−ER binding)

[<=60] p = 0.54941
[>60] p = 0.70674
[All] p = 0.8644

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis