iClust 1: N = 140
LGALS7B|ILMN_2064860 (non−ER binding)

[<=60] p = 0.10495
[>60] p = 0.33248
[All] p = 0.0042486

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
LGALS7B|ILMN_2064860 (non−ER binding)

[<=60] p = 0.66272
[>60] p = 0.10101
[All] p = 0.29814

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
LGALS7B|ILMN_2064860 (non−ER binding)

[<=60] p = 0.11244
[>60] p = 0.013345
[All] p = 8.4117e−09

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
LGALS7B|ILMN_2064860 (non−ER binding)

[<=60] p = 0.21797
[>60] p = 0.2082
[All] p = 0.0046246

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
LGALS7B|ILMN_2064860 (non−ER binding)

[<=60] p = 0.47685
[>60] p = 0.66253
[All] p = 0.06493

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
LGALS7B|ILMN_2064860 (non−ER binding)

[<=60] p = 0.51966
[>60] p = 0.55749
[All] p = 0.017465

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
LGALS7B|ILMN_2064860 (non−ER binding)

[<=60] p = 0.0050166
[>60] p = 0.66949
[All] p = 0.00043306

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
LGALS7B|ILMN_2064860 (non−ER binding)

[<=60] p = 0.11734
[>60] p = 0.00018243
[All] p = 1.2573e−10

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
LGALS7B|ILMN_2064860 (non−ER binding)

[<=60] p = 0.9115
[>60] p = 0.80935
[All] p = 0.080417

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
LGALS7B|ILMN_2064860 (non−ER binding)

[<=60] p = 0.79433
[>60] p = 0.22696
[All] p = 0.13956

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis