
iClust 1: N = 140
TCF7L2|ILMN_1672486 (non−ER binding)
[<=60] p = 0.32088
[>60] p = 0.21498
[All] p = 0.76815
No detectable trend:
|FC|<1.25 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 2: N = 72
TCF7L2|ILMN_1672486 (non−ER binding)
[<=60] p = 0.88551
[>60] p = 0.33147
[All] p = 0.34613
No detectable trend:
|FC|<1.25 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 3: N = 294
TCF7L2|ILMN_1672486 (non−ER binding)
[<=60] p = 0.56365
[>60] p = 0.64826
[All] p = 0.19115
No detectable trend:
|FC|<1.25 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 4: N = 344
TCF7L2|ILMN_1672486 (non−ER binding)
[<=60] p = 0.21133
[>60] p = 0.03072
[All] p = 5.1366e−05
Age−dependent trend:
|FC|>1.25 and adjPval<0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 5: N = 191
TCF7L2|ILMN_1672486 (non−ER binding)
[<=60] p = 0.97599
[>60] p = 0.31815
[All] p = 0.052807
No detectable trend:
|FC|<1.25 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 6: N = 86
TCF7L2|ILMN_1672486 (non−ER binding)
[<=60] p = 0.6667
[>60] p = 0.32532
[All] p = 0.38656
No detectable trend:
|FC|<1.25 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 7: N = 193
TCF7L2|ILMN_1672486 (non−ER binding)
[<=60] p = 0.76206
[>60] p = 0.32313
[All] p = 0.83524
No detectable trend:
|FC|<1.25 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 8: N = 300
TCF7L2|ILMN_1672486 (non−ER binding)
[<=60] p = 0.77835
[>60] p = 0.24461
[All] p = 0.76459
No detectable trend:
|FC|<1.25 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 9: N = 146
TCF7L2|ILMN_1672486 (non−ER binding)
[<=60] p = 0.014035
[>60] p = 0.58241
[All] p = 0.0093174
No detectable trend:
|FC|<1.25 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 10: N = 226
TCF7L2|ILMN_1672486 (non−ER binding)
[<=60] p = 0.56901
[>60] p = 0.8982
[All] p = 0.32787
No detectable trend:
|FC|<1.25 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis