iClust 1: N = 140
RMND1|ILMN_1694533 (non−ER binding)

[<=60] p = 0.0099711
[>60] p = 0.89096
[All] p = 0.021393

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
RMND1|ILMN_1694533 (non−ER binding)

[<=60] p = 0.90366
[>60] p = 0.073211
[All] p = 0.00084546

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
RMND1|ILMN_1694533 (non−ER binding)

[<=60] p = 0.1329
[>60] p = 0.26406
[All] p = 0.83144

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
RMND1|ILMN_1694533 (non−ER binding)

[<=60] p = 0.98187
[>60] p = 0.096716
[All] p = 0.017104

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
RMND1|ILMN_1694533 (non−ER binding)

[<=60] p = 0.40146
[>60] p = 0.022292
[All] p = 2.0201e−05

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
RMND1|ILMN_1694533 (non−ER binding)

[<=60] p = 0.57761
[>60] p = 0.72573
[All] p = 0.11132

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
RMND1|ILMN_1694533 (non−ER binding)

[<=60] p = 0.63472
[>60] p = 0.34322
[All] p = 0.46796

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
RMND1|ILMN_1694533 (non−ER binding)

[<=60] p = 0.36528
[>60] p = 8.1574e−05
[All] p = 7.3346e−09

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
RMND1|ILMN_1694533 (non−ER binding)

[<=60] p = 0.071017
[>60] p = 0.62545
[All] p = 0.0039704

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
RMND1|ILMN_1694533 (non−ER binding)

[<=60] p = 0.15374
[>60] p = 0.024951
[All] p = 0.00023605

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis