iClust 1: N = 140
PCGF2/MEL18|ILMN_1809859 (non−ER binding

Raw Expression (4, 16)

[<=60] p = 0.057956
[>60] p = 0.012277
[All] p = 0.00010348

No detectable trend:
|FC|<2 or adjPval>0.01

Age at diagnosis

iClust 2: N = 72
PCGF2/MEL18|ILMN_1809859 (non−ER binding

Raw Expression (4, 16)

[<=60] p = 0.53492
[>60] p = 0.529
[All] p = 0.87806

No detectable trend:
|FC|<2 or adjPval>0.01

Age at diagnosis

iClust 3: N = 294
PCGF2/MEL18|ILMN_1809859 (non−ER binding

Raw Expression (4, 16)

[<=60] p = 0.71744
[>60] p = 0.32704
[All] p = 0.94535

No detectable trend:
|FC|<2 or adjPval>0.01

Age at diagnosis

iClust 4: N = 344
PCGF2/MEL18|ILMN_1809859 (non−ER binding

Raw Expression (4, 16)

[<=60] p = 0.93388
[>60] p = 0.10494
[All] p = 0.4229

No detectable trend:
|FC|<2 or adjPval>0.01

Age at diagnosis

iClust 5: N = 191
PCGF2/MEL18|ILMN_1809859 (non−ER binding

[<=60] p = 0.18142
[>60] p = 0.4577
[All] p = 0.57388

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
PCGF2/MEL18|ILMN_1809859 (non−ER binding

[<=60] p = 0.99042
[>60] p = 0.045424
[All] p = 0.82647

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
PCGF2/MEL18|ILMN_1809859 (non−ER binding

[<=60] p = 0.87228
[>60] p = 0.99087
[All] p = 0.97653

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
PCGF2/MEL18|ILMN_1809859 (non−ER binding

[<=60] p = 0.22287
[>60] p = 0.18343
[All] p = 0.51983

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
PCGF2/MEL18|ILMN_1809859 (non−ER binding

[<=60] p = 0.85093
[>60] p = 0.70826
[All] p = 0.34661

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
PCGF2/MEL18|ILMN_1809859 (non−ER binding

[<=60] p = 0.068974
[>60] p = 0.022684
[All] p = 0.12993

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis