**iClust 1: N = 140**
Bcl2|ILMN_2246956 (non−ER binding)

[<=60] p = 0.86545
[>60] p = 0.91731
[All] p = 0.22901

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
Bcl2|ILMN_2246956 (non−ER binding)

[<=60] p = 0.26436
[>60] p = 0.027834
[All] p = 0.039515

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
Bcl2|ILMN_2246956 (non−ER binding)

[<=60] p = 0.50159
[>60] p = 0.41571
[All] p = 0.80828

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
Bcl2|ILMN_2246956 (non−ER binding)

[<=60] p = 0.95013
[>60] p = 0.064341
[All] p = 0.091107

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
Bcl2|ILMN_2246956 (non−ER binding)

[<=60] p = 0.38349
[>60] p = 0.52997
[All] p = 0.022926

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
Bcl2|ILMN_2246956 (non−ER binding)

[<=60] p = 0.14009
[>60] p = 0.82657
[All] p = 0.54061

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
Bcl2|ILMN_2246956 (non−ER binding)

[<=60] p = 0.47333
[>60] p = 0.049985
[All] p = 0.96445

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
Bcl2|ILMN_2246956 (non−ER binding)

[<=60] p = 0.55765
[>60] p = 0.26018
[All] p = 0.92773

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
Bcl2|ILMN_2246956 (non−ER binding)

[<=60] p = 0.35068
[>60] p = 0.39212
[All] p = 0.49852

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
Bcl2|ILMN_2246956 (non−ER binding)

[<=60] p = 0.82277
[>60] p = 0.96587
[All] p = 0.81336

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis