iClust 1: N = 140
FAM20B|ILMN_1674228 (non−ER binding)

[<=60] p = 0.40018
[>60] p = 0.9226
[All] p = 0.0071147

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
FAM20B|ILMN_1674228 (non−ER binding)

[<=60] p = 0.99482
[>60] p = 0.33041
[All] p = 0.58086

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
FAM20B|ILMN_1674228 (non−ER binding)

[<=60] p = 0.82621
[>60] p = 0.23413
[All] p = 0.0034794

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
FAM20B|ILMN_1674228 (non−ER binding)

[<=60] p = 0.10144
[>60] p = 0.091363
[All] p = 0.0011935

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
FAM20B|ILMN_1674228 (non−ER binding)

[<=60] p = 0.6112
[>60] p = 0.14172
[All] p = 0.58987

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
FAM20B|ILMN_1674228 (non−ER binding)

[<=60] p = 0.52283
[>60] p = 0.71046
[All] p = 0.020609

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
FAM20B|ILMN_1674228 (non−ER binding)

[<=60] p = 0.33216
[>60] p = 0.40101
[All] p = 0.0022312

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
FAM20B|ILMN_1674228 (non−ER binding)

[<=60] p = 0.7307
[>60] p = 0.019933
[All] p = 2.4015e−06

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
FAM20B|ILMN_1674228 (non−ER binding)

[<=60] p = 0.62236
[>60] p = 0.057195
[All] p = 0.39026

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
FAM20B|ILMN_1674228 (non−ER binding)

[<=60] p = 0.56416
[>60] p = 0.44396
[All] p = 0.13942

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis