iClust 1: N = 140
BCL11A|ILMN_1752899 (non−ER binding)

[<=60] p = 0.2124
[>60] p = 0.95888
[All] p = 0.0030087

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
BCL11A|ILMN_1752899 (non−ER binding)

[<=60] p = 0.2893
[>60] p = 0.0054057
[All] p = 0.13117

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
BCL11A|ILMN_1752899 (non−ER binding)

[<=60] p = 0.26106
[>60] p = 0.014201
[All] p = 1.5203e−06

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
BCL11A|ILMN_1752899 (non−ER binding)

[<=60] p = 0.058267
[>60] p = 0.113
[All] p = 2.1447e−06

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
BCL11A|ILMN_1752899 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.99048
[>60] p = 0.056544
[All] p = 0.00060131

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 6: N = 86
BCL11A|ILMN_1752899 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.90914
[>60] p = 0.033693
[All] p = 0.17307

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 7: N = 193
BCL11A|ILMN_1752899 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.25019
[>60] p = 0.064768
[All] p = 0.013337

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 8: N = 300
BCL11A|ILMN_1752899 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.015879
[>60] p = 0.0057033
[All] p = 1.9187e−08

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 9: N = 146
BCL11A|ILMN_1752899 (non−ER binding)

[<=60] p = 0.022785
[>60] p = 0.083982
[All] p = 0.010252

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
BCL11A|ILMN_1752899 (non−ER binding)

[<=60] p = 0.2642
[>60] p = 0.92945
[All] p = 0.31094

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis