iClust 1: N = 140
MKX|ILMN_1681780 (non−ER binding)

[<=60] p = 0.61972
[>60] p = 0.48606
[All] p = 0.83976

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
MKX|ILMN_1681780 (non−ER binding)

[<=60] p = 0.045318
[>60] p = 0.025083
[All] p = 0.36687

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
MKX|ILMN_1681780 (non−ER binding)

[<=60] p = 0.11082
[>60] p = 0.4235
[All] p = 5.5711e−06

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
MKX|ILMN_1681780 (non−ER binding)

[<=60] p = 0.10759
[>60] p = 0.1982
[All] p = 0.80385

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
MKX|ILMN_1681780 (non−ER binding)

[<=60] p = 0.071139
[>60] p = 0.58345
[All] p = 0.0013747

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
MKX|ILMN_1681780 (non−ER binding)

[<=60] p = 0.27805
[>60] p = 0.051842
[All] p = 0.101

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
MKX|ILMN_1681780 (non−ER binding)

[<=60] p = 0.53073
[>60] p = 0.84594
[All] p = 0.71769

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
MKX|ILMN_1681780 (non−ER binding)

[<=60] p = 0.11028
[>60] p = 0.60535
[All] p = 0.35205

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
MKX|ILMN_1681780 (non−ER binding)

[<=60] p = 0.1106
[>60] p = 0.46005
[All] p = 0.3762

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
MKX|ILMN_1681780 (non−ER binding)

[<=60] p = 0.16908
[>60] p = 0.36994
[All] p = 0.12936

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis