iClust 1: N = 140
PIGR|ILMN_1685387 (non−ER binding)

[<=60] p = 0.29471
[>60] p = 0.49388
[All] p = 0.053345

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
PIGR|ILMN_1685387 (non−ER binding)

[<=60] p = 0.81005
[>60] p = 0.38064
[All] p = 0.88045

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
PIGR|ILMN_1685387 (non−ER binding)

[<=60] p = 0.13814
[>60] p = 0.75695
[All] p = 0.70616

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
PIGR|ILMN_1685387 (non−ER binding)

[<=60] p = 0.0083215
[>60] p = 0.018986
[All] p = 8.5378e−07

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
PIGR|ILMN_1685387 (non−ER binding)

[<=60] p = 0.31988
[>60] p = 0.44999
[All] p = 0.5812

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
PIGR|ILMN_1685387 (non−ER binding)

[<=60] p = 0.78768
[>60] p = 0.38399
[All] p = 0.46174

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
PIGR|ILMN_1685387 (non−ER binding)

[<=60] p = 0.22093
[>60] p = 0.0394
[All] p = 0.027156

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
PIGR|ILMN_1685387 (non−ER binding)

[<=60] p = 0.53559
[>60] p = 0.1503
[All] p = 0.30448

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
PIGR|ILMN_1685387 (non−ER binding)

[<=60] p = 0.03272
[>60] p = 0.096865
[All] p = 0.58579

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
PIGR|ILMN_1685387 (non−ER binding)

[<=60] p = 0.24113
[>60] p = 0.82142
[All] p = 0.03787

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis