iClust 1: N = 140
HDAC2|ILMN_1767747 (non−ER binding)

[<=60] p = 0.26437
[>60] p = 0.067429
[All] p = 0.0031334

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 2: N = 72
HDAC2|ILMN_1767747 (non−ER binding)

[<=60] p = 0.41616
[>60] p = 0.86079
[All] p = 0.31983

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 3: N = 294
HDAC2|ILMN_1767747 (non−ER binding)

[<=60] p = 0.11692
[>60] p = 0.53808
[All] p = 0.061772

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 4: N = 344
HDAC2|ILMN_1767747 (non−ER binding)

[<=60] p = 0.018292
[>60] p = 0.41973
[All] p = 0.19137

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 5: N = 191
HDAC2|ILMN_1767747 (non−ER binding)

[<=60] p = 0.71806
[>60] p = 0.12384
[All] p = 0.1383

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
HDAC2|ILMN_1767747 (non−ER binding)

[<=60] p = 0.42152
[>60] p = 0.56897
[All] p = 0.50135

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
HDAC2|ILMN_1767747 (non−ER binding)

[<=60] p = 0.99822
[>60] p = 0.068016
[All] p = 0.43703

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
HDAC2|ILMN_1767747 (non−ER binding)

[<=60] p = 0.14725
[>60] p = 0.4969
[All] p = 0.97742

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
HDAC2|ILMN_1767747 (non−ER binding)

[<=60] p = 0.98015
[>60] p = 0.77234
[All] p = 0.78387

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
HDAC2|ILMN_1767747 (non−ER binding)

[<=60] p = 0.039171
[>60] p = 0.85383
[All] p = 0.14006

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis