iClust 1: N = 140
p19INK4D|ILMN_1748883 (non−ER binding)

[<=60] p = 0.065352
[>60] p = 0.68501
[All] p = 0.82959

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
p19INK4D|ILMN_1748883 (non−ER binding)

[<=60] p = 0.40419
[>60] p = 0.65604
[All] p = 0.83629

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
p19INK4D|ILMN_1748883 (non−ER binding)

[<=60] p = 0.64833
[>60] p = 0.67474
[All] p = 0.13829

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
p19INK4D|ILMN_1748883 (non−ER binding)

[<=60] p = 0.83995
[>60] p = 0.75185
[All] p = 0.1652

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
p19INK4D|ILMN_1748883 (non−ER binding)

[<=60] p = 0.13543
[>60] p = 0.81995
[All] p = 0.66227

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
p19INK4D|ILMN_1748883 (non−ER binding)

[<=60] p = 0.19915
[>60] p = 0.37143
[All] p = 0.057114

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
p19INK4D|ILMN_1748883 (non−ER binding)

[<=60] p = 0.30186
[>60] p = 0.90685
[All] p = 0.26136

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
p19INK4D|ILMN_1748883 (non−ER binding)

[<=60] p = 0.03434
[>60] p = 0.5875
[All] p = 0.50338

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
p19INK4D|ILMN_1748883 (non−ER binding)

[<=60] p = 0.71064
[>60] p = 0.50044
[All] p = 0.35936

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
p19INK4D|ILMN_1748883 (non−ER binding)

[<=60] p = 0.15273
[>60] p = 0.68216
[All] p = 0.88314

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis