
iClust 1: N = 140
LGALS7B|ILMN_2064860 (non−ER binding)
[<=60] p = 0.10495
[>60] p = 0.33248
[All] p = 0.0042486
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 2: N = 72
LGALS7B|ILMN_2064860 (non−ER binding)
[<=60] p = 0.66272
[>60] p = 0.10101
[All] p = 0.29814
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 3: N = 294
LGALS7B|ILMN_2064860 (non−ER binding)
[<=60] p = 0.11244
[>60] p = 0.013345
[All] p = 8.4117e−09
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 4: N = 344
LGALS7B|ILMN_2064860 (non−ER binding)
[<=60] p = 0.21797
[>60] p = 0.2082
[All] p = 0.0046246
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 5: N = 191
LGALS7B|ILMN_2064860 (non−ER binding)
[<=60] p = 0.47685
[>60] p = 0.66253
[All] p = 0.06493
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 6: N = 86
LGALS7B|ILMN_2064860 (non−ER binding)
[<=60] p = 0.51966
[>60] p = 0.55749
[All] p = 0.017465
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 7: N = 193
LGALS7B|ILMN_2064860 (non−ER binding)
[<=60] p = 0.0050166
[>60] p = 0.66949
[All] p = 0.00043306
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 8: N = 300
LGALS7B|ILMN_2064860 (non−ER binding)
[<=60] p = 0.11734
[>60] p = 0.00018243
[All] p = 1.2573e−10
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 9: N = 146
LGALS7B|ILMN_2064860 (non−ER binding)
[<=60] p = 0.9115
[>60] p = 0.80935
[All] p = 0.080417
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 10: N = 226
LGALS7B|ILMN_2064860 (non−ER binding)
[<=60] p = 0.79433
[>60] p = 0.22696
[All] p = 0.13956
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis