iClust 1: N = 140
RKIP|ILMN_1688089 (non−ER binding)

[<=60] p = 0.68501
[>60] p = 0.22858
[All] p = 0.66682

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
RKIP|ILMN_1688089 (non−ER binding)

[<=60] p = 0.1084
[>60] p = 0.97532
[All] p = 0.79021

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
RKIP|ILMN_1688089 (non−ER binding)

[<=60] p = 0.13932
[>60] p = 0.96123
[All] p = 0.75319

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
RKIP|ILMN_1688089 (non−ER binding)

[<=60] p = 0.6446
[>60] p = 0.98254
[All] p = 0.079478

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
RKIP|ILMN_1688089 (non−ER binding)

[<=60] p = 0.49826

[>60] p = 0.54404

[All] p = 0.58824

No detectable trend:

|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
RKIP|ILMN_1688089 (non−ER binding)

[<=60] p = 0.47071

[>60] p = 0.46754

[All] p = 0.48132

No detectable trend:

|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
RKIP|ILMN_1688089 (non−ER binding)

[<=60] p = 0.87822

[>60] p = 0.95577

[All] p = 0.79318

No detectable trend:

|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
RKIP|ILMN_1688089 (non−ER binding)

[<=60] p = 0.35986

[>60] p = 0.041843

[All] p = 0.016891

No detectable trend:

|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
RKIP|ILMN_1688089 (non−ER binding)

[<=60] p = 0.15393
[>60] p = 0.82677
[All] p = 0.79841

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
RKIP|ILMN_1688089 (non−ER binding)

[<=60] p = 0.93672
[>60] p = 0.87074
[All] p = 0.68543

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis