iClust 1: N = 140
MT1X|ILMN_1775170 (non−ER binding)

[<=60] p = 0.19333
[>60] p = 0.60347
[All] p = 0.053383

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
MT1X|ILMN_1775170 (non−ER binding)

[<=60] p = 0.90565
[>60] p = 0.15434
[All] p = 0.05242

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
MT1X|ILMN_1775170 (non−ER binding)

[<=60] p = 0.18827
[>60] p = 0.46287
[All] p = 0.0084156

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
MT1X|ILMN_1775170 (non−ER binding)

[<=60] p = 0.48164
[>60] p = 0.051857
[All] p = 0.0016055

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
MT1X|ILMN_1775170 (non−ER binding)

[<=60] p = 0.048789
[>60] p = 0.91736
[All] p = 0.023358

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
MT1X|ILMN_1775170 (non−ER binding)

[<=60] p = 0.65133
[>60] p = 0.93473
[All] p = 0.090672

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
MT1X|ILMN_1775170 (non−ER binding)

[<=60] p = 0.091662
[>60] p = 0.62676
[All] p = 0.01715

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
MT1X|ILMN_1775170 (non−ER binding)

[<=60] p = 0.1733
[>60] p = 0.0050654
[All] p = 3.419e−06

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
MT1X|ILMN_1775170 (non−ER binding)

[<=60] p = 0.71226
[>60] p = 0.07497
[All] p = 0.018718

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
MT1X|ILMN_1775170 (non−ER binding)

[<=60] p = 0.32319
[>60] p = 0.076547
[All] p = 0.15796

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis