iClust 1: N = 140
CBX2|ILMN_1709645 (non−ER binding)

[<=60] p = 0.10337
[>60] p = 0.88002
[All] p = 0.70055

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
CBX2|ILMN_1709645 (non−ER binding)

[<=60] p = 0.82319
[>60] p = 0.62605
[All] p = 0.87461

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
CBX2|ILMN_1709645 (non−ER binding)

[<=60] p = 0.20429
[>60] p = 0.28953
[All] p = 0.3711

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
CBX2|ILMN_1709645 (non−ER binding)

[<=60] p = 0.94245
[>60] p = 0.15013
[All] p = 0.65109

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
CBX2|ILMN_1709645 (non−ER binding)

[<=60] p = 0.93649
[>60] p = 0.38839
[All] p = 0.27104

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
CBX2|ILMN_1709645 (non−ER binding)

[<=60] p = 0.78736
[>60] p = 0.16913
[All] p = 0.81114

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
CBX2|ILMN_1709645 (non−ER binding)

[<=60] p = 0.80526
[>60] p = 0.022049
[All] p = 0.030081

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
CBX2|ILMN_1709645 (non−ER binding)

[<=60] p = 0.61139
[>60] p = 0.95672
[All] p = 0.5077

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
CBX2|ILMN_1709645 (non−ER binding)

[<=60] p = 0.2332
[>60] p = 0.5945
[All] p = 0.34839

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
CBX2|ILMN_1709645 (non−ER binding)

[<=60] p = 0.58092
[>60] p = 0.62178
[All] p = 0.0077737

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis