iClust 1: N = 140
SMAD2|ILMN_1771203 (non−ER binding)

[<=60] p = 0.79033
[>60] p = 0.96405
[All] p = 0.64825

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
SMAD2|ILMN_1771203 (non−ER binding)

[<=60] p = 0.44804
[>60] p = 0.015039
[All] p = 0.4164

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
SMAD2|ILMN_1771203 (non−ER binding)

[<=60] p = 0.67431
[>60] p = 0.029084
[All] p = 0.043607

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
SMAD2|ILMN_1771203 (non−ER binding)

[<=60] p = 0.60472
[>60] p = 0.33873
[All] p = 0.51851

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
SMAD2|ILMN_1771203 (non−ER binding)

[<=60] p = 0.72088
[>60] p = 0.72224
[All] p = 0.75929

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
SMAD2|ILMN_1771203 (non−ER binding)

[<=60] p = 0.33363
[>60] p = 0.067805
[All] p = 0.1172

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
SMAD2|ILMN_1771203 (non−ER binding)

[<=60] p = 0.18924
[>60] p = 0.8445
[All] p = 0.25047

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
SMAD2|ILMN_1771203 (non−ER binding)

[<=60] p = 0.46677
[>60] p = 0.57346
[All] p = 0.16939

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
SMAD2|ILMN_1771203 (non−ER binding)

[<=60] p = 0.22459
[>60] p = 0.9332
[All] p = 0.25253

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
SMAD2|ILMN_1771203 (non−ER binding)

[<=60] p = 0.8395
[>60] p = 0.73485
[All] p = 0.88877

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis