iClust 1: N = 140
cryab|ILMN_1729216 (non−ER binding)

[<=60] p = 0.22141
[>60] p = 0.056332
[All] p = 0.0021846

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
cryab|ILMN_1729216 (non−ER binding)

[<=60] p = 0.16628
[>60] p = 0.23375
[All] p = 0.97288

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
cryab|ILMN_1729216 (non−ER binding)

[<=60] p = 0.017848
[>60] p = 0.16097
[All] p = 0.019359

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
cryab|ILMN_1729216 (non−ER binding)

[<=60] p = 0.90483
[>60] p = 0.11207
[All] p = 0.0090564

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
cryab|ILMN_1729216 (non−ER binding)

[<=60] p = 0.2419
[>60] p = 0.56009
[All] p = 0.1407

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
cryab|ILMN_1729216 (non−ER binding)

[<=60] p = 0.6497
[>60] p = 0.67263
[All] p = 0.010299

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
cryab|ILMN_1729216 (non−ER binding)

[<=60] p = 0.13397
[>60] p = 0.042121
[All] p = 0.00033297

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
cryab|ILMN_1729216 (non−ER binding)

[<=60] p = 0.56266
[>60] p = 0.036796
[All] p = 0.00074367

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
cryab|ILMN_1729216 (non−ER binding)

iClust 10: N = 226
cryab|ILMN_1729216 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.44749
[>60] p = 0.10578
[All] p = 0.023241

No detectable trend:
|FC|<2 or adjPval>0.01

Age at diagnosis

Raw Expression (4, 16)

[<=60] p = 0.25063
[>60] p = 0.73239
[All] p = 0.11373

No detectable trend:
|FC|<2 or adjPval>0.01

Age at diagnosis