iClust 1: N = 140
BRCA1|ILMN_2311089 (non−ER binding)

[<=60] p = 0.22228
[>60] p = 0.027426
[All] p = 0.001257

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
BRCA1|ILMN_2311089 (non−ER binding)

[<=60] p = 0.27368
[>60] p = 0.12008
[All] p = 0.14021

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
BRCA1|ILMN_2311089 (non−ER binding)

[<=60] p = 0.39378
[>60] p = 0.37742
[All] p = 0.34363

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
BRCA1|ILMN_2311089 (non−ER binding)

[<=60] p = 0.62489
[>60] p = 0.080071
[All] p = 0.0029187

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
BRCA1|ILMN_2311089 (non−ER binding)

[<=60] p = 0.75227
[>60] p = 0.21296
[All] p = 0.82574

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
BRCA1|ILMN_2311089 (non−ER binding)

[<=60] p = 0.85198
[>60] p = 0.055415
[All] p = 0.99012

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
BRCA1|ILMN_2311089 (non−ER binding)

[<=60] p = 0.82337
[>60] p = 0.19319
[All] p = 0.11544

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
BRCA1|ILMN_2311089 (non−ER binding)

[<=60] p = 0.04775
[>60] p = 0.91278
[All] p = 0.0099318

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
BRCA1|ILMN_2311089 (non−ER binding)

[<=60] p = 0.50734
[>60] p = 0.13491
[All] p = 0.40415

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
BRCA1|ILMN_2311089 (non−ER binding)

[<=60] p = 0.00059501
[>60] p = 0.44393
[All] p = 0.0081768

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis