**iClust 1: N = 140**
PCGF6/MBLR|ILMN_2401701 (non−ER binding

[<=60] p = 0.16359
[>60] p = 0.2891
[All] p = 0.27619

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 2: N = 72
PCGF6/MBLR|ILMN_2401701 (non−ER binding)

[<=60] p = 0.781
[>60] p = 0.5176
[All] p = 0.49436

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 3: N = 294
PCGF6/MBLR|ILMN_2401701 (non−ER binding

[<=60] p = 0.33141
[>60] p = 0.97957
[All] p = 0.22365

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 4: N = 344
PCGF6/MBLR|ILMN_2401701 (non−ER binding)

[<=60] p = 0.57561
[>60] p = 0.55719
[All] p = 0.63771

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 5: N = 191
PCGF6/MBLR|ILMN_2401701 (non−ER binding

[<=60] p = 0.84063
[>60] p = 0.18105
[All] p = 0.33224

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
PCGF6/MBLR|ILMN_2401701 (non−ER binding

[<=60] p = 0.84713
[>60] p = 0.89441
[All] p = 0.93199

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
PCGF6/MBLR|ILMN_2401701 (non−ER binding

[<=60] p = 0.33955
[>60] p = 0.58283
[All] p = 0.80868

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
PCGF6/MBLR|ILMN_2401701 (non−ER binding

[<=60] p = 0.68733
[>60] p = 0.77807
[All] p = 0.61476

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
PCGF6/MBLR|ILMN_2401701 (non−ER binding

[<=60] p = 0.18526
[>60] p = 0.37947
[All] p = 0.13484

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
PCGF6/MBLR|ILMN_2401701 (non−ER binding

[<=60] p = 0.74582
[>60] p = 0.46654
[All] p = 0.20072

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis