iClust 1: N = 140
C1QTNF4|ILMN_2195462 (non−ER binding)

[<=60] p = 0.34675
[>60] p = 0.09322
[All] p = 1.7303e−05

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
C1QTNF4|ILMN_2195462 (non−ER binding)

[<=60] p = 0.75002
[>60] p = 0.065208
[All] p = 0.43887

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
C1QTNF4|ILMN_2195462 (non−ER binding)

[<=60] p = 0.14038
[>60] p = 0.083364
[All] p = 1.6751e−10

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
C1QTNF4|ILMN_2195462 (non−ER binding)

[<=60] p = 0.07003
[>60] p = 0.0036039
[All] p = 1.012e−06

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
C1QTNF4|ILMN_2195462 (non−ER binding)

[<=60] p = 0.54739
[>60] p = 0.31878
[All] p = 0.092077

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
C1QTNF4|ILMN_2195462 (non−ER binding)

[<=60] p = 0.96082
[>60] p = 0.89632
[All] p = 0.11382

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
C1QTNF4|ILMN_2195462 (non−ER binding)

[<=60] p = 0.60767
[>60] p = 0.030512
[All] p = 0.0010038

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
C1QTNF4|ILMN_2195462 (non−ER binding)

[<=60] p = 0.17168
[>60] p = 0.060094
[All] p = 6.2099e−08

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
C1QTNF4|ILMN_2195462 (non−ER binding)

[<=60] p = 0.94345
[>60] p = 0.037165
[All] p = 0.01069

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
C1QTNF4|ILMN_2195462 (non−ER binding)

[<=60] p = 0.037651
[>60] p = 0.61399
[All] p = 0.45999

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis