iClust 1: N = 140
c−MYC|ILMN_1680618 (non−ER binding)

[<=60] p = 0.065843
[>60] p = 0.34056
[All] p = 0.086349

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
c−MYC|ILMN_1680618 (non−ER binding)

[<=60] p = 0.95759
[>60] p = 0.14331
[All] p = 0.74024

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
c−MYC|ILMN_1680618 (non−ER binding)

[<=60] p = 0.11608
[>60] p = 0.92823
[All] p = 0.0029434

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
c−MYC|ILMN_1680618 (non−ER binding)

[<=60] p = 0.24326
[>60] p = 0.82122
[All] p = 0.00057517

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
c−MYC|ILMN_1680618 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.12473
[>60] p = 0.48937
[All] p = 0.92161

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 6: N = 86
c−MYC|ILMN_1680618 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.79975
[>60] p = 0.015224
[All] p = 0.93508

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 7: N = 193
c−MYC|ILMN_1680618 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.001016
[>60] p = 0.81696
[All] p = 0.019879

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 8: N = 300
c−MYC|ILMN_1680618 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.0048463
[>60] p = 0.9055
[All] p = 0.054758

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 9: N = 146
c−MYC|ILMN_1680618 (non−ER binding)

[<=60] p = 0.18377
[>60] p = 0.21986
[All] p = 0.11681

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
c−MYC|ILMN_1680618 (non−ER binding)

[<=60] p = 0.47291
[>60] p = 0.23254
[All] p = 0.64566

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis