
iClust 1: N = 140
RYBP|ILMN_1721842 (non−ER binding)
[<=60] p = 0.5389
[>60] p = 0.23298
[All] p = 0.11976
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 2: N = 72
RYBP|ILMN_1721842 (non−ER binding)
[<=60] p = 0.92449
[>60] p = 0.36302
[All] p = 0.012568
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 3: N = 294
RYBP|ILMN_1721842 (non−ER binding)
[<=60] p = 0.02642
[>60] p = 0.040408
[All] p = 0.011572
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 4: N = 344
RYBP|ILMN_1721842 (non−ER binding)
[<=60] p = 0.31763
[>60] p = 0.19739
[All] p = 0.82432
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 5: N = 191
RYBP|ILMN_1721842 (non−ER binding)
[<=60] p = 0.51554
[>60] p = 0.0031955
[All] p = 0.4422
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 6: N = 86
RYBP|ILMN_1721842 (non−ER binding)
[<=60] p = 0.57095
[>60] p = 0.92693
[All] p = 0.37356
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 7: N = 193
RYBP|ILMN_1721842 (non−ER binding)
[<=60] p = 0.87129
[>60] p = 0.056822
[All] p = 0.00026626
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 8: N = 300
RYBP|ILMN_1721842 (non−ER binding)
[<=60] p = 0.14759
[>60] p = 0.13633
[All] p = 0.0087487
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 9: N = 146
RYBP|ILMN_1721842 (non−ER binding)
[<=60] p = 0.71514
[>60] p = 0.11481
[All] p = 0.26171
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 10: N = 226
RYBP|ILMN_1721842 (non−ER binding)
[<=60] p = 0.29831
[>60] p = 0.97527
[All] p = 0.75987
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis