iClust 1: N = 140
STAT1|ILMN_1690105 (ER binding)

[<=60] p = 0.67769
[>60] p = 0.15419
[All] p = 0.14483

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
STAT1|ILMN_1690105 (ER binding)

[<=60] p = 0.0064942
[>60] p = 0.88628
[All] p = 0.021804

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
STAT1|ILMN_1690105 (ER binding)

[<=60] p = 0.46873
[>60] p = 0.97813
[All] p = 0.14215

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
STAT1|ILMN_1690105 (ER binding)

[<=60] p = 0.059128
[>60] p = 0.92128
[All] p = 0.96912

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
STAT1|ILMN_1690105 (ER binding)

Raw Expression (4, 16)

[<=60] p = 0.45029
[>60] p = 0.87803
[All] p = 0.70775

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 6: N = 86
STAT1|ILMN_1690105 (ER binding)

Raw Expression (4, 16)

[<=60] p = 0.69873
[>60] p = 0.4199
[All] p = 0.93097

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 7: N = 193
STAT1|ILMN_1690105 (ER binding)

Raw Expression (4, 16)

[<=60] p = 0.6926
[>60] p = 0.78425
[All] p = 0.51081

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 8: N = 300
STAT1|ILMN_1690105 (ER binding)

Raw Expression (4, 16)

[<=60] p = 0.25014
[>60] p = 0.32471
[All] p = 0.037455

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 9: N = 146
STAT1|ILMN_1690105 (ER binding)

[<=60] p = 0.66508

[>60] p = 0.65365

[All] p = 0.92845

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
STAT1|ILMN_1690105 (ER binding)

[<=60] p = 0.49104

[>60] p = 0.50484

[All] p = 0.96974

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis