
iClust 1: N = 140
LAMC3|ILMN_1688642 (non−ER binding)
[<=60] p = 0.0052729
[>60] p = 0.35367
[All] p = 0.0070479
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 2: N = 72
LAMC3|ILMN_1688642 (non−ER binding)
[<=60] p = 0.86536
[>60] p = 0.22424
[All] p = 0.026888
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 3: N = 294
LAMC3|ILMN_1688642 (non−ER binding)
[<=60] p = 0.60135
[>60] p = 0.037098
[All] p = 2.0014e−06
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 4: N = 344
LAMC3|ILMN_1688642 (non−ER binding)
[<=60] p = 0.10023
[>60] p = 0.0094615
[All] p = 2.0187e−07
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 5: N = 191
LAMC3|ILMN_1688642 (non−ER binding)
[<=60] p = 0.31168
[>60] p = 0.029331
[All] p = 0.0022502
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 6: N = 86
LAMC3|ILMN_1688642 (non−ER binding)
[<=60] p = 0.15853
[>60] p = 0.89257
[All] p = 0.0063011
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 7: N = 193
LAMC3|ILMN_1688642 (non−ER binding)
[<=60] p = 0.25037
[>60] p = 0.13817
[All] p = 0.080604
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 8: N = 300
LAMC3|ILMN_1688642 (non−ER binding)
[<=60] p = 0.085476
[>60] p = 0.025357
[All] p = 3.7326e−06
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 9: N = 146
LAMC3|ILMN_1688642 (non−ER binding)
[<=60] p = 0.79891
[>60] p = 0.12874
[All] p = 0.31211
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 10: N = 226
LAMC3|ILMN_1688642 (non−ER binding)
[<=60] p = 0.75704
[>60] p = 0.12687
[All] p = 0.55769
No detectable trend:
|FC|<2 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis