iClust 1: N = 140
ANXA8L2|ILMN_1799098 (non−ER binding)

[<=60] p = 0.16771
[>60] p = 0.027937
[All] p = 0.00019981

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
ANXA8L2|ILMN_1799098 (non−ER binding)

[<=60] p = 0.49486
[>60] p = 0.12404
[All] p = 0.46866

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
ANXA8L2|ILMN_1799098 (non−ER binding)

[<=60] p = 0.38912
[>60] p = 0.02483
[All] p = 1.5262e−06

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
ANXA8L2|ILMN_1799098 (non−ER binding)

[<=60] p = 0.61892
[>60] p = 0.54363
[All] p = 0.024219

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
ANXA8L2|ILMN_1799098 (non−ER binding)

[<=60] p = 0.26402
[>60] p = 0.16354
[All] p = 0.039609

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
ANXA8L2|ILMN_1799098 (non−ER binding)

[<=60] p = 0.43476
[>60] p = 0.38575
[All] p = 0.10406

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
ANXA8L2|ILMN_1799098 (non−ER binding)

[<=60] p = 0.27799
[>60] p = 0.29227
[All] p = 0.49706

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
ANXA8L2|ILMN_1799098 (non−ER binding)

[<=60] p = 0.042838
[>60] p = 0.00050486
[All] p = 4.9455e−12

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
ANXA8L2|ILMN_1799098 (non−ER binding)

[<=60] p = 0.78198
[>60] p = 0.22737
[All] p = 0.0055501

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
ANXA8L2|ILMN_1799098 (non−ER binding)

[<=60] p = 0.82464
[>60] p = 0.064206
[All] p = 0.70297

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis