iClust 1: N = 140
SLC26A3|ILMN_1760087 (non−ER binding)

[<=60] p = 0.33659
[>60] p = 0.47281
[All] p = 0.99387

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
SLC26A3|ILMN_1760087 (non−ER binding)

[<=60] p = 0.50942
[>60] p = 0.12773
[All] p = 0.40999

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
SLC26A3|ILMN_1760087 (non−ER binding)

[<=60] p = 0.065918
[>60] p = 0.78982
[All] p = 7.9135e−06

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
SLC26A3|ILMN_1760087 (non−ER binding)

[<=60] p = 0.15555
[>60] p = 0.9102
[All] p = 0.006162

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
SLC26A3|ILMN_1760087 (non−ER binding)

[<=60] p = 0.96674
[>60] p = 0.5448
[All] p = 0.57996

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
SLC26A3|ILMN_1760087 (non−ER binding)

[<=60] p = 0.31405
[>60] p = 0.61938
[All] p = 0.71483

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
SLC26A3|ILMN_1760087 (non−ER binding)

[<=60] p = 0.013086
[>60] p = 0.070708
[All] p = 6.3114e−06

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
SLC26A3|ILMN_1760087 (non−ER binding)

[<=60] p = 0.13388
[>60] p = 0.12312
[All] p = 0.0011334

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
SLC26A3|ILMN_1760087 (non−ER binding)

[<=60] p = 0.8262
[>60] p = 0.23765
[All] p = 0.80299

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
SLC26A3|ILMN_1760087 (non−ER binding)

[<=60] p = 0.54565
[>60] p = 0.41928
[All] p = 0.15489

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis